
Rev 0.1



Rev 0.1

User's Quick Guide

Congratulations on your purchase of the Primax KBBT70811 NEMO Bluetooth® Keyboard! This guide will take you through all the functions of this keyboard.

Introduction

is the latest in a wide range of tablet peripherals manufactured by Primax and is designed to provide you with the highest level of comfort available while also allowing for maximum functionality.

Primax KBBT70811 NEMO Bluetooth® Keyboard

Safety Guidelines

Physical discomfort and injury can be caused by the incorrect use of your keyboard. Follow these guidelines to ensure such problems are avoided:

- Sit up straight in your chair, with your elbows by your side.
- Adjust the height of your chair so your arm bends at a 90-degree angle respective to your desk.
- Position your keyboard in front you, to the side of your keyboard.
- Do not slouch or hunch over your workspace. It is important to keep your wrists, arms and shoulders relaxed.
- If necessary, use a wrist rest or a palm rest to alleviate extra stress placed on your joints when typing or using the keyboard, especially for long periods of time.

If you experience any feelings numbness, cramp, swelling or stiffness in your wrist, arms, neck or shoulders, consult your local doctor or nearest health institution immediately.

Bluetooth® keyboard connection settings

Follow below steps to connect the Bluetooth® keyboard and the tablet system.

1. Turn on the power switch in right side of the Bluetooth® keyboard. The keyboard connection indicator light blinks blue.

Unote: If the Bluetooth® indicator lights stop blinking, long press the connect buttons on the keyboard to restart the connection process.

ONote: If the indicator blinks quickly, it means this keyboard has been paired before. Long press the connection button to clean the paired data and restart the connection.

 Turn on Bluetooth in Tablet/iPad/Laptop settings. Tablet/iPad/Laptop will start discovering the list of available Bluetooth® devices for pairing.

UNote: If NEMO Bluetooth Keyboard is not found, long press the Keyboard connect button and manually trigger the device search again in tablet/iPad/Laptop.


- 3. Select the Primax NEMO Keyboard from the list.
- 4. Using Primax Bluetooth® Keyboard to enter the pairing code and press the **Enter** key to complete the Bluetooth connection.

After the pairing process is completed, the last paired data will be stored. Auto connection will be supported in later operation.

Bluetooth® keyboard Hotkey support

The hotkey function support, position or printing might be various while shipping. Enclosed is Windows 8 version.

Rev 0.1



LED Indicator

This Keyboard includes one LED in the left side with 2 colors presenting connection and power status.

- 1. In Pairing (Blue): Blinking one time every 1 second, time out after 5 minutes.
- 2. In Reconnecting (Blue): Double blinking every 1 second, time out after 10 seconds.
- 3. Just Connected (Blue): Steady for 2 seconds.
- 4. Low Power (Orange): Blinking orange LED one time every 1 second until it enters another mode.
- 5. Charging (Orange): Orange LED on. It will be off after the battery is full.

Power Supply

This keyboard has built-in rechargeable Li-on battery. When user first time opens the box, it's recommended to fully charge the battery with bundled cable through MicroUSB port.

Troubleshooting

Question: My keyboard is not working. What should I do?

Answer:

1. Check if the Bluetooth® connection is turned on correctly in the system side.

2. Other system devices, such as PC cards, may cause conflicts that prevent your keyboard from working properly. Check the settings of these devices and make any changes as necessary. Reboot your computer and re-attach the keyboard.

Low Battery Notification

When the keyboard is running out of power, the indicator will blink orange. Please re-charge the batteries with microUSB connector to continue to use the keyboard.

Wake up the keyboard

Press any button to wake up the keyboard while the keyboard is in the standby mode.

Federal Communication Commission Interference Statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

IC Statement

This device complies with RSS-210 of the Industry Canada Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Ce dispositif est conforme à la norme CNR-210 d'Industrie Canada applicable aux appareils radio exempts de licence. Son fonctionnement est sujet aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

Radiation Exposure Statement:

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.

NOTE:

THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.

CE Statement

CE Declaration Of Conformity Hereby, the manufacturer, declares that this s Keyboard Bluetooth Presenter in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC. Essential requirements

- -- Article 3 Protection requirements for health and safety Article 3.1a
- --Testing for electric safety according to EN 60950 has been conducted. These are considered relevant and sufficient. Protection requirements for electromagnetic compatibility Article 3.1b
- --Testing for electromagnetic compatibility according to EN 301 489-1 and EN 301 489-3 has been conducted. These are considered relevant and sufficient Effective use of the radio spectrum -Article 3.2
- --Testing for radio test suites according to EN 300 440-2 has been conducted. These are considered relevant and sufficient.

for enclosure drawing

Contents of the Package:

- Primax Bluetooth Keyboard (with built-in re-chargeable Li-on Battery)
- MicroUSB to USB cable
- User's Quick Guide

Install Hardware:

• Switch on the power switch in the front of the keyboard

Appendix. Notices

Primax may not offer the products, services, or features discussed in this document in all countries. Consult your local Primax representative for information on the products and services currently available in your area. Any reference to a Primax product, program, or service is not intended to state or imply that only that Primax product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any Primax intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any other product, program, or service.

Primax may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

Primax Electronics LTD No. 669, Ruey Kuang Road Neihu Taipei, Taiwan, R.O.C. Attention: Primax Director of Licensing

Primax Electronics LTD. PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be.

incorporated in new editions of the publication. Primax may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Primax product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Primax or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary.

Primax may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Primax Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Primax product, and use of those Web sites is at your own risk.

Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Trademarks

Primax Electronics LTD.



Primax and the Primax logo are trademarks of Primax in the Taiwan, other countries, or both.

Other company, product, or service names may be trademarks or service marks of others.