



RF EXPOSURE REPORT

REPORT NO.: SA110118D14

MODEL NO.: MOWFFKUL

FCC ID: EMJMMOWFFKUL

ACCORDING: FCC Guidelines for Human Exposure
IEEE C95.1

APPLICANT : PRIMAX ELECTRONICS LTD.

ADDRESS : No. 669, Ruey Kuang Road, Neihu, Taipei, Taiwan,
R.O.C.

ISSUED BY : Bureau Veritas Consumer Products Services (H.K.)
Ltd., Taoyuan Branch

LAB ADDRESS : No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,
Taipei Hsien, 244 Taiwan

Conclusion

No Evaluation Required if power is below this threshold:

2.4GHz

F(GHz)		mW
Low	2412	24.62
High	2462	

5.15GHz

F(GHz)		mW
Low	5180	11.52
High	5240	

5.7GHz

F(GHz)		mW
Low	5745	10.39
High	5805	

Maximum measured transmitter power:

2.4GHz

	Pout (dBm)	Pout (mW)
Conducted Power	7.7	5.9
EIRP Power	8.3	6.8

***Note:** The antenna is printed antenna with 0.55dBi gain
 Threshold for no SAR evaluation is 24.62mW
 Transmitter power is 6.8mW

5.15GHz

	Pout (dBm)	Pout (mW)
Conducted Power	5.7	3.7
EIRP Power	7.0	5.0

***Note:** The antenna is printed antenna with 1.30dBi gain
 Threshold for no SAR evaluation is 11.52mW
 Transmitter power is 5.0mW

5.7GHz

	Pout (dBm)	Pout (mW)
Conducted Power	4.2	2.6
EIRP Power	6.7	4.7

***Note:** The antenna is printed antenna with 2.48dBi gain
 Threshold for no SAR evaluation is 10.39mW
 Transmitter power is 4.7mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold

---END---