


Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2454.700	64.01	31.96	95.97	54.00	41.97	AVG	No limit
2	X	2454.800	74.96	31.96	106.92	74.00	32.92	peak	No limit
3		2483.500	35.65	32.01	67.66	74.00	-6.34	peak	
4		2483.500	19.77	32.01	51.78	54.00	-2.22	AVG	

Orthogonal Axis :	X
Test Mode :	TX G MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4924.000	27.70	3.80	31.50	54.00	-22.50	AVG	
2		4924.060	43.53	3.80	47.33	74.00	-26.67	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	27.93	31.88	59.81	74.00	-14.19	peak	
2		2390.000	16.16	31.88	48.04	54.00	-5.96	AVG	
3	X	2417.000	70.26	31.91	102.17	74.00	28.17	peak	No limit
4	*	2419.500	58.89	31.92	90.81	54.00	36.81	AVG	No limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4824.005	42.47	3.62	46.09	74.00	-27.91	peak	
2	*	4824.005	29.62	3.62	33.24	54.00	-20.76	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	34.34	31.88	66.22	74.00	-7.78	peak	
2		2390.000	19.84	31.88	51.72	54.00	-2.28	AVG	
3	X	2416.900	74.61	31.91	106.52	74.00	32.52	peak	No limit
4	*	2419.400	63.30	31.92	95.22	54.00	41.22	AVG	No limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2412MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4824.005	30.25	3.62	33.87	54.00	-20.13	AVG	
2		4824.060	42.74	3.62	46.36	74.00	-27.64	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2429.400	63.09	31.93	95.02	54.00	41.02	AVG	No limit
2	X	2441.400	73.68	31.95	105.63	74.00	31.63	peak	No limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4874.005	44.66	3.72	48.38	74.00	-25.62	peak	
2	*	4874.005	31.57	3.72	35.29	54.00	-18.71	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2429.500	67.35	31.93	99.28	54.00	45.28	AVG	No limit
2	X	2432.100	77.80	31.94	109.74	74.00	35.74	peak	No limit

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4874.005	31.37	3.72	35.09	54.00	-18.91	AVG	
2		4874.040	45.52	3.72	49.24	74.00	-24.76	peak	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2454.400	58.12	31.96	90.08	54.00	36.08	AVG	No limit
2	X	2455.300	69.65	31.96	101.61	74.00	27.61	peak	No limit
3		2483.500	29.82	32.01	61.83	74.00	-12.17	peak	
4		2483.500	16.55	32.01	48.56	54.00	-5.44	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4924.010	41.15	3.80	44.95	74.00	-29.05	peak	
2	*	4924.010	27.70	3.80	31.50	54.00	-22.50	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2454.400	63.57	31.96	95.53	54.00	41.53	AVG	No limit
2	X	2456.300	75.05	31.97	107.02	74.00	33.02	peak	No limit
3		2483.500	35.44	32.01	67.45	74.00	-6.55	peak	
4		2483.500	19.96	32.01	51.97	54.00	-2.03	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-20M MODE 2462MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4924.010	44.33	3.80	48.13	74.00	-25.87	peak	
2	*	4924.010	29.70	3.80	33.50	54.00	-20.50	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	29.65	31.88	61.53	74.00	-12.47	peak	
2		2390.000	15.75	31.88	47.63	54.00	-6.37	AVG	
3	*	2424.600	54.35	31.93	86.28	54.00	32.28	AVG	No limit
4	X	2427.400	66.25	31.93	98.18	74.00	24.18	peak	No limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4844.000	29.71	3.66	33.37	54.00	-20.63	AVG	
2		4844.040	42.24	3.66	45.90	74.00	-28.10	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	35.56	31.88	67.44	74.00	-6.56	peak	
2		2390.000	19.09	31.88	50.97	54.00	-3.03	AVG	
3	*	2419.600	59.08	31.92	91.00	54.00	37.00	AVG	No limit
4	X	2423.800	70.27	31.93	102.20	74.00	28.20	peak	No limit

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2422MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4844.005	39.33	3.66	42.99	74.00	-31.01	peak	
2	*	4844.005	28.84	3.66	32.50	54.00	-21.50	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	25.88	31.88	57.76	74.00	-16.24	peak	
2		2390.000	15.68	31.88	47.56	54.00	-6.44	AVG	
3	*	2439.600	57.21	31.94	89.15	54.00	35.15	AVG	No limit
4	X	2440.000	69.37	31.95	101.32	74.00	27.32	peak	No limit
5		2483.500	30.14	32.01	62.15	74.00	-11.85	peak	
6		2483.500	16.65	32.01	48.66	54.00	-5.34	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4874.005	29.58	3.72	33.30	54.00	-20.70	AVG	
2		4874.100	43.67	3.72	47.39	74.00	-26.61	peak	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		2390.000	32.77	31.88	64.65	74.00	-9.35	peak	
2		2390.000	18.55	31.88	50.43	54.00	-3.57	AVG	
3	*	2432.000	61.41	31.94	93.35	54.00	39.35	AVG	No limit
4	X	2435.000	72.95	31.94	104.89	74.00	30.89	peak	No limit
5		2483.500	34.13	32.01	66.14	74.00	-7.86	peak	
6		2483.500	19.89	32.01	51.90	54.00	-2.10	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2437MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4874.005	43.74	3.72	47.46	74.00	-26.54	peak	
2	*	4874.005	30.34	3.72	34.06	54.00	-19.94	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	X	2442.600	65.11	31.95	97.06	74.00	23.06	peak	No limit
2	*	2454.400	53.39	31.96	85.35	54.00	31.35	AVG	No limit
3		2483.500	29.96	32.01	61.97	74.00	-12.03	peak	
4		2483.500	15.90	32.01	47.91	54.00	-6.09	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1		4904.000	40.77	3.77	44.54	74.00	-29.46	peak	
2	*	4904.005	29.19	3.77	32.96	54.00	-21.04	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	2454.400	59.19	31.96	91.15	54.00	37.15	AVG	No limit
2	X	2454.600	70.74	31.96	102.70	74.00	28.70	peak	No limit
3		2483.500	35.08	32.01	67.09	74.00	-6.91	peak	
4		2483.500	19.53	32.01	51.54	54.00	-2.46	AVG	

Orthogonal Axis :	X
Test Mode :	TX N-40M MODE 2452MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Detector	Comment
1	*	4904.000	28.27	3.77	32.04	54.00	-21.96	AVG	
2		4904.065	40.60	3.77	44.37	74.00	-29.63	peak	

ATTACHMENT E - BANDWIDTH

Test Mode : TX B Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	9.68	13.68	500	Complies
2437	9.60	12.56	500	Complies
2462	9.12	12.32	500	Complies

TX CH01




Date: 6.OCT.2014 11:19:32

TX CH06



Date: 30.SEP.2014 15:40:07

TX CH11




Date: 30.SEP.2014 15:42:17

Test Mode: TX G Mode_CH01/06/11


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2412	16.60	16.52	500	Complies
2437	16.40	16.44	500	Complies
2462	16.60	16.48	500	Complies

TX CH01




Date: 30.SEP.2014 15:44:10

TX CH06




Date: 30.SEP.2014 15:45:45

TX CH11




Date: 30.SEP.2014 15:47:14

TX CH06



Date: 30.SEP.2014 15:50:53

TX CH11




Date: 30.SEP.2014 15:51:53

Test Mode : TX N-40MHz Mode_CH03/06/09


Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied BW (MHz)	Min. Limit (kHz)	Test Result
2422	35.84	35.84	500	Complies
2437	36.48	36.08	500	Complies
2452	35.28	35.92	500	Complies

TX CH03




Date: 30.SEP.2014 15:53:41

TX CH06



Date: 30.SEP.2014 15:55:32

TX CH09



Date: 30.SEP.2014 15:57:07

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode :TX B Mode_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	23.37	0.22	30.00	1.00	Complies
2437	19.67	0.09	30.00	1.00	Complies
2462	19.07	0.08	30.00	1.00	Complies

Test Mode :TX G Mode_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	18.26	0.07	30.00	1.00	Complies
2437	23.50	0.22	30.00	1.00	Complies
2462	18.20	0.07	30.00	1.00	Complies

Test Mode :TX N20 Mode_CH01/06/11

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2412	16.73	0.05	30.00	1.00	Complies
2437	21.11	0.13	30.00	1.00	Complies
2462	17.62	0.06	30.00	1.00	Complies


Test Mode :TX N40 Mode_CH03/06/09

Frequency (MHz)	Conducted Power (dBm)	Conducted Power (W)	Max. Limit (dBm)	Max. Limit (W)	Result
2422	15.82	0.04	30.00	1.00	Complies
2437	19.30	0.09	30.00	1.00	Complies
2452	16.84	0.05	30.00	1.00	Complies

ATTACHMENT G - ANTENNA CONDUCTED SPURIOUS EMISSION


Test Mode :	TX B Mode
--------------------	------------------

TX B mode CH01




Date: 6.OCT.2014 11:19:50

TX B mode CH11




Date: 30.SEP.2014 15:42:35

TX B mode CH01 (10 Harmonic of the frequency)




Date: 6.OCT.2014 11:19:43

TX B mode CH06 (10 Harmonic of the frequency)



Date: 30.SEP.2014 15:40:18


TX B mode CH11 (10 Harmonic of the frequency)



Date: 30.SEP.2014 15:42:28


Test Mode :	TX G Mode
--------------------	------------------

TX G mode CH01




Date: 30.SEP.2014 15:44:27

TX G mode CH11




Date: 30.SEP.2014 15:47:32

TX G mode CH01 (10 Harmonic of the frequency)




Date: 30.SEP.2014 15:44:20

TX G mode CH06 (10 Harmonic of the frequency)



Date: 30.SEP.2014 15:45:55


TX G mode CH11 (10 Harmonic of the frequency)



Date: 30.SEP.2014 15:47:25


Test Mode :	TX N-20M Mode
--------------------	----------------------

TX HT20 mode CH01




Date: 30.SEP.2014 15:49:55

TX HT20 mode CH11




Date: 30.SEP.2014 15:52:11

TX HT20 mode CH01 (10 Harmonic of the frequency)




Date: 30.SEP.2014 15:49:48

TX HT20 mode CH06 (10 Harmonic of the frequency)



Date: 30.SEP.2014 15:51:04


TX HT20 mode CH11 (10 Harmonic of the frequency)



Date: 30.SEP.2014 15:52:04


Test Mode :	TX N-40M Mode
--------------------	----------------------

TX HT40 mode CH03




Date: 30.SEP.2014 15:53:58

TX HT40 mode CH09




Date: 30.SEP.2014 15:57:25

TX HT40 mode CH03 (10 Harmonic of the frequency)




Date: 30.SEP.2014 15:53:51

TX HT40 mode CH06 (10 Harmonic of the frequency)



Date: 30.SEP.2014 15:55:42

TX HT40 mode CH09 (10 Harmonic of the frequency)




Date: 30.SEP.2014 15:57:18

ATTACHMENT H - POWER SPECTRAL DENSITY

Test Mode :TX B Mode_CH01/06/11


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-8.59	0.14	8.00	Complies
2437	-6.74	0.21	8.00	Complies
2462	-6.30	0.23	8.00	Complies

TX CH01




Date: 6.OCT.2014 11:19:59

TX CH06



Date: 30.SEP.2014 15:40:27

TX CH11




Date: 30.SEP.2014 15:42:44

Test Mode :TX G Mode_CH01/06/11


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-12.66	0.05	8.00	Complies
2437	-9.60	0.11	8.00	Complies
2462	-14.17	0.04	8.00	Complies

TX CH01




Date: 30.SEP.2014 15:44:36

TX CH06



Date: 30.SEP.2014 15:46:03

TX CH11




Date: 30.SEP.2014 15:47:40

Test Mode : TX N-20M Mode_CH01/06/11


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2412	-16.46	0.02	8.00	Complies
2437	-12.84	0.05	8.00	Complies
2462	-15.06	0.03	8.00	Complies

TX CH01




Date: 30.SEP.2014 15:50:04

TX CH06



Date: 30.SEP.2014 15:51:12

TX CH11




Date: 30.SEP.2014 15:52:20

Test Mode : TX N-40M Mode_CH03/06/09


Frequency (MHz)	Power Density (dBm/3kHz)	Power Density (mW/3kHz)	Max. Limit (dBm/3kHz)	Result
2422	-18.81	0.01	8.00	Complies
2437	-14.62	0.03	8.00	Complies
2452	-18.90	0.01	8.00	Complies

TX CH03




Date: 30.SEP.2014 15:54:09

TX CH06



Date: 30.SEP.2014 15:55:54

TX CH09



Date: 30.SEP.2014 15:57:36