

I.T.E. POWER SUPPLY

MODEL CENB1060A1265F02

INPUT: 100-240 V~, 50-60 Hz, 1.5 A

OUTPUT: +12 V \equiv , 5.0 A



31KG

E300305

I.T.E. POWER SUPPLY



LPS



Indoor, Dry
Location
Use Only



Refer to
Instructions



No Serviceable
Parts Inside



®

SL POWER™ and AULT®

MADE IN CHINA



ESTeem Model AA203Es900
Antenna, 902-928 MHz,
Directional, 7dBi.


Horizon

RS-232
DATA

Ethernet
10/100/1000

RS-232
Program Port

Ethernet
10/100/1000

Reset

Rx

Tx

Status

ESTEEM

POE

Aux
Pwr



+ - ⚡

This device complies with Part 15 of the FCC Rules.
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received,
including interference that may cause undesired operation.



ESTEEM

INDUSTRIAL WIRELESS SOLUTIONS



Model: Horizon 900MHz
Ether MAC: 00:04:3f:00:a9:5c
WLAN MAC: 00:04:3f:00:a9:5e
FCC ID: ENPHZN216AD
IC: 2163A-216AD



Z-24263







MFB9155RPPC

BASE STATION

902.928 MHZ, 5 DB

DANGER

WATCH FOR W

YOU CAN BE

KILLED

