


ITRON, INC. TRXOP MKR 954.003 35 MHZ
REF 3.1 DBM ATTEN 0 DB + 40 DB
-21.10 DBM


10 DB/
POS PK
OFFSET
20.0
DB



CENTER 954.000 0 MHZ
RES BW 100 HZ
VBM 300 HZ
SPAN 50.0 KHZ
SWP 15.0 sec

ACME TESTING, SITE #2 MKR 130.9 MHZ
 REF 0.0 dBm ATTN 0 dB + 30 dB -72.10 dBm


hp
 10 dB/
 POS PK
 OFFSET
 10.0
 dB



START 30 MHZ STOP 1.000 GHZ
 RES BW 100 KHZ VBW 300 KHZ SWP 1.00 sec

ACME TESTING, SITE #2 MKR 1.899 GHZ
 REF 0.0 DBM ATTN 0 DB + 30 DB -63.90 DBM

hp 10 DB/
 POS PK
 OFFSET 10.0 DB




START 1.00 GHZ STOP 2.00 GHZ
 RES BW 30 KHZ VBW 100 KHZ SWP 3.00 sec

ACME TESTING, SITE #2 MKR 4.720 GHZ
REF -10.0 dBm ATTN 0 DB -56.40 dBm

hp
10 DB/
POS PK

FCC CFR47, PART 101
ITRON, INC.
G4
CONDUCTED SPURIOUS EMISSIONS
WITH 20.8 DB PAD



START 2.00 GHZ RES BW 100 KHZ VBW 300 KHZ STOP 10.00 GHZ
SMP 2.40 sec