



Test Setup Photos

EUT Name: Timex OmniMOVE Wrist Watch

EUT Model: M328A

FCC ID: EP9-TMXM328A

IC ID: 3348A-TMXM328A

FCC Title 47, Part 15C, RSS-210 Issue 9, ANSI C63.10:2013

Prepared for:

Sam Everett
Timex Group USA Inc
555 Christian Rd
Middlebury CT 06787 USA
Tel: 203-346-5603
Fax: 203-346-7163

Prepared by:

TUV Rheinland of North America
762 Park Avenue
Youngsville, NC 27596
Tel: (919) 554-3668
Fax: (919) 554-3542
<http://www.tuv.com/>

Report/Issue Date: 18 July 2017

Report Number: Supplement to 31761853.001 - Test Setup Photos

Test Setup Photos:




Figure 1: Typical Radiated Emissions – 30 MHz to 1 GHz shown, front view.
The Limited Modular Device is running in a typical application in a watch.



Figure 2: Typical Radiated Emissions – 30 MHz to 1 GHz shown, rear view.
The Limited Modular Device is running in a typical application in a watch.




Figure 3: Typical Radiated Emissions – 1 GHz to 18 GHz shown, Front view.
The Limited Modular Device is running in a typical application in a watch.




Figure 4: Typical Radiated Emissions – 18 GHz to 25 GHz shown, Front view.
The Limited Modular Device is running in a typical application in a watch.



Figure 5: Radiated Emissions – Orientation A
(Investigation for highest emissions)



Figure 6: Radiated Emissions – Orientation B
(Investigation for highest emissions)

Note: Orientation B provided the highest emissions



Figure 7: Radiated Emissions – Orientation C
(Investigation for highest emissions)



Figure 8 – View of EUT inside of Temperature test chamber for direct measurements.
The Modular device on the watch host was modified with a coax and connector to allow direct measurements.

Note: for FCC only measurements at nominal temperature (72° F) were used.




Figure 9 – Photo of measurement equipment