

FCC RF EXPOSURE REPORT

FCC ID: EROTSW-1060

Project No. : 1606021
Equipment : 10.1-inch Touch Screen
Model : TSW-1060, TSW-1060-B-S, TSW-1060-W-S,
TSW-1060-NC-B-S, TSW-1060-NC-W-S
Applicant : Crestron Electronics Inc.
Address : 15 Volvo Drive, Rockleigh, NJ 07647

According: : FCC Guidelines for Human Exposure IEEE
C95.1

BTL Inc.

B1, No. 37, Lane 365, YangGuang St., NeiHu District 114, Taipei, Taiwan
TEL : (0769) 8318-3000 FAX : (0769) 8319-6000

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain(dBi)
1	Yageo	Yushan 7	PIFA	IPEX	1.74

GENERAL CONCLUSION:

Maximum measured transmitter power:

BT EDR:

OutputPower (dBm)	Output Power (mW)	Limit (mW)
5.49	3.54	10

BT LE:

OutputPower (dBm)	Output Power (mW)	Limit (mW)
5.50	3.54	10

According to FCC KDB447498 V06, Appendix A, SAR Test Exclusion Thresholds for 100 MHz – 6 GHz and ≤ 50 mm

The maximum measured output peak power of this EUT is 3.54mW, less than 10mW at 5mm distance.

Conclusion: No SAR evaluation required since transmitter power is below FCC threshold