

# Appendix A SHEM201100938401

#### 1.20 dB Bandwidth

Test Mode	Test Channel	EBW[MHz]	Limit[MHz]	Verdict
DH5	2402	1.05		PASS
DH5	2441	1.04		PASS
DH5	2480	1.04		PASS
2DH5	2402	1.17		PASS
2DH5	2441	1.16		PASS
2DH5	2480	1.16		PASS
3DH5	2402	1.17		PASS
3DH5	2441	1.18		PASS
3DH5	2480	1.17		PASS

















## 2.Occupied Bandwidth

Test Mode	Test Channel	OBW[MHz]	Limit[MHz]	Verdict
DH5	2402	1.00		PASS
DH5	2441	1.00		PASS
DH5	2480	1.00		PASS
2DH5	2402	1.07		PASS
2DH5	2441	1.07		PASS
2DH5	2480	1.07		PASS
3DH5	2402	1.12		PASS
3DH5	2441	1.11		PASS
3DH5	2480	1.12		PASS


















# 3.Conducted Peak Output Power

Test Mode	Test Channel	Power[dBm]	Limit[dBm]	Verdict
DH5	2402	3.93	30	PASS
DH5	2441	3.39	30	PASS
DH5	2480	2.14	30	PASS
2DH5	2402	1.87	30	PASS
2DH5	2441	1.41	30	PASS
2DH5	2480	0.12	30	PASS
3DH5	2402	2.32	30	PASS
3DH5	2441	1.8	30	PASS
3DH5	2480	0.55	30	PASS

















## 4.Carrier Frequency Separation

Test Mode	Test Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	2441	1.00	0.696	PASS
2DH5	2441	1.18	0.775	PASS
3DH5	2441	0.99	0.783	PASS









#### 5.Dwell Time

Test Mode	Test Channel	Burst Width[ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit[s]	Verdict
DH1	2441	0.41	310	0.12	0.4	PASS
DH3	2441	1.67	150	0.25	0.4	PASS
DH5	2441	2.91	110	0.32	0.4	PASS
2DH1	2441	0.42	310	0.13	0.4	PASS
2DH3	2441	1.67	160	0.28	0.4	PASS
2DH5	2441	1.72	150	0.26	0.4	PASS
3DH1	2441	0.42	310	0.13	0.4	PASS
3DH3	2441	1.67	160	0.27	0.4	PASS
3DH5	2441	2.92	110	0.32	0.4	PASS










































	PN0: Fast Trig: Video IFGain:Low #Atten: 30 dB			Auto Tune
10 dB/div Ref 20.00 d	dBm	ΔIV	0.00 dB	
Log too				Center Freq
0.03				2.441000000 GHz
-20.0	X <sub>2</sub>	A TRANSPORT	TROLVE -	Start Freq
30.0				2.441000000 GHz
-50.0	in path the	Family of Meanut da an in find a claim	desta biller	Step Error
-50.0 10-10-10-00-00-00-00-00-00-00-00-00-00-0	a to he had a set of the set of t	which has the base of the base of the	a fille and	Stop Freq 2.441000000 GHz
Center 2.441000000 C Res BW 1.0 MHz	GHz #VBW 3.0 MHz	Sweep 15.47	Span 0 Hz ms (8001 pts)	CF Step 1.000000 MHz
MKR MODE TRC SCL	X Y		FUNCTION VALUE	Auto Man
1 Δ2 1 t (Δ) 2 F 1 t 3	0.000 s (Δ) 0.00 dB 3.857 ms -20.61 dBm			Freq Offset
				0 Hz
6 7 8				
9				
11			~	-
1000		(as)min		
M5G		STATUS		
Agilent Spectrum Analyzer Swe CXI RL RF 130.02	AC SENAGUNT	ALIGNAUTO 07:	05:07PM Aug 27, 2019	Fraguancy
Agilent Spectrum Analyzer Swe	DO0000 GHZ PN0: Fast Trig: Free Run		C5:07PM Aug 27, 2019 TRACE 2 3 4 5 TYPE WWWWWWW DET P P P P P	Frequency
Agilent Spectrum Analyzer Swi D. RL RF 1930 Center Freq 2.44100	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:	05:07 PM Aug 27, 2019 TRACE 3 2 5 4 5 1 TYPE WALKANG DET P P P P P P	Frequency Auto Tune
Agilent Spectrum Analyzer Swe CXI RL RF 130.02	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:	05:07PM Aug 27, 2019 TRACE    2 = 3 - 1 TWE WARMAN CET    P    P    P    P	
Agilent Spectrum Analyzer Swe Dor RL RF 2012 Center Freq 2.44100	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:	05.07PH Aug 27, 2019 TRACE    2 2 4 3 5 TVAL WARNING CET    P P P P P	Auto Tune Center Freq
Agilent Spectrum Analyzer Sw 20 RL 85 2012 Center Freq 2.44100 10 dB/div Ref 20.00 d 100	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:	CS-07PM Aug 27, 2019 TRACE 22 - P3 - F Tree Waynows Cet 2 - P P P P P	Auto Tune
Agilent Spectrum Analyzer, Sw 27 RL 85 1939 Center Freq 2.44100 10 dB/div Ref 20.00 c	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:	25-07РМ Акр 27, 2019 ТРАСИ  ] 2-3-49 ТУЧЕ ТУЧЕ ССТ Р Р Р Р Р Р ССТ Р Р Р Р Р Р	Auto Tune Center Freq 2.44100000 GHz Start Freq
Agilent Spectrum Analyzer Sw 20 RL 85 2012 Center Freq 2.44100 10 dB/div Ref 20.00 d 100	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:	С5-07 РМ Аид 27, 2019 Тилос (р. 2-3-3-2) Тилос (р. 2-3-3-2) Сст. Р. Р. Р. Р. Р. Р. Р. Сст. Р. Р. Р. Р. Р. Р. Р.	Auto Tune Center Freq 2.44100000 GHz
Aglient Spectrum Analyzer, Sw 20 RL 82 900 Center Freq 2.44100 10 dB/div Ref 20.00 d 100 0.00	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:	US-07РМ Ацо 27, 2019 Техне () 2 - 9 - 2 Техне () 2 - 9 - 2 Сет () - 9 - 9 - 9 - 9 Сет () - 9 - 9 - 9 - 9 Сет () - 9 - 9 - 9 - 9 Сет () - 9 - 9 - 9 - 9 Сет () - 9 - 9 - 9 - 9 Сет () - 9 - 9 - 9 - 9 - 9 Сет () - 9 - 9 - 9 - 9 - 9 Сет () - 9 - 9 - 9 - 9 - 9 - 9 Сет () - 9 - 9 - 9 - 9 - 9 - 9 Сет () - 9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 Сет () - 9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 -	Auto Tune Center Freq 2.44100000 GHz Start Freq 2.441000000 GHz
Agilent Spectrum Analyzer, Sw 27 RL 82 9332 Center Freq 2.44100 10 dB/div Ref 20.00 c 100 0.02 100	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:		Auto Tune Center Freq 2.44100000 GHz Start Freq
Agilent Spectrum Analyzer, Sw 27 RL 88 19392 Center Freq 2.44100 10 dE/div Ref 20.00 c 10 0 10 0 20 dE/div 10 0 10 0 1	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:		Auto Tune Center Freq 2.441000000 GHz Start Freq 2.441000000 GHz Stop Freq 2.441000000 GHz
Aglient Spectrum Analyzer, Sw 20 RL 85 900 Center Freq 2.44100 10 dB/div Ref 20.00 d 10 0 10 0 10 0 -210	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:		Auto Tune Center Freq 2.441000000 GHz Start Freq 2.441000000 GHz Stop Freq 2.441000000 GHz CF Step 1.000000 MHz
Agilent Spectrum Analyzer, Sw 27 RL 88 19392 Center Freq 2.44100 10 dE/div Ref 20.00 c 10 0 10 0 20 dE/div 10 0 10 0 1	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:		Auto Tune Center Freq 2.441000000 GHz 2.441000000 GHz 2.441000000 GHz CF Step
Agilent Spectrum Analyzer, Sw 27 RL 88 19392 Center Freq 2.44100 10 dE/div Ref 20.00 c 10 0 10 0 20 dE/div 10 0 10 0 1	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:		Auto Tune Center Freq 2.441000000 GHz Start Freq 2.441000000 GHz Stop Freq 2.441000000 GHz CF Step 1.000000 MHz Man Freq Offset
Aglient Spectrum Analyzer, Sw 20 RL 85 900 Center Freq 2.44100 10 dB/div Ref 20.00 c 10 0 10 0 1	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:		Auto Tune Center Freq 2.441000000 GHz Start Freq 2.441000000 GHz Stop Freq 2.441000000 GHz CF Step 1.000000 MHz Auto Mmn
Ağlını Şpectrum Analyzer, Sw Or RC 88 19302 Center Freq 2.44100 10 dB/div Ref 20.00 d 0.00 10 0 0.00 10 0 0.00 10 0 10 0 10 0	AC SERVEL SERVEL SERVEL BUT PNO: Fast here Run IFGain:Low #Atten: 30 dB	ALIGNAUTO 07:		Auto Tune Center Freq 2.441000000 GHz Start Freq 2.441000000 GHz Stop Freq 2.441000000 GHz CF Step 1.000000 MHz Man Freq Offset
Agilent Spectrum Analyzer, Sw 2 RL 85 900 Center Freq 2.44100 10 dB/div Ref 20.00 c 10.0 10	AC SERVER OF A CONTRACT OF A C	ALIGNAUTS (07) #Avg Type: RMS		Auto Tune Center Freq 2.441000000 GHz Start Freq 2.441000000 GHz Stop Freq 2.441000000 GHz CF Step 1.000000 MHz Man Freq Offset



# 6.Hopping Channel Number

Test Mode	Number of Hopping Channel[N]	Limit[N]	Verdict
DH5	79	>=15	PASS
2DH5	79	>=15	PASS
3DH5	79	>=15	PASS









Test Mode	Test Channel	Hopping	Carrier Power[dBm]	Max. Spurious Level [dBm]	Limit[dBm]	Verdict
DH5	2402	On	-0.34	-53.93	-20.34	PASS
DH5	2402	Off	-1.55	-51.97	-21.55	PASS
DH5	2480	On	0.51	-56.29	-19.49	PASS
DH5	2480	Off	0.59	-58.48	-19.41	PASS
2DH5	2402	On	-3.60	-45.29	-23.60	PASS
2DH5	2402	Off	-5.05	-42.62	-25.05	PASS
2DH5	2480	On	-2.92	-58.01	-22.92	PASS
2DH5	2480	Off	-2.79	-58.29	-22.79	PASS
3DH5	2402	On	-3.61	-42.60	-23.61	PASS
3DH5	2402	Off	-5.05	-42.55	-25.05	PASS
3DH5	2480	On	-2.70	-57.69	-22.70	PASS
3DH5	2480	Off	-2.74	-57.60	-22.74	PASS

# 7.Band-edge for RF Conducted Emissions














# SGS









## 8.RF Conducted Spurious Emissions

Test Mode	Test Channel	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
DH5	2402	30	10000	100	300	-1.63	-47.72	<-21.63	PASS
DH5	2402	10000	26000	100	300	-1.631	-44.117	<- 21.631	PASS
DH5	2441	30	10000	100	300	-0.03	-46.69	<-20.03	PASS
DH5	2441	10000	26000	100	300	-0.025	-44.274	<- 20.025	PASS
DH5	2480	30	10000	100	300	0.53	-46.34	<-19.47	PASS
DH5	2480	10000	26000	100	300	0.526	-44.594	<- 19.474	PASS
2DH5	2402	30	10000	100	300	-5.14	-51.34	<-25.14	PASS
2DH5	2402	10000	26000	100	300	-5.135	-42.912	<- 25.135	PASS
2DH5	2441	30	10000	100	300	-3.32	-49.10	<-23.32	PASS
2DH5	2441	10000	26000	100	300	-3.318	-43.590	<- 23.318	PASS
2DH5	2480	30	10000	100	300	-2.85	-49.93	<-22.85	PASS
2DH5	2480	10000	26000	100	300	-2.847	-44.017	<- 22.847	PASS
3DH5	2402	30	10000	100	300	-5.04	-52.70	<-25.04	PASS
3DH5	2402	10000	26000	100	300	-5.042	-43.757	<- 25.042	PASS
3DH5	2441	30	10000	100	300	-3.26	-51.49	<-23.26	PASS
3DH5	2441	10000	26000	100	300	-3.256	-43.881	<- 23.256	PASS
3DH5	2480	30	10000	100	300	-2.76	-50.30	<-22.76	PASS
3DH5	2480	10000	26000	100	300	-2.763	-43.924	<- 22.763	PASS



