

115VAC 60Hz  
 R-9299-3 Det. Sys. 00850 15.107 (a) DE 2/6/02 PL LEAD ~~Hot~~ Hot

REF 85.0 dBµV ATTEN 10 dB

fp

10 dB/

OFFSET


10.0

dB

DL

48.0

dBµV



START 450 KHZ  
 RES BW 10 KHZ  
 VBW 30 KHZ  
 SWP 20.0 sec  
 STOP 30.0 MHz

Customer	Detection Systems		
Test Sample	10.525GHz Field Disturbance Sensor		
Model No.	OD850	FCC ID:ESVOD850	
Test Method	FCC 15.107(a) Conducted Emissions		
Notes	Lead Tested: Hot 115VAC 60Hz Detector Function: Peak		
Date	February 6, 2002	Tech	Peter Lananna
Sheet	1	of	2



**Retlif Testing Laboratories**

Report No. R-9299-1

15.107 GHz  
Neutral

R-9299-3 Det. Sys. OD850 15.107 (a) CE 2/6/02 PL LEAD  
REF 85.0 dBµV ATTEN 10 dB

hp


10 dB/

OFFSET

10.0  
dB

0L

48.0  
dBµV



START 450 KHZ  
RES BW 10 KHZ  
VBW 30 KHZ  
SWP 20.0 sec  
STOP 30.0 MHz

Customer:	Detection Systems		
Test Sample:	10.525GHz Field Disturbance Sensor		
Model No.:	OD850	FCC ID:ESVOD850	
Test Method:	FCC 15.107(a) Conducted Emissions		
Notes:	Lead Tested: Neutral 115VAC 60Hz		
	Detector Function: Peak		
Date:	February 6, 2002	Tech:	Peter Lananna
		Sheet:	2 of 2



**Retlif Testing Laboratories**

Report No. R-9299-1