

C-3.9 1.5:1









5750

MODEL NO : 5750
 RATING: 19V \pm 2.64A
 FCC ID: EUN5750
 FOR USE WITH AC ADAPTER P/N: ADP 56
 POUR UTILISER AVEC P/N: ADP 56

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
 (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The Class B digital apparatus meets all requirements of the Canadian Interference Causing Equipment Regulation.

Cet appareil numérique de la class B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.


檢磁 3882A710
 Made in Taiwan, R.O.C. TY


40.20mm \pm 0.2


3-R1.35

120.30mm \pm 0.2

1:1



 PORTABLE COMPUTING GROUP First International Computer, Inc.	THICKNESS: 0.25 mm (含背膠) MATERIAL: 消磁鋼 75mm x 面 25mm COLOR: 銀字	UNLESS OTHERWISE SPECIFIED ALL TOLERANCES PER NOMINAL TOLERANCE
	BACKGROUND: 62-2 主機殼色 UNIT: MM QUANTITY: 1 SCALE: 背膠: 壓克力膠 VENDOR: 隆富	MODEL RUBY
APPROVED	CHECK	TITLE LABEL RATING FIC (FCC) RUBY 3.5 N/B NEW
DESIGN	DRAFT	FILE NO. RATING-FIC-6.CDR
RHODA	IVY	DWG NO. 875-023-4
5750	5750	PART NO. 25-41852-03
5750	5750	VER. A SHEET



*Reproduction or issue to third parties in any form whatever is strictly prohibited without written authority from the proprietor.