RF Exposure / SAR Statement

No.: 10548959S

Applicant: MITSUMI ELECTRIC CO., LTD.

Type of Equipment: WLAN 11b/g/n Module

 Model No.
 :
 DWM-W077E

 FCC ID
 :
 EW4DWMW077E

MITSUMI ELECTRIC CO., LTD. declares that Model: DWM-W077E complies with FCC radiation exposure requirement specified in the FCC Rules 2.1091.

RF Exposure Calculations:

The following information provides the minimum separation distance for the highest gain antenna provided with the "DWM-W077E" as calculated from FCC Part 1, §1.1310, TABLE 1 (B) Limits for General Population / Uncontrolled Exposure. This calculation is based on the highest EIRP possible from the system, considering maximum power and antenna gain, and considering a 1.0mW/cm^2 uncontrolled exposure limit. The Friis formula used was:

$$S = (P * G) / (4* \pi * r^2)$$
 Where
$$P = 10 ^ ((specification RF power = 14dBm + tolerance 2.5dB) / 10)$$

$$= 44.67 mW (Maximum average output power with tolerance) *1)$$

$$G = 0.87 Numerical Antenna gain; equal to -0.60 dBi$$

$$r = 20.0 cm$$

For: DWM-W077E $S = 0.00774 \text{ mW/cm}^2$

UL Japan, Inc.

Shonan EMC Lab.

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone : +81 463 50 6400 Facsimile : +81 463 50 6401

^{*1)} The value is based on the specification provided by the customer.