

Appendix B - DAE & Probe Calibration Certificate

Schmid & Partner Engineering AG eughausstrasse 43, 8004 Zuricl	y of h, Switzerland	CONTRACTOR S	Service suisse d'étalonnage Servizio svizzero di taratura
ccredited by the Swiss Accredita he Swiss Accreditation Service fultilateral Agreement for the re	e is one of the signatories	to the EA	n No.: SCS 0108
Client SGS-TW (Aude			o: DAE4-877_Mar21
CALIBRATION O	CERTIFICATE		
Object	DAE4 - SD 000 D	04 BN - SN: 877	
Calibration procedure(s)	QA CAL-06.v30 Calibration proced	lure for the data acquisition elec	ctronics (DAE)
Calibration date:	March 22, 2021		
The measurements and the unce	ertainties with confidence pro	nal standards, which realize the physical ur obability are given on the following pages ar facility: environment temperature $(22 \pm 3)^\circ$	nd are part of the certificate.
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&	rtainties with confidence pro cted in the closed laboratory TE critical for calibration)	bability are given on the following pages ar facility: environment temperature $(22 \pm 3)^{\circ}$	nd are part of the certificate. C and humidity < 70%.
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards	ertainties with confidence pro	bability are given on the following pages ar	nd are part of the certificate.
The measurements and the unce	rtainties with confidence pro- cted in the closed laboratory TE critical for calibration)	bability are given on the following pages ar facility: environment temperature (22 ± 3)° Cal Date (Certificate No.)	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Keithley Multimeter Type 2001	rtainties with confidence pro- cted in the closed laboratory TE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001	Cal Date (Certificate No.) 07-Sep-20 (No:28647)	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Sep-21
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit	rtainties with confidence pro cted in the closed laboratory TE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001 SE UMS 006 AA 1002	bability are given on the following pages ar facility: environment temperature (22 ± 3)° Cal Date (Certificate No.) 07-Sep-20 (No:28647) Check Date (in house) 07-Jan-21 (in house check) 07-Jan-21 (in house check)	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Sep-21 Scheduled Check In house check: Jan-22 In house check: Jan-22
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit Calibrator Box V2.1	rtainties with confidence pro- cted in the closed laboratory TE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001	active active	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Sep-21 Scheduled Check In house check: Jan-22
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit Calibrator Box V2.1	Antainties with confidence producted in the closed laboratory TE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001 SE UMS 006 AA 1002 Name	Date (Certificate No.) 07-Sep-20 (No:28647) Check Date (in house) 07-Jan-21 (in house check) 07-Jan-21 (in house check)	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Sep-21 Scheduled Check In house check: Jan-22 In house check: Jan-22
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit Calibrator Box V2.1 Calibrated by:	Antainties with confidence producted in the closed laboratory TE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001 SE UMS 006 AA 1002 Name	Date (Certificate No.) 07-Sep-20 (No:28647) Check Date (in house) 07-Jan-21 (in house check) 07-Jan-21 (in house check)	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Sep-21 Scheduled Check In house check: Jan-22 In house check: Jan-22
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit Calibrator Box V2.1 Calibrated by:	Artainties with confidence pro- cted in the closed laboratory TE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001 SE UWS 006 AA 1002 Name Adrian Gehring	Cal Date (Certificate No.) 07-Sep-20 (No:28647) Check Date (in house) 07-Jan-21 (in house check)	nd are part of the certificate. C and humidity < 70%. <u>Scheduled Calibration</u> Sep-21 <u>Scheduled Check</u> In house check: Jan-22 In house check: Jan-22
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M& Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit Calibrator Box V2.1	Artainties with confidence pro- cted in the closed laboratory TE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001 SE UWS 006 AA 1002 Name Adrian Gehring	Cal Date (Certificate No.) 07-Sep-20 (No:28647) Check Date (in house) 07-Jan-21 (in house check)	nd are part of the certificate. C and humidity < 70%. Scheduled Calibration Sep-21 Scheduled Check In house check: Jan-22 In house check: Jan-22

Certificate No: DAE4-877_Mar21

Page 1 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.sgs.com.tw



Calibration Laboratory of Schmid & Partner **Engineering AG** Zeughausstrasse 43, 8004 Zurich, Switzerland





S

C

S

Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary

DAE Connector angle

data acquisition electronics information used in DASY system to align probe sensor X to the robot coordinate system.

Methods Applied and Interpretation of Parameters

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The following parameters as documented in the Appendix contain technical information as a result from the performance test and require no uncertainty.
 - DC Voltage Measurement Linearity: Verification of the Linearity at +10% and -10% of the nominal calibration voltage. Influence of offset voltage is included in this measurement.
 - Common mode sensitivity: Influence of a positive or negative common mode voltage on the differential measurement.
 - Channel separation: Influence of a voltage on the neighbor channels not subject to an input voltage.
 - AD Converter Values with inputs shorted: Values on the internal AD converter corresponding to zero input voltage
 - Input Offset Measurement: Output voltage and statistical results over a large number of zero voltage measurements.
 - Input Offset Current: Typical value for information; Maximum channel input offset current, not considering the input resistance.
 - Input resistance: Typical value for information: DAE input resistance at the connector, during internal auto-zeroing and during measurement.
 - Low Battery Alarm Voltage: Typical value for information. Below this voltage, a battery alarm signal is generated.
 - Power consumption: Typical value for information. Supply currents in various operating modes.

Certificate No: DAE4-877 Mar21

Page 2 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.sqs.com.tw



DC Voltage Measurement

A/D - Converter Reso	iution nominal				
High Range:	1LSB =	6.1µV,	full range =	-100+300 mV	
Low Range:	1LSB =	61nV,	full range =	-1+3mV	
DASY measurement	parameters: Aut	to Zero Time: 3	sec; Measuring	time: 3 sec	

Calibration Factors	Х	Y	Z
High Range	405.003 ± 0.02% (k=2)	404.568 ± 0.02% (k=2)	405.016 ± 0.02% (k=2)
Low Range	3.98294 ± 1.50% (k=2)	3.98209 ± 1.50% (k=2)	3.97086 ± 1.50% (k=2)

Connector Angle

Connector Angle to be used in DASY system	323.0 ° ± 1 °
---	---------------

Certificate No: DAE4-877 Mar21

Page 3 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.sgs.com.tw



Appendix (Additional assessments outside the scope of SCS0108)

1. DC Voltage Linearity

High Range	Reading (µV)	Difference (µV)	Error (%)
Channel X + Input	199991.71	1.54	0.00
Channel X + Input	20004.56	2.43	0.01
Channel X - Input	-19998.27	2.75	-0.01
Channel Y + Input	199989.38	-0.70	-0.00
Channel Y + Input	20002.58	0.55	0.00
Channel Y - Input	-20001.55	-0.30	0.00
Channel Z + Input	199989.94	0.12	0.00
Channel Z + Input	20003.68	1.77	0.01
Channel Z - Input	-20000.37	1.00	-0.00

Low Range	Reading (µV)	Difference (µV)	Error (%)
Channel X + Input	2002.15	0.83	0.04
Channel X + Input	202.00	0.23	0.11
Channel X - Input	-197.78	0.33	-0.17
Channel Y + Input	2001.53	0.17	0.01
Channel Y + Input	201.17	-0.58	-0.29
Channel Y - Input	-198.46	-0.27	0.14
Channel Z + Input	2001.67	0.43	0.02
Channel Z + Input	200.28	-1.32	-0.66
Channel Z - Input	-199.94	-1.67	0.84

2. Common mode sensitivity

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Common mode Input Voltage (mV)	High Range Average Reading (μV)	Low Range Average Reading (μV)
Channel X	200	13.71	13.05
	- 200	-12.03	-13.85
Channel Y	200	-18.74	-18.92
	- 200	17.80	18.21
Channel Z	200	20.10	20.01
	- 200	-22.88	-23.46

3. Channel separation

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Input Voltage (mV)	Channel X (µV)	Channel Y (µV)	Channel Z (μV)
Channel X	200	+	0.98	-3.31
Channel Y	200	6.59		1.23
Channel Z	200	9.17	4.46	

Certificate No: DAE4-877_Mar21

Page 4 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw



4. AD-Converter Values with inputs shorted

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	High Range (LSB)	Low Range (LSB)
Channel X	16006	16610
Channel Y	15886	17452
Channel Z	15741	17385

5. Input Offset Measurement

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

Input 10MΩ

	Average (μV)	min. Offset (μV)	max. Offset (μV)	Std. Deviation (µV)
Channel X	0.63	-1.47	2.04	0.58
Channel Y	0.13	-1.40	1.36	0.59
Channel Z	-0.55	-2.04	1.72	0.70

6. Input Offset Current

Nominal Input circuitry offset current on all channels: <25fA

7. Input Resistance (Typical values for information)

	Zeroing (kOhm)	Measuring (MOhm)
Channel X	200	200
Channel Y	200	200
Channel Z	200	200

8. Low Battery Alarm Voltage (Typical values for information)

Typical values	Alarm Level (VDC)	
Supply (+ Vcc)	+7.9	
Supply (- Vcc)	-7.6	

9. Power Consumption (Typical values for information)

Typical values	Switched off (mA)	Stand by (mA)	Transmitting (mA)
Supply (+ Vcc)	+0.01	+6	+14
Supply (- Vcc)	-0.01	-8	-9

Certificate No: DAE4-877_Mar21

Page 5 of 5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號



e Swiss Accreditation Servic ultilateral Agreement for the		to the EA	Accreditation No.: SCS 0108			
lient SGS (Auden)		Certificate No:	EX3-7466_Jan21			
ALIBRATION	CERTIFICATE					
ALIBRATION	OEKIII IOATE					
bject	EX3DV4 - SN:746	6				
Calibration procedure(s)	QA CAL-25.v7	A CAL-12.v9, QA CAL-14.v6, QA ure for dosimetric E-field probes	CAL-23,v5,			
alibration date:	January 29, 2021		- 12			
The measurements and life unc All calibrations have been cond	certainties with confidence pro lucted in the closed laboratory	al standards, which realize the physical units bability are given on the following pages and facility, environment temperature (22 ± 3)°C a	are part of the certificate			
'he measureiments and the unc vil calibrations have been cond Calibration Equipment used (M	cartainties with confidence pro lucted in the closed laboratory &TE critical for calibration)	bability are given on the following pages and i facility, environment temperature (22 ± 3)°C a	are part of the certificate. Ind humidity < 70%.			
he measurements and the unc vil calibrations have been cond calibration Equipment used (M Primary Standards	cartainties with confidence pro- lucted in the closed laboratory I&TE critical for calibration)	facility, are given on the following pages and i facility, environment temperature (22 ± 3)°C a Cat Date (Certificate No.)	are part of the certificate. and humidity < 70% . Scheduled Calibration			
he measurements and the unc ut calibrations have been cond Calibration Equipment used (M Primary Standards Power meter NRP	estainties with confidence pro- lucted in the closed laboratory 8TE critical for calibration) ID SN: 104778	bability are given on the following pages and i facility: environment temperature (22 ± 3)°C # Cat Date (Certificate No.) 01-Apr.20 (No. 217-03100/03101)	are part of the certificate. and humidity < 70%. Scheduled Celibration Apr-21			
he measurements and the unc all calibrations have been cond Calibration Equipment used (M Primary Standards Prower meter NRP Power sensor NRP-291	certainties with confidence pro- lucted in the closed laboratory &TE critical for calibration) ID SN: 104778 SN: 103244	Cal Date (Certificate No.) 01-Apr-20 (No. 217-03100/03101) 01-Apr-20 (No. 217-03100/03101)	are part of the certificate. and humidity < 70%. Scheduled Celibration Apr-21 Apr-21			
he measurements and the unc ul calibrations have been cond Calibration Equipment used (M Primary Standards Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291	entialnities with confidence pro- lucted in the closed laboratory &TE ortical for calibration) ID SN: 104778 SN: 104244 SN: 105244 SN: 105245	Call Date (Certificate No.) Call Date (Certificate No.) 01-Apr/20 (No. 217-03100) 01-Apr/20 (No. 217-0310) 01-Apr/20 (No. 217-0310)	scheduled Calibration Apr-21 Apr-21 Apr-21 Apr-21			
he measurements and the unc ull calibrations have been cond Calibration Equipment used (M Primary Standards Power meter NRP Power sensor NRP-291 Power sensor NRP-291 Reference 20 GB Attenuator	Lettainties with confidence pro- lucted in the closed laboratory STE critical for calibration) ID SN: 104778 SN: 103244 SN: 103245 SN: CC2552 (20x)	Cal Date (Certificate No.) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100)	are part of the certificate ind humidity < 70%. Scheduled Calibration Apr/21 Apr/21 Apr/21 Apr/21 Apr/21			
he measurements and the unc all calibrations have been cond Calibration Equipment used (M Primary Standards Prower meter NRP Power sensor NRP-291	entialnities with confidence pro- lucted in the closed laboratory &TE ortical for calibration) ID SN: 104778 SN: 104244 SN: 105244 SN: 105245	Call Date (Certificate No.) Call Date (Certificate No.) 01-Apr/20 (No. 217-03100) 01-Apr/20 (No. 217-0310) 01-Apr/20 (No. 217-0310)	scheduled Calibration Apr-21 Apr-21 Apr-21 Apr-21			
The measurements and the unic off calibrations have been cond calibration Equipment used (M Primary Standards Prover memory NRP-291 Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator DAE4 Reference Probe ES3D/2	ID ID ID SN: 10245 SN: 10245 SN: 10245 SN: 00244 SN: 00245 SN: 00245 SN: 00245 SN: 00245 SN: 00245 SN: 00245 SN: 00245	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 03-Apr-20 (No. 217-03100) 03-Apr-20 (No. 217-03100) 03-Apr-20 (No. 217-03100) 03-Dec-20 (No. DAE-4600, Dec20) 03-Dec-20 (No. ES3-3013, Dec20)	are part of the certificate ind humidity < 70%. Scheduled Calibration Apr/21 Apr/21 Apr/21 Apr/21 Dec/21 Dec/21 Dec/21			
the measurements and the unc of calibrations have been coord calibration Equipment used (M Primary Stundards Prover mater NRP Power mater NRP-291 Power sensor NRP-291 Power sensor NRP-291 Reference 20 dB Attenuator DAE4 Reference 20 dB Attenuator DAE4 Reference Probe ES30V/2 Secondary Standards	activatives with confidence provided in the closed laboratory STE critical for calibration) ID SN: 104776 SN: 10244 SN: 10245 SN: 20245	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Apr-20 (No. 217-03100) 03-Dec-20 (No. 253-0310) 03-Dec-20 (No. ES3-0310) 04-Dec-20 (No. ES3-0110)	are part of the certificate. exist biumidity < 70%.			
The measurements and the unc off calibrations have been cond calibration Equipment used (M Primary Standards Power meter NRP-291 Power sensor NRP-291 Power sensor NRP-291 Power sensor NRP-291 Reference 20 GR Attenuator DAE4 Reference 20 GR Attenuator DAE5 Secondary Standards Power meter E4108	antianties with confidence pro ucted in the closed laboratory STE critical for calibration) ID SN: 100245 SN: 100245 SN: 00245 SN: 00246 SN: 00247	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Apr-20 (No. 217-03100) 23-Dec-20 (No. DAE-4600, Dec20) 30-Dec-20 (No. DAE-4600, Dec20) 30-Dec-20 (No. ES3-0313, Dec20) Check Dale (n house) 06-Apr-16 (in house)	are pair of the certificate. icd humidity < 70%.			
the measurements and the unc all calibrations have been coord Calibration Equipment used (M Primary Standards Power mater NRP-291 Power sensor NRP-291 Power sensor NRP-291 Reference 20 08 Attenuator DAEA Reference Probe ES30V2 Secondary Standards Power meter E44108 Power smich E412A	ID SN: 010776 SN: 010245 SN: 010245 SN: 010245 SN: 010245 SN: 010245 SN: 00245 SN: 00245 SN: 0013 ID SN: 0041200874 SN: M141466087 SN: M141466087	Cat Date (Certificate No.) Cat Date (Certificate No.) 01-Apr:20 (No. 217-03100/03101) 01-Apr:20 (No. 217-03100) 01-Apr:20 (No. 217-03100) 13-Mar:20 (No. 217-03100) 23-Dec-20 (No. 217-03100) 30-Dec-20 (No. E53-3013_Dec20) Check Date (In house Check Date (In house Check Jun-20) 06-Apr:16 (In house Check Jun-20)	are part of the certificate and burnidity < 70%. Scheduled Calibration Apr21 Apr21 Apr21 Dec-21 Dec-21 Dec-21 Scheduled Check In house check: Jun-22 In house check: Jun-22			
the measurements and the unc off calibrations have been cool calibration Equipment used (M Primary Stundards Prover meter NRP Prover meter NRP Prover sensor NRP-201 Reference 20 G Atternation DAE4 Reference 20 G Atternations Cool Statements Reference Probe ES30V2 Secondary Standards Prover meter E44198 Prover meter E44198 Prover sensor E4412A Prover sensor E4412A	antianties with confidence pro ucted in the closed laboratory BTE critical for calibration) ID SN: 104778 SN: 10244 SN: 102445 SN: 00245 SN: 0013 ID SN: 0841293874 SN: 0010210	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03101) 03-Obe-20 (No. 217-03101) 04-Apr-10 (In house check Jun-20) 06-Apr-16 (In house check Jun-20) 06-Apr-16 (In house check Jun-20) 06-Apr-16 (In house check Jun-20)	are part of the certificate ind humidity < 70%. Scheduled Calibration Apr/21 Apr/21 Apr/21 Dec/21 Dec/21 Dec/21 Scheduled Check In house check: Jun/22 In house check: Jun/22			
the measurements and the unc all calibrations have been cool calibration Equipment used (M Primary Standards Prover moter NRP-291 Prover smich NRP-291 Prover smich NRP-291 Reference 20 68 Attenuator DAE4 Reference Probe ES30V/2 Secondary Standards Prover smich 196 Prover smich 196 Prover smich 196 Prover smich 26412A Prover smich 26412A Prover smich 26412A	actianties with confidence on ucted in the closed laboratory STE_critical (or calibration) ID SN: 100244 SN: 100245 SN: 000245 SN: 000102 SN: 00010210 SN: 000110210 SN: U0017000	Call Date (Certificate No.) Call Date (Certificate No.) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03101) 02-Dec-20 (No. E53-3013_Dec20) Check Date (In house check Jun-20) 06-Apr-16 (in house check Jun-20) 06-Apr-16 (in house check Jun-20) 04-Apr-20 (in chouse check Jun-20)	Scheduled Calibration Apr21 Apr21 Apr21 Apr21 Apr21 Dec-21 Dec-21 Dec-21 Scheduled Check In house check Jun-22 In house check Jun-22 In house check Jun-22 In house check Jun-22			
the measurements and the unc all calibrations have been cool calibration Equipment used (M Primary Standards Prover moter NRP-291 Prover smich NRP-291 Prover smich NRP-291 Reference 20 68 Attenuator DAE4 Reference Probe ES30V/2 Secondary Standards Prover smich 196 Prover smich 196 Prover smich 196 Prover smich 26412A Prover smich 26412A Prover smich 26412A	antianties with confidence pro ucted in the closed laboratory BTE critical for calibration) ID SN: 104778 SN: 10244 SN: 102445 SN: 00245 SN: 0013 ID SN: 0841293874 SN: 0010210	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03101) 03-Obe-20 (No. 217-03101) 04-Apr-10 (In house check Jun-20) 06-Apr-16 (In house check Jun-20) 06-Apr-16 (In house check Jun-20) 06-Apr-16 (In house check Jun-20)	are part of the certificate ind humidity < 70%. Scheduled Calibration Apr.21 Apr.21 Apr.21 Dec.21 Dec.21 Dec.21 Scheduled Chick: In house check: Jun.22 In house check: Jun.22			
the measurements and the unc all calibrations have been cool calibration Equipment used (M Primary Standards Prover moter NRP-291 Prover smich NRP-291 Prover smich NRP-291 Reference 20 68 Attenuator DAE4 Reference Probe ES30V/2 Secondary Standards Prover smich 196 Prover smich 196 Prover smich 196 Prover smich 26412A Prover smich 26412A Prover smich 26412A	actianties with confidence on ucted in the closed laboratory STE_critical (or calibration) ID SN: 100244 SN: 100245 SN: 000245 SN: 000102 SN: 00010210 SN: 000110210 SN: U0017000	Call Date (Certificate No.) Call Date (Certificate No.) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03101) 02-Dec-20 (No. E53-3013_Dec20) Check Date (In house check Jun-20) 06-Apr-16 (in house check Jun-20) 06-Apr-16 (in house check Jun-20) 04-Apr-20 (in chouse check Jun-20)	Scheduled Calibration Apr21 Apr21 Apr21 Apr21 Apr21 Dec-21 Dec-21 Dec-21 Dec-21 In house check Jun-22 In house check Jun-22 In house check Jun-22 In house check Jun-22			
The measurements and the unic ut calibrations have been cond calibration Equipment used (M Primary Standards Power marker NRP-201 Power sensor NRP-201 Power sensor NRP-201 Power sensor NRP-201 Reference 20 dB Ademuator DAF4	actianties with confidence on ucted in the closed laboratory STE_critical (or calibration) ID SN: 100244 SN: 100245 SN: 000245 SN: 000245 SN: 000245 SN: 000245 SN: 000245 SN: 000245 SN: 00010 SN: 000100210 SN: US41080477	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03100) 01-Apr-20 (No. 217-03101) 02-Dec-20 (No. ES3-3013_Dec20) Check Date (In house) 06-Apr-16 (In house check Jun-20) 06-Apr-16 (In house check Jun-20) 04-Apr-16 (In house check Jun-20) 04-Apr-14 (In house check Jun-20) 31-Man-14 (In house check Cd-20)	are part of the certificate and bumidity < 70%. Scheduled Calibration Apr21 Apr21 Apr21 Dec-21 Dec-21 Dec-21 Scheduled Check In house check, Jun-22 In house check, Jun-22			

Certificate No: EX3-7466_Jan21 Page 1 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleest extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Calibration Laboratory of Schmid & Partn Engineering AG 43, 8004 Zurich, Switze



rice suisse d'étaion rizio svizzero di lan Servi

C

Accreditation No.: SCS 0108

led by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates Glossary:

Glossary:	
TSL	tissue simulating liquid
NORMX, y.z.	sensitivity in free space
ConvF	sensitivity in TSL / NORMx,y,z
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization w	e rotation around probe axis
Polarization 8	B rotation around an axis that is in the plane normal to probe axis (at measurement center),
	i.e., 9 = 0 is normal to probe axis
Connector Angle	information used in DASY system to align probe sensor X to the robot coordinate system

- Connector Angle Information used in DASY system to any processensor X to the robot Countains system Calibration is Performed According to the Following Standards: a) IEEE Std 1526-2013, 'IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices; Measurement Techniques", June 2013 b) IEC 62209-1, ", "Measurement procedure for the assessment of Specific Absorption Rate (SAR) form hand-held and body-mounted devices used next to the are (frequency range of 300 MHz to 6 GHz)", July 2015 c) IEC 62209-2, "Procedure to determine the Specific Absorption Rate (SAR) for wireless communication device used in close proximity to the human body (frequency range of 300 MHz to 6 GHz)", March 2010 d) KDB 85564, "SAR Measurement Requirements for 100 MHz to 6 GHz)", March 2010

 - tion devices

- Methods Applied and Interpretation of Parameters:
 NORMx, yz; Assessed for E-field polarization is = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz; R22 waveguide).

 NORMx, yz are only intermediate values, i.e., the uncertainties of NORMx, yz does not affect the E⁵-field uncertainty inside TSL (see below ConvC).
 - uncertainty inside TSL (see below ConvF). NORM(I)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart). This linearization is implamented in DASV4 software versions later than 4.2. The uncertainty of the frequency response is included in the stated uncertainty of ConvF. DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media. PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics

 - .
 - .
 - *PAR*: pAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics *Ax*, *y*, *z*; *Xx*, *y*; *Cx*, *y*; *z*, *Xy*, *x*, *x*, *B*, *C*, *D* are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. *VR* is the maximum calibration range expressed in RMS voltage across the diode. *ConvF* and Boundary *Effect Parameters*: Assessed in flat phantom using *E*-field (or Temperature Transfer Standard for *f* = 800 MHz) and inside waveguide using analytical field distributions based on power measurements for *f* > 800 MHz). The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORK*x*, *z*: *T convF* whereby the uncertainty corresponds to that given for *ConvF*. A frequency dependent *ConvF* is used in DASY4 adivane to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORK*x*, *z*: *T convF* whereby the uncertainty corresponds to that given for *ConvF*. A frequency dependent *ConvF* is used in DASY version *A*: and higher which allows extending the validity from ± 50 MHz to ± 100 MHz. *Spharical isotrapy* (3D deviation from isotropy): in a field of low gradients realized using a flat phantom exposed by a patch enfena. *Sensor Offset*: The sense required. *Connector Angle*: The angle is assessed using the information gained by determining the *NORMx* (no. uncertainty required).
 - .
 - .

Certificate No: EX3-7466_Jan21

Page 2 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

f (886-2) 2298-0488

www.sqs.com.tw



January 29, 2021

EX30V4 - SN:7466

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7466

		Senso	or X		Sens	or Y	-	Sensor Z	U	Inc (k=2)
Norm (u)	//(V/m) ²) ⁴	0.4	5		0.3	9		0,61	1	10.1 %
DCP (m)	N ^B	101	q	-	97	4	-	96.4		
				noneo						
UID	ion Results for I Communication Sy		Res	A dB	B d8õV	c	D dB	VR mV	Max dev.	Max Unc ^E (k=2)
D	CW		X	0.00	00.00	1.00	0.00	150.5	±2.2%	± 4.7 %
			Y	0.00	0.00	1,00		143.0	1.000	
			Z	0.00	0.00	1.00		156.1		
10352-	Pulse Waveform (20	00Hz, 10%)	X	6.41	75.26	13.91	10.00	60.0	±2.6%	# 9.6 %
AAA.			Y	1.66	61.84	7.61	1000	60.0	1.1.1.1.1	
			Z	20.00	95.49	22.81		60.0		1.11
10353-	Pulse Waveform (200Hz, 20%)		X	20.00	87.76	16.55	6,99	80.0	#2.1%	± 9.6 %
AAA.			Y	0.78	60.01	5.70		80.0		
			Z	20.00	109.03	28.37		80.0		
10354-	Pulse Waveform (200Hz, 40%)		X	20.00	114.67	27.40	3,98	95.0	±20%	± 9.6 %
AAA.	1. Contraction of the		Y	0.39	60.00	4.96		95,0		
			2	20.00	151.84	46.68		95.0		
10355-	Pulse Waveform (2)	00Hz, 60%)	X	0.17	152.80	100.00	2.22	120.0	±2.2 %	±9.6%
AAA	Canal Contractor		Y	0.25	61.07	5.62		120.0		
	the second se		Z	2.52	160.00	62.06		120,0		
10387-	QPSK Waveform, 1	MHz	X	6.66	93.59	26.49	1,00	150.0	±2.9%	±9.6 %
AAA	And a state of the second state		Y	1.60	67.46	15.34		150.0		1.01
	Section 1997		Z	2.22	71.55	18.47		150.0		1000
10388-	QPSK Waveform, 1	0 MHz	X	3.86	80.00	22.12	0.00	150.0	主2.8%	± 9.6 %
AAA	1.00		Y	2.06	67.36	15.67		150.0	1.000	
			Z	3.04	73.63	19.08		150.0		
10396-	64-QAM Waveform	, 100 kHz	X	3.32	77.52	23.54	3.01	150.0	±2.5%	± 9.6 %
AAA			Y	1.82	64.05	15.97		150.0		
	and		Z	2.79	71.10	20.57		150.0		
10399-	64-QAM Witweform	, 40 MHz	X	3.98	70.45	18.12	0.00	150.0	±2.8%	±9,6 %
AAA	the state of the second		Y	3.42	66.88	15.76		150.0		1.1.1.1
			2	3.84	68.75	17.14		150,0		
10414-	WLAN CCDF, 64-C	AM, 40MHz	X	4.99	67.25	16.87	0,00	150.0	#2.8%	±9,6%
AAA	1.		Y	4,68	65.67	15.59		150.0		1.1.1.1
			Z	5.05	66.21	16.27		150.0		

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

he uncertainties of Norm X,Y,Z do not afflect the E⁻¹-field uncertainty insiste TSL (see Pages 5, 6 and 7) Jamerical linearization parameter, uncertainty not recoved, Incentrarity is determined using the must alterative finite many response applying rectangular distribution and is expressed for the source of the

Certificate No: EX3-7466_Jan21

Page 3 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sqs.com.tw



EX3DV4- SN:7466

January 29, 2021

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7466

	C1 fF	C2 fF	a V~1	T1 ms.V ⁻ⁱ	T2 ms.V ⁻¹	T3 ms	T4 V-2	T5 V-1	7.6
X	32.4	242.77	36.31	3,66	0.00	5.01	1.37	0.00	1.01
Y	30,4	225.35	35.05	3.07	0.00	4.90	0.00	0.11	1.00
Z	47.2	365.07	38.23	8.11	0.00	5.10	0.00	0.33	1.01

Sensor Arrangement	Triangular
Connector Angle (*)	148.1
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Dlameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	1.4 mm

Note: Measurement distance from surface can be increased to 3-4 mm for an Area Scan job.

Certificate No: EX3-7466_Jan21

Page 4 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 10 of 29

EX3DV4- SN:7466

January 29, 2021

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7466

f (MHz) ^c	Relative Permittivity ^F	Conductivity (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ⁰ (mm)	Unc (k=2)
600	42.7	0.88	10.92	10.92	10.92	0.06	1.20	± 13.3 %
750	41.9	0.89	10.27	10.27	10.27	0.45	1.00	± 12.0 %
835	41.5	0.90	10.11	10.11	10,11	0.45	0.91	# 12.0 %
900	41.5	0.97	9.83	9.83	9.83	0.39	0.97	± 12.0 %
1450	40.5	1.20	9.46	9,46	9.46	0.30	0.80	± 12.0 %
1750	40.1	1.37	9.07	9.07	9.07	0.32	0.80	± 12.0 %
1900	40.0	1.40	8.71	8.71	8.71	0.29	0.80	± 12.0 %
2000	40.0	1.40	8.60	8.60	8.60	0.32	0.85	± 12.0 %
2300	39.5	1.67	8.47	8.47	8.47	0.28	0.90	± 12.0 %
2450	39.2	1.80	8.08	8.08	8.08	0.27	0.90	± 12.0 %
2600	39.0	1.96	7.82	7.82	7.82	0.38	0.90	± 12.0 %
3300	38.2	2.71	7.34	7.34	7.34	0.30	1.30	± 13.1 %
3500	37.9	2.91	7.10	7.10	7.10	0.35	1,30	± 13.1 %
3700	37.7	3.12	6.98	6.98	6.98	0.35	1.30	± 13.1 %
3900	37.5	3.32	6.80	6.80	6.80	0.35	1,60	± 13.1 %
4100	37.2	3,53	6.70	6.70	6.70	0.35	1.60	± 13.1 %
4200	37.1	3.63	6.59	6.59	6.59	0.40	1.70	± 13,1 %
4400	36.9	3.84	6:32	6.32	6.32	0.40	1.70	± 13.1 %
4600	36.7	4.04	6.34	6.34	6.34	0.40	1.70	± 13.1 %
4800	36.4	4.25	6.30	6.30	6.30	0.40	1.70	± 13.1 %
4950	36.3	4.40	6.04	6.04	6.04	0.40	1.80	± 13.1 %
5200	36.0	4,66	5.60	5.60	5,60	0.40	1.80	± 13.1 %
5300	35,9	4,76	5.50	5.50	5.50	0.40	1.80	± 13.1 %
5600	35,5	5.07	5.04	5.04	5.04	0.40	1.80	± 13.1 %
5800	35.3	5.27	5.02	5.02	5.02	0.40	1.80	± 13.1 %

SY V4.4 and higher pose the indicated frequency band. Frequency value of and the uncertainty for the indicated frequency band. Frequency value its at 30, 64, 128, 150 and 220 MHz respectively. Validity of CorteF asse or 5 GHz. Frequency validity can be extended to a 110 MHz. In can be relaxed to \pm 10% if liquid compensation formula is applied to the relaxed to \pm 10% if liquid compensation formula is applied to 50 and 70 MHz for ConvF assessme assessed at 13 MHz is 9-19 MHz. Ab id to ± 5%. The uncertainty is the trants that the remaining deviation due to the boundary effect after compensation is ow $z \ge 1$ for frequencies between 3-6 GHz at any distance larger than traif the probe lip

Certificate No: EX3-7466_Jan21

Page 5 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



EX3DV4- SN:7466

January 29, 2021

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7466

f (MHz) =	Relative Permittivity	Conductivity (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha	Depth ^o (mm)	Unc (k=2)
600	56.1	0.95	11,08	11.08	11.08	0.10	1.20	± 13.3 %
750	55.5	0.96	10.56	10.56	10.56	0.39	0,83	± 12.0 %
835	55.2	0.97	10.29	10.29	10.29	0.40	0.80	± 12.0 %
900	55.0	1.05	9.98	9.98	9.98	0.26	1.08	± 12.0 %
1750	53.4	1.49	8,69	8.69	8.69	0.31	0,85	± 12.0 %
1900	53.3	1.52	8.30	8.30	8.30	0.17	1.27	± 12.0 %
2000	53.3	1.52	8.26	8.26	8.26	0.29	0.92	± 12.0 %
2300	52.9	1,81	8.22	8.22	8.22	0.34	0.88	± 12.0 %
2450	52.7	1.95	7.99	7.99	7.99	0.33	0.95	± 12.0 %
2600	52.5	2.16	7.85	7.85	7.85	0.32	0.95	± 12.0 %
3300	51.6	3.08	6.67	6,67	6.67	0.40	1.35	# 13.1 9
3500	51.3	3.31	6.65	6,65	6.65	0.40	1.35	± 13.1 9
3700	51.0	3.55	6.60	6,60	6.60	0.40	1.30	± 13.1 5
3900	51.2	3.78	6.23	8.23	6.23	0.40	1.70	± 13.1 9
4100	50.5	4.01	6.09	6.09	6.09	0,40	1.70	± 13.1.9
4200	50.4	4.13	5.88	5.88	5.88	0.50	1.80	± 13.1 9
4400	50.1	4.37	5.77	5.77	5.77	0.50	1.80	± 13.1 9
4600	49.8	4.60	5.69	5.69	5.69	0.50	1.80	± 13.1 9
4800	49.6	4.83	5.62	5.62	5.62	0.50	1.80	± 13.1 9
4950	49.4	5.01	5.39	5.39	5.39	0.50	1.90	13.1 9
5200	49.0	5.30	5.00	5.00	5.00	0.50	1,90	± 13.1 9
5300	48.9	5.42	4.90	4.90	4.90	0.50	1.90	± 13.1 9
5600	48.5	5.77	4.30	4.30	4.30	0.50	1,90	± 13.1 9
5800	48.2	6.00	4.41	4.41	4.41	0.50	1.90	± 13.1 9

sency validity above 300 MHz of ± 100 MHz only applies for DASY V4.4 and higher (see Page 2), etse it is restricted to ± 50 MHz. The anny is the PSS of the ConvF smootnamy at calibration frequency and the uncertainty for the indicated frequency band. Frequency validity 50 MHz is ± 10.2 54, 40.5 and 70 MHz for ConvF samasments at 30.6 At 125, 150 and 220 MHz respectively. Validity of ConvF assessed is 4-9 MHz, and ConvF assessed at 13 MHz is 0-19 MHz. Above 5 GHz frequency validity can be extended to ± 110 MHz. Genomes below 30 GHz, the validity of fiscue parameteria (i. and v) can be instanded to 2 MK. The uncertainty is the RSS of med SAR values. At hequencies above 3 GHz, the validity of fiscue parameteriars (i. and v) is retilicited to ± 5%. The uncertainty is the RSS of med ConvEnt (in directator target taxies) parameteriars (i. and v) is retilicited to ± 5%. The uncertainty is the RSS of med convEnt (in directator target taxies) parameteriar (i. and v) is retilicited to ± 5%. The uncertainty is the RSS of med convEnt (in directator target taxies) parameteriar (i. and v) is retilicited to ± 5%. The uncertainty is the RSS of med convEnt (in directator target taxies) parameteriar (i. and v) is retilicited to ± 5%. The uncertainty is the RSS of med convEnt (in directator target taxies) parameteriar (i. 2% of the requestion daw life target attractions take attract target targ

Certificate No: EX3-7466_Jan21

Page 6 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



EX3DV4- SN 7466

9000

31.5

9.08

January 29, 2021

± 18.6 %

DASY/EASY - Parameters of Probe: EX3DV4 - SN:7466

ibration	Parameter D	etermined in	Head Tis	sue Simi	ulating Me	edia		
f (MHz) c	Relative Permittivity ^F	Conductivity (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha ^G	Depth ^G (mm)	Unc (k=2)
6500	34.5	6.07	5.70	5,70	5.70	0.20	2.50	± 18,6 %
7000	33.9	6.65	5.85	5.85	5.85	0.20	2.00	± 18.6 %
8000	927	7.84	5.60	5.60	5.60	0.40	1.80	± 18.6 %

5.45

nty is the RSS of the ConvF uni 6GHz is ± 700 MHz. The unc ertainty at calibr minty In esation formula is applied to me

5.45

5.45

0.50 1.80

Sended frequency and sended frequency and the sender of the sender and sender and a sender of the sender of the sender of the sender walkase. The uncertainty is the RSS of the Convert uncertainty for indicated target (sease parameters. and/popt and elevations) during california (SEAS and a sender of the sender of the sender of the sender of the sease that, a 1% for frequencies before 3 GHz before 2% for frequencies between 3-6 GHz; and before ±% for frequencies be any distance along it han 14 for prode for distanties from the boundary. ion is in 6-10

Certificate No: EX3-7466_Jan21

Page 7 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 台灣檢驗科技股份有限公司

f (886-2) 2298-0488

```
www.sgs.com.tw
```







Certificate No: EX3-7466_Jan21

Page 8 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 14 of 29



Certificate No: EX3-7466_Jan21

Page 9 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 15 of 29



Certificate No: EX3-7466_Jan21

Page 10 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

```
www.sgs.com.tw
```



Report No. :ES/2021/90010 Rev: 01 Page: 16 of 29



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

www.sgs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 17 of 29

January 29, 2021

EX3DV4-SN:7466

Appendix: Modulation Calibration Parameters

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^E (k=2)
0		CW	CW	D,00	±4.7 %
01001	CAA	SAR Validation (Square, 100ms, 10ms)	Test	10,00	±9.6 %
10011	CAB	UMTS-FDD (WCDMA)	WCDMA	2.91	±9.6 %
10012	CAB	IEEE 802.11b WIF) 2.4 GHz (DSSS, 1 Mbps)	WLAN	1.87	±9.6 %
10013	CAB	IEEE 802.11g WIFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	WLAN	9.46	±9.6 %
10021	DAC	GSM-FDD (TDMA, GMSK)	GSM	9.39	±9.6 %
10023	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	9.57	±9.6 %
10024	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	6.56	± 9.6 %
10025	DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	ĢSM	12.62	± 9.6 %
10026	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	GSM	9,55	± 9.6 %
10027	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	GSM	4,80	±9.6%
10028	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	GSM	3,55	± 9.6 %
10029	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	GSM	7.78	±9.6 %
10030	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH1)	Bluetooth	5.30	± 9.6 %
10031	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	Bluetooth	1.87	± 9.6 %
10032	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	Bluelooth	1.16	± 9.6 %
10033	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH1)	Bluelooth	7.74	± 9.6 %
10034	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	Bluelooth	4.53	± 9.6 %
10035	CAA	IEEE 802.15.1 Bluetooth (Pl/4-DQPSK, DH5)	Bluetooth	3.83	± 9.6 %
10036	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	Bluetooth	8.01	±9.69
10037	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	Biuetooth	4.77	±9.69
10038	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	Bluetooth	4.10	±9.6 %
10039	CAB	CDMA2000 (1xRTT, RC1)	CDMA2000	4.57	± 9.6 %
10042	CAB	15-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Halfrate)	AMPS	7.78	±9.6%
10044	CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	AMPS	0.00	± 9.6 9
10048	CAA	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	DECT	13.80	± 9.6 9
10049	CAA	DECT (TDD, TDMA/FDM, GFSK, Double Siol, 12)	DECT	10.79	± 9.6 %
10056	CAA	UMTS-TDD (TD-SCDMA, 1.28 Mops)	TD-SCDMA	11.01	± 9.6 %
10058	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	GSM	6.52	+9.6%
10059	CAB	IEEE 802,11b WiFi 2,4 GHz (DSSS, 2 Mbps)	WLAN	2.12	± 9.6 %
10060	CAB	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps)	WLAN	2.83	19.6 %
10061	CAB	IEEE 802,11b WiFi 2.4 GHz (DSSS, 11 Mbps)	WEAN	3.60	19.6%
10062	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	WLAN	8.68	±9.6 %
10063		IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mpps)	WLAN	8.63	±9.65
10064	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	WLAN	9.09	± 9.6 %
10065	CAD	IEEE 802 11a/h W/Fi 5 GHz (OFDM, 18 Mbps)	WLAN	9.00	± 9.6 9
10066	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 14 Mbps)	WLAN	9.38	± 9.6 9
10067	CAD	IEEE 802 11am WIFI 5 GHz (OFDM: 36 Mbps)	WLAN	10.12	19.6 9
10068		IEEE 802 11ah WIFI 5 GHz (OFDM, 48 Mbps)	WEAN	10.24	19.6 %
10068	CAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 46 Mbps)	WLAN	10.56	19.63
10000	CAD	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mbps)	WLAN	9.83	19.6 9
10071	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mops)	WLAN	9.63	± 9.6 9
10072	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	WLAN	9.94	±9.63
10073	CAB	IEEE 802,11g WIFI 2.4 GHz (DSSS/OFDM, 16 Mpps) IEEE 802,11g WIFI 2.4 GHz (DSSS/OFDM, 24 Mbps)	WLAN	10.30	±9,0
10074	CAB	IEEE 802.11g WiFi 2.4 GHz (USSS/OFDM, 24 Mbps) IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	WLAN	10.30	±9.6
10075	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps) IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	WLAN	10.77	±9.6 1
	CAB	IEEE 802.11g WiH 2.4 GHz (DSSS/OFDM, 48 Mbps) IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	WLAN	10.94	±9.67
10077	CAB		COMA2000	3.97	
10081	CAB	COMA2000 (1xRTT, RC3)	AMPS	4.77	+9.6 9
10082	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	GSM		and the second s
10090	DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)		6.56	±9.6 9
10097	CAC	UMTS-FDD (HSDPA)	WCDMA	3.98	± 9.6 5
10098	DAC	UMTS-FDD (HSUPA, Subtest 2)	WCDMA	3,98	± 9.6 %

Cartificate No: EX3-7466_Jan21

Page 12 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時比樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 18 of 29

X3DV4-	SN:7466	· · · · · · · · · · · · · · · · · · ·		Janua	ry 29, 202
10099	CAC	EDGE-FDD (TDMA, 8PSK, TN 0-4)	GSM	9.55	± 9.6 %
10100	GAC	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-FDD	5.67	±9.6 %
10101	CAB	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	±9.6%
10102	CAB	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-FDD	6.60	±9.6 %
10103	DAC	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	LTE-TDD	9.29	± 9.6 %
10104	CAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-OAM)	LTE-TDD	9.97	± 9.6 %
10105	CAE	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	LTE-TDD	10.01	±9.6%
10108	CAE	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-FDD	5.80	± 9.6 %
10109	CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-FDD	6.43	± 9.6 %
10110	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-FDD	5.75	± 9.6 %
10111	CAG	LTE-FDD (SC-FDMA, 100% RB, 6 MHz, 16-QAM)	LTE-FDD	6.44	± 9.6 %
10112	CAG	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-FDD	6.59	= 9.6 %
10113	CAG	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	LTE-FD0	6.62	± 9.6 %
10114	CAG	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	WLAN	8.10	± 9.6 %
10115	CAG	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	WLAN	8.46	19.6%
10116	CAG	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	WLAN	8.15	19.6%
10117	CAG	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	WLAN	8.07	± 9.6 %
10115	CAD	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	WLAN	8.59	±9.6%
10119		IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	WLAN	8.13	±9.6%
10140	CAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-FOD	6.49	± 9.6 %
10140		LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 10-04M)	LTE-FOD	6.53	± 9.6 %
10141	CAD	LTE-FDD (SC-FDMA, 100W RB, 3 MHz, OPSK)	LTE-FOD	5.73	±9.6%
10142	CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-FDD	6.35	±9.6%
10143	CAD	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-FDD	6.65	±9.6 %
10144	CAC	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-FDD	5.76	±9.6 %
	CAC	LTE-FDD (SC-FDMA, 100% RB; 1.4 MHz; QFSK) LTE-FDD (SC-FDMA, 100% RB; 1.4 MHz; 16-QAM)	LTE-FDD	6.41	±9.6 %
10146	CAC	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 10-QAM)	LTE-FDD	6.72	+9.6%
10147	CAC	LTE-FDD (SC-FDMA, 100% RB, 14 MHz, 64-QAM) LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-FDD	6.42	± 9.6 %
	CAE		LTE-FDD	6.60	±9.6 %
10150	CAE	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	LTE-TDD	9.28	± 9.6 %
10151	CAE	LTE-TDD (SC-FDMA, 50% RB, 20 MHz. QP5K)	LTE-TDD	9.28	29.6 %
10152	CAE	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	LTE-TDD	10.05	29.6%
10153	CAE	LTE-TOD (SC-FDMA, 50% RB, 20 MHz, 54-QAM)	LTE-FDD		
10154	CAF	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-FDD	5.75	± 9.6 %
10155	CAF	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)			
10156	CAF	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-FDD	5.79	± 9.6 %
10157	CAE	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	LTE-FDD	6.49	± 9.6 %
10158	CAE	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-FDD	6.62	± 9.6 %
10159	CAG	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-FDD	6,56	±9,6%
10160	CAG	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-FDD	5.82	± 9,6 %
10161	CAG	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-FDD	6.43	± 9.6 %
10162	CAG	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-FOD	6,58	±9.6%
10166	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-FOD	5,46	±9.6 %
10167	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-FDD	6.21	±9.6 %
10168	CAG	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-FDD	6.79	±9.6 %
10169	CAG	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-FDD	5.73	±9.6 %
10170	CAG	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10171	CAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-FDD	6.49	± 9.6 %
10172	CAE	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	LTE-TDD	9.21	± 9.6 %
10173	CAE	LTE-TDD (SC-FDMA: 1 RB. 20 MHz, 18-QAM)	LTE-TDD	9,48	# 9.6.9
10174	CAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	LTE-TDD	10.25	± 9,6 9
10175	CAF	LTE-FDD (SC-FDMA, 1 RB, 10 MHz. QPSK)	LTE-FDD	5.72	± 9.6.9
10176	CAF	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10177	CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	LTE-FDD	5.73	± 9.6.3
10178	CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10179	AAE	LTE-FDD (SC-FDMA, 1 RB, 10 MHz 64-QAM)	LTE-FDD	6.50	± 9.6 9
10180	CAG	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-FDD	6.50	±9.6 9

Certificate No: EX3-7466_Jan21

Page 13 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleest extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sqs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 19 of 29

10181	CAG	LTE-FOD (SC-FDMA, 1 RB. 15 MHz, OPSK)	LTE-FDD	5.72	±9.6 %
10182	CAG	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-FDD	6.52	± 9.6 %
10183	CAG	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10184		LTE-FDD (SC-FDMA, 1 RB, 3 MHz, OPSK)	LTE-FDD	5.73	± 9.6 %
10185	CAG	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 18-QAM)	LTE-FDD	6.51	± 9.6 %
10185	CAI	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-FDD	6.50	± 9.6 %
10186	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-FDD	5.73	± 9.6 %
	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, UPSN)	LTE-FDD	6.52	± 9.6 %
10188	CAG	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 10-QAM)	LTE-FDD	6.50	±9.6 %
	CAE	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	WLAN	8.09	± 9.6 %
10193	CAE	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	WLAN	8.12	± 9.6 %
10194	AAD		WLAN	8.21	19.6%
10195	CAE	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	WLAN	8.21	19.6%
10196	CAE	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)			
10197	AAE	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	WLAN	8.13	± 9.6 %
10198	CAF	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	WLAN	8.27	±9.6%
10219	CAF	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	WLAN	8,03	± 9.6 %
10220	AAF	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	WLAN	8.13	± 9.6 %
10221	CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	WEAN	8.27	±9.6%
10222	CAC	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	WLAN	8.06	± 9.6 %
10223	CAD	IEEE 802.11n (HT Mixed, 90 Mbps. 16-QAM)	WLAN	8.48	±9.6 9
10224	CAD	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	WLAN	8.08	± 9.6 %
10225	CAD	UMTS-FDD (HSPA+)	WCDMA	5.97	± 9.6 %
10226	CAD	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.49	±9.69
10227	CAD	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.26	±9.6 %
10228	CAD	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	LTE-TDD	9.22	± 9.6 %
10229	DAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	LTE-TOD	9.48	±9.6 %
10230	CAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	LTE-TDD	10.25	±9.6%
10231	GAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	LTE-TOD	9.19	±9.65
10232	CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	LTE-TDD	9.48	±9.6 7
10233	CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	LTE-TDD	10.25	±9.65
10234	CAD	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, OPSK)	LTE-TDD	9.21	±9.65
10235	CAD	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	LTE-TDD	9.48	19.69
10236	CAD	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	LTE-TDD	10.25	1 29.6 3
10237	CAD	LTE-TOD (SC-FDMA, 1 RB, 10 MHz, QPSK)	LTE-TDD	9.21	19.6 9
10238	CAB	LTE-TOD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	LTE-TDD	9.48	19.69
10230	CAB	LTE-TOD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	LTE-TOD	10.25	1963
10239		LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	LTE-TDD	9.21	19.69
10240	CAB	LTE-TOD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.82	± 9.6 9
10241	CAB	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	LTE-TOD	9.86	± 9.61
10242	CAD	LTE-TOD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	LTE-TDD	9.46	± 9.6 1
10243	CAD	LTE-TOD (SC-FDMA, 50% RB, 3 MHz, 16-OAM)	LTE-TOD	10.06	± 9.6 %
10244	CAD	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-TOD	10.06	19.6
10240	CAG	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-TOD	9.30	19.61
10246	CAG		LTE-TOD	9.90	19.61
	CAG	LTE-TDD (SC-FDMA, 60% RB, 5 MHz, 16-QAM)			
10248	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	LTE-TDD	10.09	±9.61
10249	CAG	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	LTE-TDD	9.29	±9.61
10250	CAG	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	LTE-TDD	- 9.81	± 9.6 1
10251	CAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	LTE-TDD	10.17	± 9.61
10252	CAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	LTE-TDD	9.24	±9.61
10253	CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	LTE-TDD	9.90	±9.64
10254	CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	LTE-TDD	10.14	±9.61
10255	CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	LTE-TDD	9.20	±9.6
10256	CAB	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	LTE-TDD	9.96	± 9.6 1
10257	CAD	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	LTE-TDD	10.08	± 9.6 %
10258	CAD	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	LTE-TDD	9.34	± 9.6 1
10259	CAD	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	LTE-TDD	9.98	±9.63

Certificate No: EX3-7466_Jan21

Page 14 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleest extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sqs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 20 of 29

X3DV4-	SN:7466			Janua	ry 29, 20
10260	CAG	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	LTE-TDD	9.97	±9.6%
10261	CAG	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	LTE-TDD	9.24	± 9.6 %
10262	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 18-QAM)	LTE-TDD	9.83	±9.63
10283	CAG	LTE-TDD (SC-FDMA, 100% RB; 5 MHz, 64-QAM)	LTE-TOD	10.16	±9.63
10264	CAG	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	LTE-TDD	9.23	± 9.6 5
10265	CAG	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	LTE-TDD	9.92	± 9.6 5
10266	CAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	LTE-TOD	10.07	19.6 7
10267	CAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	LTE-TOD	9,30	19.6 1
10268	CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	LTE-TOO	10.06	± 9,6 1
10269	CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	LTE-TDD	10.13	±9.61
10270	CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, OPSK)	LTE-TDD	9,58	± 9.6 *
10274	CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	WCDMA	4.87	± 9.6 %
10275	CAD	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	WCDMA	3.96	± 9,6 %
10277	CAD	PHS (QPSK)	PHS	11.81	± 9.6 %
10278	CAD	PHS (QPSK, BW 884MHz, Rolloff 0.5)	PHS	11.81	± 9.6 %
10279	CAG	PHS (QPSK, BW 884MHz, Rolloff 0.3ll)	PHS	12.18	\$ 9.6 \$
10290	CAG	CDMA2000, RC1, SQ55, Full Rate	CDMA2000	3.91	±9.69
10291	CAG	CDMA2000, RC3, SO55, Full Rate	CDMA2000	3.46	±9.6 %
10292	CAG	CDMA2000, RC3, SO32, Full Rate	CDMA2000	3.39	\$9.6 9
10293	CAG	CDMA2000, RC3, SO3, Full Rate	CDMA2000	3.50	±9.6 %
10295	CAG	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	CDMA2000	12.49	± 9.6 %
10297	CAF	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	LTE-FOO	5.81	± 9.6 °
10298	CAF	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	LTE-FDD	5.72	±9.6 %
10299	CAF	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	LTE-FDD	6.39	± 9.6 *
10300	CAC	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	LTE-FDD	6,60	±9.6 °
10301	CAC	IEEE 802.16e WIMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	WiMAX	12.03	± 9.6 °
10302	CAB	IEEE 802.16e WIMAX (29:18, 5ms, 10MHz, OPSK, PUSC, 3CTRL)	WIMAX	12.57	±9.6
10303	CAB	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	XAMAW	12,52	± 9.6 %
10304	CAA	IEEE 802.18e WIMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	WIMAX	11.86	±9.6
10305	CAA	IEEE 802.16e WIMAX (31:15, 10ms, 10MHz, 64QAM, PUSC)	WiMAX	15,24	±9.6
10306	CAA	IEEE 802.16e WIMAX (29:18, 10ms, 10MHz, 64QAM, PUSC)	WiMAX	14.67	± 9.6
10307	AAB	IEEE 802.16e WIMAX (29:18, 10ms, 10MHz, QPSK, PUSC)	WIMAX	14.49	± 9.6 °
10308	AAB	1EEE 802.16e WIMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	WIMAX	14.46	± 9.6
10309	AAB	IEEE 802.16e WIMAX (29:18, 10ms, 10MHz, 16QAM,AMC 2x3)	WIMAX	14.58	± 9.6 °
10310	AAB	IEEE 802.16e WIMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3	XAMIW	14.57	± 9.6 °
10311	AAB	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	LTE-FDD	6.06	± 9.6 *
10313	AAD	(DEN 1:3)	IDEN	10.51	± 9.6
10314	AAD	IDEN 1:6	IDEN	13.48	±9.6 °
10315	AAD	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc dd)	WLAN	1.71	±9.61
10316	AAD	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, II6pc dc)	WLAN	8.36	±9.6
10317	AAA	IEEE 802.11a WIFI 5 GHz (OFDM, 6 Mbps, 96pc dc)	WLAN	8.36	±9.6
10352	AAA	Pulse Waveform (200Hz, 10%)	Generic	10.00	± 9.6
10353	AAA	Pulse Waveform (200Hz, 20%)	Generic	6.99	± 9.6
10354	AAA	Pulse Waveform (200Hz, 40%)	Generic	3.98	± 9.6
10355	AAA	Pulse Waveform (200Hz, 60%)	Generic	2.22	± 9.6 °
10356	AAA	Pulse Waveform (200Hz, 80%)	Generic Generic	0,97	± 9,6 °
10387	AAA	QPSK Waveform, 1 MHz	Generic	5,10	±9.6
10388	AAA	QPSK Waveform, 10 MHz	Generic	5.22	±9.6
10396	AAA	64-QAM Waveform, 100 kHz		6.27	± 9,6
10399	AAA	64-QAM Waveform, 40 MHz	Generic	6.27	± 9.6
10400	AAD	IEEE 802.11ac W/Fi (20MHz, 64-QAM, 99pc dc)	WLAN	8.37	± 9,6
10401	AAA	JEEE 802.11ac W/FI (40MHz, 64-QAM, 99pc dc)	WLAN	8,60	± 9.6
10402	AAA	IEEE 802.11ac WiFi (80MHz, 64-QAM, 98pc dc)	WLAN	8,53	± 9,6
10403	AAB	CDMA2000 (1xEV-DO, Rev. 0) CDMA2000 (1xEV-DO, Rev. A)	CDMA2000 CDMA2000	3.76	± 9.6
	AAB				± 9.6

Certificate No: EX3-7466_Jan21

Page 15 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleest extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 21 of 29

10410	AAA.	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, LIL Sub=2,3,4,7,8,9)	LTE-TOD	7.82	± 9.6 %
10414	AAA	WLAN CCDF, 64-QAM, #0MHz	Generic.	8.54	± 9.6 %
10415	AAA	IEEE 802.11b WIFI 2.4 GHz (DSSS, 1 Mbps, 99pc dc)	WLAN	1.54	± 9.6 %
10416	AAA	IEEE 802.11g WIFI 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc dc)	WLAN	8.23	± 9.6 %
10417	AAA	IEEE 802 11a/h WIFI 5 GHz (OFDM, 6 Mbps, 99pc dc)	WLAN	8.23	± 9.6 %
10418	AAA	IEEE 802 11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbos, 99pc, Long)	WLAN	8.14	± 9.6 %
10419	AAA	IEEE 802.11g WFI 2.4 GHz (DSSS-OFDM, 6 Mbds, 99pc, Short)	WLAN	8.19	± 9.6 %
10422	AAA	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	WLAN	8.32	±9.6 %
10423	AAA	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	WLAN	8.47	± 9.6 %
10424	AAE	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	WLAN	8.40	± 9.6 1
10425	AAE	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	WLAN	8.41	19.6 %
10426	AAE	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	WLAN	8.45	29.6
10427	AAB	IEEE 802.11n (HT Greenfield, 150 Mbps. 64-QAM)	WLAN.	8.41	29.65
10430	AAB	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	LTE-FDD	8.28	± 9.6 %
10431	AAC	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	LTE-FDD	8.38	19.65
10432	AAB	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	LTE-FDD	8.34	19.69
10433	AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	LTE-FDD	8.34	±9.6 9
10434	AAG	W-CDMA (BS Test Model 1, 64 DPCH)	WCDMA	8.60	±9.6 %
10435	AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Sub)	LTE-TOD	7.82	±9.6 9
10447	AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.56	+9.6 9
10448	AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clippin 44%)	LTE-FOD	7.53	±9.6 %
10449	AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Cliping 44%)	LTE-FDD	7.51	± 9.6 %
10450	AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-FDD	7.48	± 9.6 9
10451	AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	WCDMA	7.59	±9.6 9
10453	AAC	Validation (Square, 10ms, 1ms)	Test	10.00	± 9.6 %
10456	AAC	IEEE 802.11ac WIFI (160MHz, 64-QAM, 99pc dc)	WLAN	8.63	19.6 9
10457	AAC	UMTS-FDD (DC-HSDPA)	WCDMA	6.62	±9.6 %
10458	AAC	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	CDMA2000	6.55	±9.6 %
10459	AAC	CDMA2000 (1xEV-DO, Rev. B. 3 carriers)	CDMA2000	8.25	19.6 9
10460	AAC	UMTS-FDD (WCDMA, AMR)	WCDMA	2.39	± 9.6 %
10461	AAC	LTE-TDD (SC-FDMA, 1 RB: 1.4 MHz, QPSK, UL Sub)	LTE-TDD	7.82	± 9.6 %
10462	AAC	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TDD	8.30	19.61
10463	AAD	LTE-TDD (SC-FDMA, 1 RB, 1,4 MHz, 64-QAM, UL Sub)	LTE-TDD	8.56	1 ± 9.6 5
10464	AAD	LTE-TDD (SC-FDMA, 1 RB: 3 MHz, QPSK, UL Sub)	LTE-TDD	7.82	19.61
10465	AAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	19.61
10468	AAC	LTE-TDD (SC-FOMA, 1 RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.57	19.6 9
10467	AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub)	LTE-TDD	7.82	±9.6
10468	AAF	LTE-TDD (SC-FDMA, 1 RB: 5 MHz, 16-QAM, UL Sub)	LTE-TDD	8.32	±9.61
10469	AAP	LTE-TOD (SC-FDMA, 1 RB: 5 MHz, 64-QAM, UL Sub)	LTE-TOD	8.56	19.61
10409	AAD	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Sub)	LTE-TOD	7.82	± 9.64
10471		LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Sub)	LTE-TOD	8.32	
10472	AAC	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 10-QAM, UL SUB)	LTE-TOD	8.57	± 9.6 9
10472	AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 0PSK, UL Sub)	LTE-TOD	7.82	± 9.6 %
10473	AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL SUD)	LTE-TOO	8.32	± 9.6 1
10475	AAC	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 10-QAM, UL Sub)	LTE-TOD		± 9.6 1
10477	AAD	LTE-TDD (SC-FDMA, T RB, 15 MHz, 64-QAM, UL SUD)	LTE-TDD	8,57	± 9.6.9
10478	AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 10-QAM, UL Sub)	LTE-TOD	8.32	±9.6 %
10479	AAC	LTE-TDD (SC-FDMA, TRB, 20 MHZ, 04-QAM, OL SUD) LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Sub)			# 9.6 9
10480	AAC		LTE-TOD	7,74	± 9.6 %
10480	AAA	LTE-TDD (SC-FDMA, 50% RB, 1,4 MHz, 16-OAM, UL Sub) LTE-TDD (SC-FDMA, 50% RB, 1,4 MHz, 64-OAM, UL Sub)	LTE-TOD	8.18	± 9.6 %
10482	AAA	LTE-TDD (SC-FDMA, 50% RB, 1,4 MHz, 64-QAM, UL Sub) LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Sub)	LTE-TOD	8.45	± 9.6 1
10482	AAA		LTE-TOD	7.71	± 9.6 %
10483	AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, Sub)	LTE-TDD	8.39	± 9.6 %
	AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Sub)	LTE-TOD	8.47	± 9.6 1
10485	AAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Sub)	LTE-TOD	7.59	± 9,6 *
10486	AAB	LTE-TOD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Sub)	LTE-TOD	8.38	± 9.6 1
10487	AAC	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8,60	± 9.6

Certificate No: EX3-7466 Jan21

Page 16 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless other west stated the results structure the state report results in provide the structure of the state and state of the state of the state and st prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

```
www.sgs.com.tw
```



Report No. :ES/2021/90010 Rev: 01 Page: 22 of 29

10488	AAC	LTE-TOD (SC-FDMA, 50% RB, 10 MHz, OPSK, UL Sub)	LTE-TDD	7.70	± 9.6 %
10489	AAC	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.31	±9.69
10490	AAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 %
10491	AAF	LTE-TOD (SC-FDMA, 50% RB, 15 MHz, OPSK, UL Sub)	LTE-TDD	7.74	± 9.6 3
10492	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Sub)	LTE-TOD	8.41	±9.65
10493	AAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.55	± 9.6 %
10494	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Sub)	LTE-TOD	7.74	± 9.6 3
10495	AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Sub)	LTE-TOD	8.37	± 9.6 %
10496	AAE	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Sub)	LTE-TOD	8.54	± 9.6 %
10497	AAE	LTE-TOD (SC-FDMA, 100% RB, 1,4 MHz, QPSK, UL Sub)	LTE-TOD	7.67	± 9.6 9
10498	AAE	LTE-TDD (SC-FOMA, 100% RB, 1.4 MHz, 16-QAM, UL Sub)	LTE-TOD	8.40	±9.63
10499	AAC	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Sub)	LTE-TOD	8,68	± 9.6 9
10500	AAF	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Sub)	LTE-TDD	7.67	± 9.6 1
10501	AAF	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Sub)	LTE-TOD	8,44	± 9.6 5
10502	AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Sub)	LTE-TDD	8.52	±9.61
10503	AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Sub)	LTE-TOD	7.72	±9.6
10504	AAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 18-QAM, UL Sub)	LTE-TOD	8.31	± 9.6
10505	AAC	LTE-TOD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Sub)	LTE-TDD	8.54	± 9.6 °
10506	AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Sub)	LTE-TDD	7.74	± 9.6 °
10507	AAC	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Sub)	LTE-TDD	8.36	± 9.6 *
10508	AAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Sub)	LTE-TDD	8.55	± 9.6 *
10509	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Sub)	LTE-TDD	7.99	± 9.6
10510	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Sub)	LTE-TDD	8.49	± 9.6
10511	AAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Sub)	LTE-TDD	8.51	±9.6 *
10512	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Sub)	LTE-TDD	7.74	±9.6*
10513	AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL SUb)	LTE-TDD	8.42	± 9.6 9
10514	AAE	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Sub)	LTE-TDD	8.45	±9.6*
10515	AAE	IEEE 802 11b WiFi 2 4 GHz (DSSS, 2 Mbps, 99pc dc)	WLAN	1.58	± 9.6 4
10516	AAE	IEEE 802.11b WIFI 2.4 GHz (DSSS, 5.5 Mbps, 99pc dc)	WLAN	1.57	± 9.6
10517	AAF	(EEE 802.11b WIFI 2.4 GHz (DSSS, 11 Mbps, 99pc dc)	WLAN	1.58	±9,61
10518	AAF	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc dc)	WLAN	8.23	19.6
10519	AAF	IEEE 802.11a/h WIFI 5 GHz (OFDM, 12 Mbps, 99pc dc)	WLAN	8,39	±9.61
10520	AAB	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps, 99pc dc)	WLAN	8,12	±9.6
10521	AAB	IEEE 802.11a/h WIFI 5 GHz (OFDM, 24 Mbps, 99pc dc)	WLAN	7.97	± 9.6
10522	AAB	IEEE 802 11a/h WIFI 5 GHz (OFDM, 36 Mbps, 99pc dc)	WLAN	8.45	± 9.6
10523	AAC	IEEE 802 11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc dd)	WLAN	8.08	± 9.6
10524	AAC	IEEE 802 11a/h WIFI 5 GHz (OFDM, 54 Mbps, 99pc dc)	WLAN	8.27	± 9.6
10525	AAC	IEEE 802.11ac WIFI (20MHz, MCS0, 99pc dc)	WLAN	8.36	± 9.6
10526	AAF	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc dc)	WLAN	8.42	± 9.6
10527	AAF	IEEE 802.11ac WIFI (20MHz, MCS2, 99pc dc)	WLAN	8.21	± 9.6
10528	AAF	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc dc)	WLAN	8.36	± 9.6
10529	AAF	IEEE 802.11ac WiFI (20MHz, MCS4, 99pc dc)	WLAN	8.36	± 9.6
10531	AAF	IEEE 802.11ac WiFI (20MHz, MCS6, 99pc dc)	WLAN	8.43	±9.6
10532	AAF	IEEE 802.11ac WIFI (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6
10533	AAE	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc dc)	WLAN	8.38	± 9.6
10534	AAE	IEEE 802.11ac WIFI (40MHz, MCS0, 99pc dc)	WLAN	8.45	± 9.6
10535	AAE	IEEE 802 11ac WiFI (40MHz, MCS1, 99pc dc)	WLAN	8.45	±9.6
10536	AAF	IEEE 802 11ac WiFi (40MHz, MCS2, 99pc dc)	WLAN	8.32	± 9.6
10537	AAF	TEEE 802.11ac WiFI (40MHz, MCS3, 99pc dc)	WLAN	8.44	± 9.6
10538	AAF	IEEE 802 11ac WIFI (40MHz, MCS4, 99pc dc)	WLAN	8.54	± 9.6
10540	AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc.dc)	WLAN	8,39	± 9.6
10541	AAA	IEEE 802 11ac WIFI (40MHz, MCS7, 99pc dc)	WLAN	B.46	±9.6
10542	AAA	IEEE 802,11ac WIFI (40MHz, MCS8, 99pc dc)	WLAN	8.65	±9.6
10543	AAC	(EEE 802,11ac WiFi (40MHz, MCS9, 99pc dc)	WLAN	8.65	±9.6
10544	AAC	IEEE 802 11ac WIFI (80MHz, MCS0, 99pc dc)	WLAN	8.47	± 9.6
10545	AAC	IEEE 802.11ac WIFI (80MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6

Certificate No: EX3-7466_Jan21

Page 17 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleest extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 23 of 29

10546	TAAG	IEEE 802 11ac WiFi (80MHz, MCS2, 99pc dc)	WLAN	8.35	±9.6 %
10547	AAC	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc dc)	WLAN	8.49	± 9.6 %
10548	AAC	IEEE 802 11ac WIFi (80MHz, MCS4, 99pc dc)	WLAN	8.37	± 9.6 %
10550	AAC	IEEE 802.11ac WIFi (80MHz, MCS6, 99pc dc)	WLAN	8.38	± 9.6 %
10551	AAC	IEEE 802 11ac WiFi (B0MHz, MCS7, 99pc dc)	WLAN	8.50	±9.5%
10552	AAC	IEEE 802 11ac WiFi (80MHz, MCS8, 99pc dc)	WLAN	8.42	±9.6 %
10553	AAC	IEEE 802.11ac WIFI (80MHz, MCS9, 99pc dc)	WLAN	8,45	± 9.6 %
10554	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc dc)	WLAN	8.48	±9.6%
10555	AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc dc)	WLAN	8,47	±9.6 %
10556	AAC	IEEE 802.11ac WIFI (160MHz, MCS2, 99pc dc)	WLAN	8.50	±9,6 %
10557	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc dc)	WLAN	8.52	± 9,6 %
10558	AAC	IEEE 802.11ac WIFI (160MHz, MCS4, 99pc dc)	WLAN	8.61	± 9.6 %
10560	AAC	IEEE 802.11ac WIFi (160MHz, MCS6, 99pc dc)	WLAN	8.73	± 9.6 %
10561	AAC	IEEE 802.11ac WiFi (160MHz. MCS7, 99pc dc)	WLAN	8.56	± 9.6 %
10562	AAC	IEEE 802.11ac WIFI (160MHz, MCS8, 99pc dc)	WLAN	8.69	± 9.6 %
10563	AAC	IEEE 802 11ac WiFi (160MHz, MCS9, 99pc dc)	WLAN	8.77	± 9.6 %
10584	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc dc)	WLAN	8.25	±9.6 %
10565	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc dc)	WLAN	8.45	± 9.6 %
10566	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc dc)	WLAN	8.13	± 9.6 %
10567	AAC	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc dc)	WLAN	8.00	± 9.6 %
10568	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc dc)	WLAN	8.37	± 9.6 %
10569	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc dc)	WLAN	8.10	± 9.6 %
10570	AAC	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc dc)	WLAN	8.30	± 9.6 %
10571	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc dc)	WEAN	1.99	± 9.6 %
10572	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc dc)	WLAN	1.99	± 9.6 %
10573	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc dc)	WLAN	1.98	± 9.6 %
10574	AAC	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc dc)	WLAN	1.98	± 9.6 %
10575	AAC	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc dc)	WLAN	8.59	± 9.6 %
10576	AAC	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc dc)	WLAN	8.60	± 9.6 %
10577	AAC	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc dc)	WLAN	8,70	± 9,6 %
10578	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc dc)	WLAN	8.49	±9.6 %
10579	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc dc)	WLAN	8.36	±9.6 %
10580	AAD	IEEE 802.11g WIFI 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc dc)	WLAN	8.76	±9.6%
10581	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc dc)	WLAN	8.35	± 9.6 %
10582	AAD	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc dc)	WLAN	8.67	±9.6 %
10583	AAD	IEEE 802.11am WIFI 5 GHz (OFDM, 6 Mbps, 90pc dc)	WLAN	18.59	± 9.6 %
10564	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 9 Mbps, 90pc dc)	WLAN	8.60	± 9.6.9
10585	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 12 Mbps, 90pc dc)	WLAN	8.70	±9.69
10586	AAD	IEEE 802.11a/h WIFI 5 GHz (OFDM, 18 Mbps. 90pc dc)	WLAN	8.49	:9.6 9
10587	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps. 90pc dc)	WLAN	8.36	±9.6 %
10588	AAA	IEEE 802.11a/h WIFI 5 GHz (DFDM. 36 Mbps. 90pc dc)	WLAN	8.76	± 9.6 %
10589	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc dc)	WLAN	8,35	± 9.6 %
10590	AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc dc)	WLAN	8.67	± 9.6 %
10591	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc dc)	WLAN	8.63	± 9.6 %
10592	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6 %
10593	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc dc)	WLAN	8.64	± 9.6 %
10594	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10595	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc dc)	WLAN	8.74	± 9.6 %
10596	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc do)	WLAN	8,71	19.6 1
10597	AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc dc)	WLAN	8,72	± 9.6 %
10598	AAA	(EEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc dc)	WLAN	8.50	± 9.6.9
10599	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc dc)	WLAN	8.79	±9.65
10600	AAA	IEEE 802.11n (HT Mixed, 40MiHz, MCS1, 90pc dc)	WLAN	8.88	± 9.6 %
10601	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc dc)	WLAN	8.82	±9.6 %
10602	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc dc)	WLAN	8.94	± 9.6 %
10603	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc dc)	WLAN	9.03	±9.69

Certificale No: EX3-7466_Jan21

Page 18 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleest extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 24 of 29

10604	1	IEEE 802,11n (HT Mixed, 40MHz, MCS5, 90pc dc)	WLAN	8.76	±9.6 %
10605	AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc dc)	WLAN	8.97	± 9.6 9
10606	AAC	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc dc)	WLAN	8.82	± 9.6 °
10607	AAC	IEEE B02.11ac WiFi (20MHz, MCS0, 90pc dc)	WLAN	8.64	± 9.6 *
10608	AAC	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc dc)	WLAN	8.77	± 9.6 5
10809	AAC	IEEE 802 11ac WiFi (20MHz, MCS2, 90pc dc)	WLAN	8.57	19.65
10610	AAC	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc dc)	WLAN	8.78	19.67
10611	AAC	IEEE 802 11ac WiFi (20MHz: MCS4, 90pc dc)	WLAN	8.70	19.6 9
10612	AAC	IEEE 802 11ac WiFi (20MHz, MCS5, 90pc dc)	WLAN	8.77	±9.6 %
10613	AAC	IEEE 802 11ac WIFI (20MHz, MCS6, 90pc dc)	WLAN	8.94	±9.6 %
10614	AAC	IEEE 802.11ac WIFI (20MHz, MCS7, 90pc dc)	WLAN	8.59	±9.69
10615	AAC	IEEE 802.11ac WiFI (20MHz, MCS8, 90pc dc)	WLAN	8.82	±9.6 %
10616	AAC	(EEE 802.11ac WiFi (40MHz, MCS0, 90pc dc)	WLAN	8.82	± 9.6 %
10617	AAC	IEEE 802 11ac WiFi (40MHz, MCS1, 90pc dc)	WLAN	B.81	±9.6 %
10618	AAG	IEEE 802.11ac.WiFi (40MHz, MCS2, 90pc.dc)	WLAN	8.58	±9.6.9
10619	AAC	IEEE 802,11ac WIFI (40MHz, MCS3, 90pc dc)	WLAN	8.86	± 9.6 9
10620	AAC	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc dc)	WLAN	8.87	± 9.6 %
10620	AAC	IEEE 802,11ac WFI (40MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10622	AAC	IEEE 802.11ac WiFI (40MHz, MCS6, 90pc dc)	WLAN	8.68	± 9.6 %
10623	AAC	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc dc)	WLAN	8.82	± 9.6 %
10624	AAC	IEEE 802.11ac WIFI (40MHz, MCS8, 90pc dc)	WLAN	8.96	± 9.6 *
10625	AAC	IEEE 802.11ac WIFI (40MHz, MCS9, 90pc dc)	WLAN	8.96	± 9.6 *
10626	AAC	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc dc)	WLAN	8.83	19.6*
10627	AAC	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc dc)	WEAN	8.88	#96
10628	AAC	IEEE 802 11ac WIFI (80MHz, MCS2, 90pc dc)	WLAN	8.71	±9.6 %
10629	AAC	IEEE 802.11ac WIFI (80MHz, MCS3, 90pc dc)	WLAN	8.85	±9.6 °
10630	AAC	IEEE 802 11ac WiFi (80MHz, MCS4, 90pc dc)	WLAN	8.72	+9.6
10631	AAC	IEEE 802 11ac WIFI (80MHz, MCS5, 90pc dc)	WLAN	8.81	+9.6
10632	AAC	IEEE 802 11ac WIFI (80MHz, MCS6, 90pc dc)	WLAN	8.74	±9.6*
10633	AAC	IEEE 802.11ac WIFI (80MHz, MCS7, 90pc dc)	WLAN	8.83	+9.6*
10634	AAC	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc dc)	WLAN	8.60	±9.6
10635	AAC	IEEE 802.11ac WIFI (80MHz, MCS9. 90pc dc)	WLAN	8.81	±9.6
10636	AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 90pc dc)	WLAN	8.83	± 9.6
10637	AAC	IEEE 802.11ac WIFI (160MHz, MCS1, 90pc dc)	WLAN	8.79	± 9.6
10638	AAC	IEEE 802 11ac WiFi (160MHz, MCS2, 90pc dc)	WLAN	8.86	±9.6
10639	AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 90pc dc)	WLAN	8.85	±9.6
10640	AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 90pc dc)	WLAN	8.98	± 9.6
10641	AAC	IEEE 802.11ac WiFi (160MHz, MCS5, 90pc dc)	WLAN	9.06	± 9.6
10642	AAC	IEEE 802.11ac WIFI (160MHz, MCS8, 90pc dc)	WLAN	9.06	± 9.6
10643	AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 90pc dc)	WLAN	8.89	± 9.6
10644	AAC	(EEE 802.11ac WiFi (160MHz, MCS8, 90pc dc)	WLAN	9.05	± 9.6
10645	AAC	(EEE 802.11ac WiFi (160MHz, MCS9, 90pc dc)	WLAN	9.11	19.6
10646	AAC	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Sub=2,7)	LTE-TDD	11.96	19.6
10647	AAC	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Sub=2.7)	LTE-TOD	11.96	19.6
10648	AAC	CDMA2000 (1x Advanced)	CDMA2000	3.45	± 9.6
10652	AAC	LTE-TDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	LTE-TOD	6.91	± 9.6
10653	AAC	LTE-TDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	LTE-TOD	7.42	±9.6
10654	AAC	LTE-TDD (OFDMA, 15 MHz, E-TM 3,1, Clipping 44%)	LTE-TDD	6.96	±9.6
10655	AAC	LTE-TDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	LTE-TOD	7.21	±9.6
10658	AAC	Pulse Waveform (200Hz. 10%)	Test	10.00	± 9.6
10659	AAC	Pulse Waveform (200Hz, 20%)	Test	6.99	±9.6
10660	AAC	Pulse Waveform (200Hz, 40%)	Test	3,98	±9.6
10661	AAC	Pulse Waveform (200Hz, 60%)	Test	2.22	± 9.6
10662	AAC	Pulse Waveform (200Hz, 80%)	Test	0.97	± 9.6
10670	AAC	Bluetooth Low Energy	Bluetooth	2.19	± 9.6
10671	AAD	IEEE 802.11ax (20MHz, MCS0, 90pc.dc)	WLAN	9.09	± 9.6

Certificate No: EX3-7466_Jan21

Page 19 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleest extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sqs.com.tw



10672	AAD	TEEE 802 11ax (20MHz, MCS1, 90pc dc)	WLAN	8.57	± 9.6 %
10673	AAD	IEEE 802.1 tax (20MHz, MCS2, 90pc dc)	WLAN	8.78	±9.6 %
10674	AAD	IEEE 802.11ax (20MHz, MCS3, 90pc dc)	WLAN	8.74	± 9.6 %
10675	AAD	IEEE 802.11ax (20MHz, MCS4, 90pc dc)	WLAN	8.90	± 9.6 %
10676	AAD	IEEE 802.11ax (20MHz, MCS5, 90pc dc)	WLAN	8.77	± 9.6 %
10677	AAD	IEEE 802.11ax (20MHz, MCS6, 90pc dc)	WLAN	8.73	± 9.6 %
10678	AAD	IEEE 802.11ax (20MHz, MCS7, 90pc dc)	WLAN	8.78	± 9.6 %
10679	AAD	IEEE 802.11ax (20MHz, MCS8, 90pc dc)	WLAN	8.89	± 9.6 %
10680	AAD	IEEE 802,11ax (20MHz, MCS9, 90pc dc)	WLAN	8.80	± 9.6 %
10681	AAG	IEEE 802.11ax (20MHz, MCS10, 90pc dc)	WLAN	8.62	±9.6 %
10682	AAF	IEEE 802 11ax (20MHz, MCS11, 90pc dc)	WLAN	8.83	±9.6%
10683	AAA	IEEE 802.11ax (20MHz, MCS0, 99pc dc)	WLAN	8.42	± 9.6 %
10684	AAC	IEEE 802.11ax (20MHz, MCS1, 99pc dc)	WLAN	8.26	± 9.6 %
10685	AAC	IEEE 802.11ax (20MHz, MCS2, 99pc dc)	WLAN	8.33	±9.6 %
10686	AAC	IEEE 802.11ax (20MHz, MCS3, 99pc dc)	WLAN	8.28	± 9.6 %
10687	AAE	IEEE 802.11ax (20MHz, MCS4, 99pc dc)	WLAN	8.45	± 9.6 %
10688	AAE	IEEE 802.11ax (20MHz, MCS5, 99pc dc)	WLAN	8.29	± 9.6 %
10689	AAD	IEEE 602.11ax (20MHz, MCS6, 99pc dc)	WLAN	8.55	± 9.6 %
10690	AAE	IEEE 802,11ax (20MHz, MCS7, 99pc dc)	WLAN	8.29	± 9.6 %
10691	AAB	IEEE 802.11ax (20MHz, MCS8, 99pc dc)	WLAN	8.25	# 9.6 %
10692	AAA	IEEE 802.11ax (20MHz, MCS9, 99pc dc)	WLAN	8.29	±9.6 %
10693	AAA	IEEE 802 11ax (20MHz, MCS10, 99pc dc)	WEAN	8.25	±9.69
10694	AAA	IEEE 802.11ax (20MHz, MCS11, 99pc dc)	WLAN	8.57	±9.6 %
10695	AAA	IEEE 802.11ax (40MHz, MCS0, 90pc dc)	WLAN	8.78	± 9.6 %
10696	AAA	(EEE 802.11ax (40MHz, MCS1, 90pc dc)	WLAN	8.91	±9.6 %
10897	AAA	(EEE 802.11ax (40MHz, MCS2, 90pc dc)	WLAN	8.61	± 9.6 %
10698	AAA	IEEE 802.11ax (40MHz, MCS3, 90pc dc)	WLAN	8.89	±96%
10699	AAA	IEEE 802.11ax (40MHz, MCS4, 90pc dc)	WLAN	8,82	19.6 %
10700	AAA	IEEE 802.11ax (40MHz, MC\$5, 90pc dc)	WLAN	8.73	±9.69
10701	AAA	IEEE 802.11ax (40MHz, MCS6, 90pc dc)	WLAN	8,86	± 9.6 5
10702	AAA	IEEE 802.11ax (40MHz, MCS7, 90pc dc)	WLAN	8.70	±9.6 %
10703	AAA	IEEE 802.11ax (40MHz. MCS8, 90pc dc)	WLAN	8.82	±9.6 %
10704	AAA	IEEE 802.11ax (40MHz, MCS9, 90pc dc)	WLAN	8,56	±9.6 %
10705	AAA	IEEE 802.11ax (40MHz. MCS10, 90pc dc)	WLAN	8,69	±9.69
10706	AAC	IEEE 802 11ax (40MHz, MCS11, 90pc dc)	WLAN	8.66	± 9.6 %
10707	AAC	TEEE 802.11ax (40MHz, MCS0; 99pc dc)	WLAN	8.32	± 9.6 9
10708	AAC	IEEE 802 11ax (40MHz, MCS1, 99pc dc)	WLAN	8.55	± 9.6 %
10709	AAC	IEEE 802.11ax (40MHz, MCS2, 99pc dc)	WLAN	8.33	± 9.6 %
10710	AAC	IEEE 802.11ax (40MHz, MCS3, 99pc dc)	WLAN	8.29	± 9.6 %
10711	AAC	IEEE 802.11ax (40MHz, MCS4, 99pc dc)	WLAN	8.39	± 9.6 %
10712	AAC	IEEE 802.11ax (40MHz, MCS5, 99pc dc)	WLAN	8.67	± 9.6 1
10713	AAC	IEEE 802.11ax (40MHz, MC56, 99pc dc)	WLAN.	8.33	± 9.6 %
10714	AAC	IEEE 802.11ax (40MHz, MCS7, 99pc dc)	WLAN	8.26	± 9.6 1
10715	AAC	IEEE 802.11ax (40MHz, MCS8, 99pc dc)	WLAN	8.45	± 9.6.1
10716	AAC	IEEE 802.11ax (40MHz, MCS9, 99pc dc)	WLAN	8.30	±9.6 %
10717	AAC	IEEE 802.11ax (40MHz, MCS10, 99pc dc)	WLAN	8,48	±9.6 %
10718	AAC	IEEE 802.11ax (40MHz, MCS11, 99pc dc)	WLAN	8.24	± 9.6 %
10719	AAC	IEEE 802.11ax (80MHz, MCS0, 90pc dc)	WLAN	8.81	± 9.6 *
10720	AAC	IEEE 802.11ax (80MHz, MCS1, 90pc dc)	WLAN	8.87	± 9,6 *
10721	AAC	IEEE 802.11ax (80MHz, MCS2, 90pc dc)	WLAN	8.76	± 9.6 *
10722	AAC	IEEE 802.11ax (80MHz, MCS3, 90pc dc)	WLAN	8.55	± 9.6 *
10723	AAC	IEEE 802.11ax (80MHz, MCS4, 90pc dc)	WLAN	8.70	± 9.6
10724	AAC	IEEE 802.11ax (60MHz, MCS5, 90pc dc)	WLAN	8.90	± 9.6
10725	AAC	IEEE 802.11ax (80MHz, MCS6, 90pc dc)	WLAN	8,74	±9.6*
10726	AAC	IEEE 802.11ax (80MHz, MCS7, 90pc dc)	WLAN	8.72	± 9.6 4
10727	AAC	IEEE 802,11ax (80MHz, MCS8, fl0pc.dc)	WLAN	8.66	±9.6

Certificate No: EX3-7466_Jan21

Page 20 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleest extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 26 of 29

10728	AAC	TIEEE 802.11ax (BOMHz, MCS9, 90pc dc)	WLAN	8.65	± 9.6 %
10729	AAC	TEEE 802.11ax (80MHz, MCS10, 90pc dc)	WLAN	8.64	± 9.6 %
10730	AAC	IEEE 802 11ax (80MHz, MCS11, 90pc dc)	WLAN	8.67	± 9.6 %
10731	AAC	IEEE 802 11ax (80MHz, MCS0, 99pc dc)	WLAN	8.42	19.6%
10732	AAC	IEEE 802.11ax (80MHz, MCS1, 89pc dc)	WLAN	8.46	= 9.6 %
10733	AAC	IEEE 802.11ax (80MHz, MCS2, 99pc dc)	WLAN	8.40	±9.6 %
10734	AAC	IEEE 802.11ax (80MHz, MCS3, 99pc dc)	WLAN	8.25	±9.6 %
10735	AAC	IEEE 802.11ax (80MHz, MCS4, 99pc dd)	WLAN	8.33	± 9.6 %
10736	AAC	IEEE 802.11ax (80MHz, MCSS, 99pc dc)	WLAN	8.27	± 9.6 %
10737	AAC	IEEE 802.11ax (80MHz, MCS6, 99pc.dc)	WLAN	8.36	± 9.6 %
10738	AAC	IEEE 802.11ax (80MHz, MCS7, 99pc dc)	WLAN	8.42	±9.6 %
10739	AAC	IEEE 802 11ax (80MHz, MCS8, 99pc dc)	WLAN	8.29	± 9.6 %
10740	AAC	(EEE 802 11ax (80MHz, MCS9, 99pc dc)	WLAN	8.48	± 9.6 %
10741	AAC	(EEE 802 11ax (80MHz, MCS10) 99pc dc)	WLAN	8.40	± 9.6 %
10742	AAG	IEEE 802 11ax (80MHz, MCS11, 99pc dc)	WLAN	8.43	± 9.6 %
10743	AAC	IEEE 802 11ax (160MHz, MCS0, 90pc dc)	WLAN	8.94	± 9.6 %
10743	AAC	IEEE 802.11ax (160MHz, MCS1, 90pc dc)	WLAN	9,16	± 9.6 %
10745	AAC	IEEE 802.11ax (160MHz, MCS2, 90pc dc)	WLAN	8.93	± 9.6 %
10745	AAC	IEEE 802.11ax (160MHz, MCS3, 90pc dc)	WLAN	9.11	± 9.6 %
10740	AAC	IEEE 802.11ax (160MHz, MCS4, 90pc dc)	WLAN	9.04	± 9.6 %
10748	MC	IEEE 802.11ax (160MHz, MCS5, 90pc.dc)	WLAN	8.93	± 9.6 %
10749	AAC	IEEE 802.11ax (160MHz, MCS6, 90pc dc)	WLAN	8.90	± 9.6 %
10750	AAC	IEEE 802.11ax (160MHz, MCS7, 90pc dc)	WLAN	8.79	# 9.6 %
10751	AAC	IEEE 802.11ax (160MHz, MCS8, 90pc dc)	WLAN	8.82	± 9.6 %
10752	AAC	IEEE 802.11ax (160MHz, MCS9, 90pc dc)	WLAN	8.81	#9.6%
10753	AAC	IEEE 802.11ax (160MHz, MCS10, 90pc dc)	WLAN	9.00	# 9.6 %
10754	AAC	IEEE 802.11ax (160MHz, MCS11, 90pc dc)	WLAN	8.94	+9.6 %
10755	AAC	IEEE 802 11ax (160MHz, MCS0, 99pc dc)	WLAN	8.64	±9.6%
10756	AAC	IEEE 802.11ax (160MHz, MCS1, 99pc dc)	WLAN	8.77	±9.6%
10757	AAC	IEEE 802.11ax (160MHz, MCS2, 99pc dc)	WLAN	8.77	±9.6%
10758	AAC	IEEE 802.11ax (160MHz, MCS3, 99pc dc)	WLAN	8.69	± 9.6 %
10759	AAC	IEEE 802.11ax (160MHz, MC54, 99pc dc)	WLAN	8.58	± 9.6 %
10760	AAC	IEEE 802.11ax (160MHz, MC55, 99pc dc)	WLAN	8,49	± 9.6 %
10761	AAC	IEEE 802.11ax (160MHz, MC58, 99pc dc)	WLAN	8.58	± 9.6 %
10762	AAC	(EEE 802.11ax (160MHz, MCS7, 99pc dc)	WLAN	8.49	= 9.6 %
10763	AAC	IEEE 802.11ax (160MHz, MCS8, 99pc dc)	WLAN	8.53	± 9.6 %
10764	AAC	IEEE 802.11ax (160MHz, MCS9, 99pc dc)	WLAN	8.54	± 9.6 %
10765	AAC	IEEE 802.11ax (160MHz, MCS10, 99pc dc)	WLAN	8.54	± 9.6 %
10766	AAC	IEEE 802.11ax (160MHz, MCS11, 99pc dc)	WLAN	8.51	± 9.6 %
10767	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	7.99	±9.6%
10768	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TOD	8.01	± 9.6 %
10769		5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.01	± 9.6 %
10700	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	19.67
10770	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	1 2 9.6 %
10772	AAC	5G NR (CP-OFDM: 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.23	1 19.6 9
10773	AAC	5G NR (CP-OFDM: 1 RB, 30 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.03	19.6 9
10774	AAC	5G NR (CP-OFDM: 1 RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.02	±9.69
10775	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 15 KHz)	5G NR FR1 TDD	8.31	±9.6 %
10776	AAC	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	±9.69
10777	AAC	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.30	± 9.6 3
10778		5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8,34	+9.63
10778	AAC	5G NR (CP-OFDM, 50% RB, 25 MHz, QPSK, 15 KHz)	5G NR FR1 TDD	8.42	± 9.6 9
10779	AAC	5G NR (CP-OFDM, 50% RB, 25 MHz, OFSK, 15 KHz) 5G NR (CP-OFDM, 50% RB, 30 MHz, OPSK, 15 KHz)	5G NR FR1 TDD	8.38	±9.69
10781	AAC	5G NR (CP-OFDM, 50% RB, 30 MHz, OP3K, 15 KHz)	5G NR FR1 TDD	8.38	± 9.6 9
10781	AAC	5G NR (CP-OFDM: 50% RB: 40 MHz, QP3R, 15 KHz)	5G NR FR1 TDD	8.43	1 9.6 9
10783	AAC	5G NR (CP-OFDM, 50% RB, 5 MHz, GP3H, 15 MHz)	5G NR FR1 TOD	8.31	19.6 9

Certificate No: EX3-7466_Jan21

Page 21 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless other west stated the results structure the state report results in provide the structure of the state and state of the state of the state and st prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sqs.com.tw



Report No. :ES/2021/90010 Rev: 01 Page: 27 of 29

X30V4-	SN:7466	the second s		Janua	ry 29, 20
10784	AAC	5G NR (CP-OFDM, 100% RB, 10 MHz, OPSK, 15 kHz)	5G NR FR1 TDD	8.29	± 9.6 3
10785	AAC	5G NR (CP-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.40	±9.65
10786	AAC	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.35	19.67
10787	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 15 KHz)	5G NR FR1 TDD	8.44	±9.6 7
10788	AAC	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 15 KHz)	5G NR FR1 TDD	8.39	±9.6 9
10789	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	5G NR FR1 TOD	8.37	±9.6 9
10790	AAC	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	5G NR FR1 TDD	8.39	± 9.6 %
10791	AAC	5G NR (CP-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.83	±9.61
10792	AAC	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.92	±9.6 *
10793	AAC	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	7.95	± 9.6 1
10794	AAC	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 *
10795	AAC	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.84	± 9.6 f
10796	AAC	5G NR (CP-OFDM, 1 RB, 30 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	7.82	± 9.6 °
10797	AAC	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.01	± 9.6 °
10798	AAC	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10799	AAC	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.93	± 9.6 %
10801	AAC	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.89	± 9.6 %
10802	AAC	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	7.87	± 9.6 %
10803	AAE	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDO	7.93	# 9.6 *
10805	AAD	5G NR (CP-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	1 9.6
10806	AAD	5G NR (CP-OFOM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.37	± 9.6
10809	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6
10810	AAD	5G NR (CP-OFDM, 50% RB, 40 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9,6 *
10812	AAD	5G NR (CP-OFDM, 50% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8:35	± 9.6 9
10817	AAD	5G NR (CP-OFDM, 100% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8:35	± 9.6 9
10818	AAD	5G NR (CP-OFDM, 100% R8, 10 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	8.34	± 9.6*
10619	AAD	5G NR (CP-OFDM, 100% R8, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.33	±9.6
10820	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	8.30	±9.6
10821	AAC	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	8.41	±9.6
10822	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TOD	8.41	±9.6
10823	AAC	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.36	± 9.6
10824	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.39	± 9.6
10825	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.41	± 9.6
10827	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.42	± 9.6
10828	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	8.43	± 9.6
10829	AAD	3G NR (CP-OFDM, 100% RB, 100 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	8.40	± 9.6
10830	DAA	5G NR (CP-OFDM, 1 RB, 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.63	± 9.6
10831	AAD	5G NR (CP-OFDM, 1 RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.73	± 9.6
10832	AAD	5G NR (CP-OFDM, 1 RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.74	± 9.6
10833	AAD	5G NR (CP-OFDM, 1 RB, 25 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	± 9.6
10834	AAD	5G NR (CP-OFDM, 1 RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.75	± 9.6
10835	AAD	5G NR (CP-OFDM, 1 RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.70	±9.6
10836	AAE	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.66	± 9.6
10837	AAD	5G NR (CP-OFDM, 1 RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7,65	±9.6
10839	AAD	5G NR (CP-OFDM, 1 RB, 80 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7,70	±9.6
10840	AAD	5G NR (CP-OFDM, 1 RB, 90 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7,67	±9,6
10841	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	7.71	±9,6
10843	AAD	5G NR (CP-OFDM, 50% RB, 15 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.49	± 9.6
10844	AAD	5G NR (CP-OFDM, 50% RB, 20 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	±9.6
10846	AAD	5G NR (CP-OFDM, 50% RB, 30 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8,41	± 9.6
10854	AAD	5G NR (CP-OFDM, 100% RB; 10 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.34	± 9,6
10655	AAD	5G NR (CP-OFDM: 100% RB: 15 MHz, QPSK, 60 kHz)	5G NR FR1 TOD	8.36	± 9.6
10856	AAD	5G NR (CP-OFDM, 100% RB, 20 MHz, QPSK, 80 kHz)	5G NR FR1 TDD	8.37	± 9.6
10857	AAD	5G NR (CP-OFDM, 100% RB, 25 MHz, QPSK, 80 kHz)	5G NR FR1 TDD	8.35	± 9.6
10858	AAD	5G NR (CP-OFDM, 100% RB, 30 MHz, QPSR, 60 kHz)	5G NR FR1 TDD	8.36	±9.6
10859	AAD	5G NR (CP-OFDM, 100% RB, 40 MHz, QPSK, 60 kHz)	5G NR FR1 TDO	8.34	± 9.6

Certificate No: EX3-7466_Jan21

Page 22 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless other west stated the results structure the state report results in provide the structure of the state and state of the state of the state and st prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sqs.com.tw



10860	TAAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.41	± 9.6 9
10861	AAD	5G NR (CP-OFDM, 100% RB, 60 MHz, QPSK, 60 kHz)	5G NR FR1 TDD	8.40	± 9.6 9
10863	AAD	5G NR (CP-OFDM, 100% RB, 80 MHz, QPSK, 60 NHz)	5G NR FR1 TDD	8.41	± 9.6 %
10864	AAE	5G NR (CP-OFDM, 100% RB, 90 MHz, OPSK, 60 hHz)	5G NR FR1 TDD	8.37	± 9.6 %
10865	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, OPSK, 60 kHz)	5G NR FR1 TDD	8,41	± 9.6 3
10866	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, OPSK, 30 kHz)	50 NR FR1 TDD	5.68	± 9.6 %
10868	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.89	29.6
10869	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.75	± 9.6 *
10870	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	5.86	± 9.6 *
10871	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	5,75	± 9.6 *
10872	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.52	± 9.6 *
10873	AAD	5G NR (DFT-s-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	±9.6 9
10874	AAD	5G NR (DFT-s-OFDM, 100% RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	±9.6 %
10875	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	±9.6
10876	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.39	± 9.6 °
10877	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	7.95	± 9.6
10878	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.41	±9.61
10879	AAD	5G NR (CP-OFDM, 1 RB, 100 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.12	±9.61
10880	AAD	5G NR (CP-OFDM, 100% RB, 100 MHz, 64GAM, 120 kHz)	5G NR FR2 TDD	B.38	± 9.6
10881	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, OPSK, 120 kHz)	5G NR FR2 TDD	5.75	±9.6
10682	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, OPSK, 120 kHz)	5G NR FR2 TDD	5.96	± 9.6 °
10683	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	6.57	±9.6
10884	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 16QAM, 120 KHz)	5G NR FR2 TDD	6.53	±961
10885	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.61	+96
10886	AAD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	6.65	±9.61
10887	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	7.78	± 9.6
10888	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, QPSK, 120 kHz)	5G NR FR2 TDD	8.35	± 9.6
10889	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.02	± 9.6
10890	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 16QAM, 120 kHz)	5G NR FR2 TDD	8.40	± 9.6
10891	AAD	5G NR (CP-OFDM, 1 RB, 50 MHz, 64QAM, 120 kHz)	6G NR FR2 TDD	8.13	± 9.6
10892	AAD	5G NR (CP-OFDM, 100% RB, 50 MHz, 64QAM, 120 kHz)	5G NR FR2 TDD	8.41	± 9.6
10897	AAD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.66	±9.6
10898	AAD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6
10899	AAD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.67	± 9.6
10900	AAD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10901	AAD	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10902	AAD	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	±9.6
10903	AAD	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6
10904	AAD	5G NR (DFT-s-OFDM, 1 RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6
10905	AAD	5G NR (DFT-s-OFDM. 1 RB. 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6
10906	AAD	SG NR (DFT-s-OFDM, 1 RB, 80 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.68	± 9.6
10907	AAD	5G NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.78	± 9.6
10908	AAD	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6
10909	AAD	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.96	± 9.6
10910	AAD	5G NR (DFT-s-OFDM, 50% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	± 9.6
10911	AAD	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.93	± 9.6
10912	AAD	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9.6
10913	AAD	5G NR (DFT-s-OFDM 50% RB, 40 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	± 9,6
10914	AAD	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.85	±9.6
10915	AAD	5G NR (DFT-s-DFDM, 50% RB, 60 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.83	29.6
10916	AAD	5G NR (DFT-s-OFDM, 50% RB, 80 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.87	2 9.6
10917	AAD	5G NR (DFT-s-OFDM, 50% RB, 100 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.94	1 9.6
10918	AAD	5G NR (DFT-s-OFDM, 100% R8, 5 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.86	± 9.6
10919	AAD	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, OPSK, 30 kHz)	5G NR FR1 TDD	5.86	+9.6
10920	AAD	6G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.87	± 9.6
10921	AAD	6G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 30 kHz)	5G NR FR1 TDD	5.84	19.6

Certificate No: EX3-7466_Jan21

Page 23 of 24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless other west stated the results structure the state report results in provide the structure of the state and state of the state of the state and st prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw



± 9.6 °	5.82	5G NR FR1 TDD	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 30 kHz)	AAD	
± 9.6 °		5G NR FR1 TOD			10922
± 9.6 1	5.84	5G NR FR1 TOD	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, OPSK, 30 kHz)	AAD	10923
			5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 30 kHz)	AAD	10924
	5.95	5G NR FR1 TDD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, OPSK, 30 kHz)	AAD	10925
	5.84	5G NR FR1 TDD	5G NR (DFT-6-OFDM, 100% RB, 60 MHz, QPSK, 30 kHz)	AAD	10926
	5.94	5G NR FR1 TDD	5G NR (DFT-s-OFDM, 100% RB, 80 MHz, QPSK, 30 kHz)	AAD	10927
	5.52	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 1 RB, 5 MHz, QPSK, 15 kHz)	AAD	10928
	5.52	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 1 RB, 10 MHz, QPSK, 15 kHz)	AAD	10929
	5.52	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 1 RB, 15 MHz, QPSK, 15 kHz)	AAD	10930
	5.51	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 1 RB, 20 MHz, QPSK, 15 kHz)	AAD	10931
	5.51	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 1 RB, 25 MHz, QPSK, 15 kHz)	AAB	10932
	5.51	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 1 RB, 30 MHz, QPSK, 15 kHz)	AAA	10933
	5.51	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 1 RB, 40 MHz, QPSK, 15 kHz)	AAA	10934
	5,51	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 1 RB. 50 MHz, QPSK, 15 kHz)	AAA	10935
	5,90	5G NR FR1 FDD	SG NR (DFT-s-OFDM, 50% RB, 5 MHz, QPSK, 15 kHz)	AAC	10936
	5.77	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 50% RB, 10 MHz, QPSK, 15 kHz)	AAB	10937
	5,90	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 50% RB, 15 MHz, QPSK, 15 kHz)	AAB	10938
	5.82	5G NR FR1 FDD	5G NR (DFT-s-OFDM; 50% RB; 20 MHz; QPSK; 15 kHz)	AAB	10939
	5.89	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 50% RB, 25 MHz, QPSK, 15 kHz)	AAB	10940
	5.83	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 50% RB, 30 MHz, QPSK, 15 kHz)	AAB	10941
	5.85	5G NR FR1 FDD	5G NR (DFT-s-OFDM: 50% RB, 40 MHz, QPSK, 15 kHz)	AAB	10942
5 ±9.6	5.95	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 50% RB, 50 MHz, QPSK, 15 kHz)	AAB	10943
	5.81	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 100% RB, 5 MHz, QPSK, 15 kHz)	AAB	10944
5 ± 9.6	5.85	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 100% RB, 10 MHz, OPSK, 15 kHz)	AAB	10945
3 ± 9.6	5.83	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 100% RB, 15 MHz, QPSK, 15 kHz)	AAC	10946
7 ±9.6	5.87	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 100% RB, 20 MHz, QPSK, 15 kHz)	AAB	10947
4 ±9.6	5.94	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 100% RB, 25 MHz, QPSK, 15 kHz)	AAB	10948
7 ±9.6	5.87	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 100% RB, 30 MHz, QPSK, 15 kHz)	AAB	10949
4 ± 9.6	5.94	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 100% RB, 40 MHz, QPSK, 15 kHz)	AAB	10950
2 ± 9.6	5.92	5G NR FR1 FDD	5G NR (DFT-s-OFDM, 100% RB, 50 MHz, QPSK, 15 kHz)	AAB	10951
5 ± 9.6	8.25	5G NR FR1 FDD	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	AAB	10952
5 ±9.6	8.15	5G NR FR1 FDD	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	AAB	10953
3 ±9.6	8.23	5G NR FR1 FDD	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 15 kHz)	AAB	10954
2 ± 9.6	8.42	5G NR FR1 FDD	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	AAB	10955
4 ±96	8.14	5G NR FR1 FDD	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	AAB	10956
1 ±9.6	8.31	5G NR FR1 FDD	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 kHz)	AAC	10957
1 ±9.6	8.61	5G NR FR1 FDD	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	AAB	10958
3 ±9.6	8.33	5G NR FR1 FDD	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 30 kHz)	AAB	10959
2 ± 9.6	9.32	5G NR FR1 TDD	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 15 kHz)	AAB	10960
6 ±9.6	9.36	5G NR FR1 TDD	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 15 kHz)	AAB	10961
0 ±9.6	9.40	5G NR FR1 TDD	5G NR DL (CP-OFDM, TM 3.1, 15 MHz 64-QAM, 15 kHz)	AAB	10962
5 ±9.6	9.55	5G NR FR1 TDD	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 64-QAM, 15 kHz)	AAB	10963
9 ± 9.6	9.29	5G NR FR1 TDD	5G NR DL (CP-OFDM, TM 3.1, 5 MHz, 64-QAM, 30 kHz)	AAR	10964
7 ±9.6	9.37	5G NR FR1 TDD	5G NR DL (CP-OFDM, TM 3.1, 10 MHz, 64-QAM, 30 KHz)	AAB	10965
5 ± 9.6	9.55	5G NR FR1 TDD	5G NR DL (CP-OFDM, TM 3.1, 15 MHz, 64-QAM, 30 kHz)	AAB	10966
	9.42	5G NR FR1 TDD	5G NR DL (CP-OFDM, TM 3.1, 20 MHz, 84-QAM, 30 kHz)	AAB	10967
	9.49	5G NR FR1 TOD	5G NR DL (CP-OFDM, TM 3.1, 100 MHz, 64-QAM, 30 kHz)	AAB	10968
	11.59	5G NR FR1 TDD	5G NR (CP-OFDM, 1 RB, 20 MHz, OPSK, 15 KHz)	AAB	10972
and the second second	9.06	5G NR FR1 TDD	5G NR (CF-OFDM, 1 RB, 20 MHZ, QPSK, 19 KHZ) 5G NR (DFT-s-OFDM, 1 RB, 100 MHz, QPSK, 30 KHZ)	AAB	10972
	10.28	5G NR FR1 TDD	5G NR (DF1-5-OFDM, 1 RB, 100 MHz, OFSK, 30 KHz) 5G NR (CP-OFDM, 100% RB, 100 MHz, 256-QAM, 30 KHz)	AAB	10973

ax, deviation from linear response applying rectangular distribution and is expressed for the inquare of the

Certificate No: EX3-7466_Jan21

Page 24 of 24

- End of report -

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. Mir#JAfabity i, the state methy mining test report reter only to the sample(s) tested and such sample(s) are retained tor 90 days only. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulleest extent of the law. prosecuted to the fullest extent of the law.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.sgs.com.tw