




Report No.: HK08100726-1  
Model No.: CS5121  
Talk Mode  
AC Mains "N"

Scan Settings (1 range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08100726-1  
Model No.: CS5121  
Talk Mode  
AC Mains "N"

**Scan Settings (1 Range)**

```
|----- Frequencies -----||----- Receiver Settings -----|  
Start   Stop    Step  IF BW  Detector  M-Time  Atten  Preamp  OpRge  
150k    30M     5k    10k   PK+AV    10ms   AUTO  LN  OFF  60dB
```

**Final Measurement Results:**

no Results




Report No.: HK08100726-1  
Model No.: CS5111  
Talk Mode  
AC Mains "L"

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08100726-1  
Model No.: CS5111  
Talk Mode  
AC Mains "L"

**Scan Settings (1 Range)**

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB

**Final Measurement Results:**

no Results