



Report no.: HK09090688-1  
Internet Radio Mode  
AC Mains "L"


Report No.: HK09090688-1

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	9k	30M	2454
2	9k	30M	0700
3	9k	30M	0090



PAGE 1

Ctrl No.: N/A



Report no.: HK09090688-1  
Internet Radio Mode  
AC Mains "L"

Report No.:HK09090688-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15450	54.3	65.7	-11.4
0.22650	44.1	62.5	-18.4
0.40200	35.6	57.8	-22.2
0.45150	37.3	56.8	-19.5
0.59550	36.7	56.0	-19.3
1.18950	42.7	56.0	-13.3
1.78800	43.1	56.0	-12.9
2.38200	42.2	56.0	-13.8
2.97600	37.1	56.0	-18.9
5.34750	46.2	60.0	-13.8
5.95500	45.0	60.0	-15.0
8.31300	36.8	60.0	-23.2
14.31600	40.2	60.0	-19.8

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.45150	31.2	46.8	-15.6
0.59550	35.4	46.0	-10.6
1.01850	25.7	46.0	-20.3
1.18950	41.4	46.0	-4.6
1.78350	42.1	46.0	-3.9
2.37750	39.9	46.0	-6.1
2.97600	33.2	46.0	-12.8
5.35200	41.9	50.0	-8.1
5.94600	40.7	50.0	-9.3
8.32650	32.0	50.0	-18.0
14.14050	35.3	50.0	-14.7

\* limit exceeded



Report no.: HK09090688-1  
Internet Radio Mode  
AC Mains "N"


Report No.: HK09090688-1

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
1	9k	30M	2454
2	9k	30M	0700
3	9k	30M	0090



Ctrl No.: N/A



Report no.: HK09090688-1  
Internet Radio Mode  
AC Mains "N"

Report No.:HK09090688-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.15000	49.2	66.0	-16.8
0.40200	38.8	57.8	-19.0
0.45150	41.1	56.8	-15.7
1.04550	34.4	56.0	-21.6
1.18500	39.4	56.0	-16.6
1.77900	41.3	56.0	-14.7
2.37750	40.2	56.0	-15.8
2.97150	34.7	56.0	-21.3
5.33850	42.2	60.0	-17.8
5.93700	41.2	60.0	-18.8
13.77600	37.1	60.0	-22.9

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.40200	31.7	47.8	-16.1
0.45600	34.9	46.8	-11.9
0.59550	31.4	46.0	-14.6
1.04100	27.6	46.0	-18.4
1.18950	38.2	46.0	-7.8
1.78350	39.5	46.0	-6.5
2.37750	37.5	46.0	-8.5
2.97150	30.9	46.0	-15.1
5.35200	37.8	50.0	-12.2
5.94150	36.6	50.0	-13.4
13.75800	31.0	50.0	-19.0

\* limit exceeded