




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 12.JUN.2009 18:10:32



Report no.: HK09020789-1
Model no.: SB67118
(With Stutter Dial Tone)
Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
TRACE	FREQUENCY	LEVEL dBμV		DELTA	LIMIT dB
1	Quasi Peak 150 kHz	42.81	L1 gnd	-23.19	
2	CISPR Average 195 kHz	34.69	L1 gnd	-19.12	
2	CISPR Average 244.5 kHz	36.94	L1 gnd	-15.00	
1	Quasi Peak 249 kHz	41.11	L1 gnd	-20.67	
1	Quasi Peak 384 kHz	47.57	L1 gnd	-10.62	
2	CISPR Average 384 kHz	40.58	L1 gnd	-7.60	
1	Quasi Peak 438 kHz	38.39	L1 gnd	-18.70	
2	CISPR Average 523.5 kHz	30.38	L1 gnd	-15.62	
1	Quasi Peak 663 kHz	42.55	L1 gnd	-13.44	
2	CISPR Average 667.5 kHz	31.54	L1 gnd	-14.45	
2	CISPR Average 996 kHz	30.34	L1 gnd	-15.65	
1	Quasi Peak 1.0095 MHz	40.12	L1 gnd	-15.87	
2	CISPR Average 1.3425 MHz	29.47	L1 gnd	-16.52	
1	Quasi Peak 1.4685 MHz	40.59	L1 gnd	-15.40	
1	Quasi Peak 1.842 MHz	37.79	L1 gnd	-18.21	
2	CISPR Average 1.8465 MHz	27.87	L1 gnd	-18.12	
1	Quasi Peak 2.598 MHz	37.09	L1 gnd	-18.90	
2	CISPR Average 2.6925 MHz	28.41	L1 gnd	-17.58	
2	CISPR Average 3.8445 MHz	30.25	L1 gnd	-15.74	
1	Quasi Peak 3.921 MHz	39.12	L1 gnd	-16.87	

Date: 12.JUN.2009 18:09:46

Ctrl No.: N/A



Report no.: HK09020789-1
Model no.: SB67118
(With Stutter Dial Tone)
Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1: CF15MQP				
Trace2: CF15MAV				
Trace3: ---				
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
1	Quasi Peak	4.632 MHz	39.58 L1 gnd	-16.41
2	CISPR Average	4.794 MHz	32.20 L1 gnd	-13.79
1	Quasi Peak	7.656 MHz	34.94 N gnd	-25.05
1	Quasi Peak	7.989 MHz	35.26 N gnd	-24.73

Date: 12.JUN.2009 18:10:11

Ctrl No.: N/A




Report no.: HK09020789-1
Model no.: SB67118
(With Stutter Dial Tone)
Charging Mode (Extra Charger)
AC Mains



RBW 9 kHz
MT 10 ms

Att 10 dB AUTO PREAMP OFF



Date: 12.JUN.2009 18:46:18

Ctrl No.: N/A