




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 18.JUN.2009 20:41:33



Report no.: HK09060654-1
Model no.: DS6311-2
Adaptor: Type A
Talk Mode (Domestic Line)
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
TRACE	FREQUENCY	LEVEL	dB μ V	DELTA	LIMIT dB
1	Quasi Peak	393 kHz	43.57	L1 gnd	-14.42
2	CISPR Average	393 kHz	35.63	N gnd	-12.36
1	Quasi Peak	406.5 kHz	38.08	L1 gnd	-19.63
1	Quasi Peak	2.301 MHz	25.78	L1 gnd	-30.22
1	Quasi Peak	3.8805 MHz	26.48	L1 gnd	-29.52
1	Quasi Peak	4.974 MHz	28.80	L1 gnd	-27.19
1	Quasi Peak	7.341 MHz	34.81	L1 gnd	-25.18
1	Quasi Peak	8.1375 MHz	33.05	L1 gnd	-26.94


Date: 18.JUN.2009 20:41:23

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 18.JUN.2009 18:54:32



Report no.: HK09060654-1
Model no.: DS6311-2
Adaptor: Type B
Talk Mode (Domestic Line)
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:		CF15MQP		
Trace2:		CF15MAV		
Trace3:		---		
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1 Quasi Peak	213 kHz	41.24	N gnd	-21.84
1 Quasi Peak	321 kHz	37.49	N gnd	-22.18
1 Quasi Peak	519 kHz	36.11	N gnd	-19.88
1 Quasi Peak	654 kHz	37.53	N gnd	-18.46
1 Quasi Peak	1.0365 MHz	36.76	N gnd	-19.23
1 Quasi Peak	1.0995 MHz	34.19	L1 gnd	-21.80
1 Quasi Peak	1.5405 MHz	34.80	N gnd	-21.20
1 Quasi Peak	2.301 MHz	32.35	N gnd	-23.64
1 Quasi Peak	2.9805 MHz	30.71	N gnd	-25.29
1 Quasi Peak	4.884 MHz	30.43	N gnd	-25.56
1 Quasi Peak	7.1475 MHz	31.21	N gnd	-28.78


Date: 18.JUN.2009 18:54:23

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 17.JUN.2009 19:09:46



Report no.: HK09060654-1
Model no.: DS6321-2
Adaptor: Type A
Talk Mode (Domestic Line)
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	402 kHz	35.52	L1 gnd	-22.28
1	Quasi Peak	415.5 kHz	37.15	L1 gnd	-20.38
2	CISPR Average	429 kHz	30.05	N gnd	-17.22
1	Quasi Peak	3.993 MHz	29.85	L1 gnd	-26.14
1	Quasi Peak	4.5105 MHz	31.46	L1 gnd	-24.53
1	Quasi Peak	6.036 MHz	34.96	L1 gnd	-25.03

Date: 17.JUN.2009 19:09:13

Ctrl No.: N/A




Report no.: HK09060654-1
Model no.: DS6311-2 handset
Adaptor: Type A
Ringing Mode
AC Mains



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 18.JUN.2009 20:52:53

Ctrl No.: N/A



Report no.: HK09060654-1
Model no.: DS6311-2 handset
Adaptor: Type A
Ringing Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dBµV		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	393 kHz	45.04	L1 gnd	-12.95
2	CISPR Average	393 kHz	37.52	N gnd	-10.47
1	Quasi Peak	406.5 kHz	38.83	L1 gnd	-18.88
2	CISPR Average	406.5 kHz	31.90	N gnd	-15.81
1	Quasi Peak	4.542 MHz	30.02	N gnd	-25.97
1	Quasi Peak	7.8 MHz	34.23	L1 gnd	-25.77

Date: 18.JUN.2009 20:52:38

Ctrl No.: N/A