




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.MAY.2010 18:50:54



Report no.: HK10041008-1(R1)
Model no.: DS6311-2
Adaptor: Tenpao
PSTN Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
1	Quasi Peak	271.5 kHz	36.08 N gnd	-24.99
1	Quasi Peak	402 kHz	36.22 N gnd	-21.58
1	Quasi Peak	537 kHz	38.53 N gnd	-17.47
1	Quasi Peak	744 kHz	38.34 N gnd	-17.65
1	Quasi Peak	811.5 kHz	38.26 N gnd	-17.73
1	Quasi Peak	1.392 MHz	37.96 N gnd	-18.03
1	Quasi Peak	1.6395 MHz	39.14 N gnd	-16.86
1	Quasi Peak	2.1345 MHz	37.01 N gnd	-18.98
1	Quasi Peak	3.5205 MHz	30.97 N gnd	-25.02
1	Quasi Peak	4.9515 MHz	30.82 N gnd	-25.17
1	Quasi Peak	7.314 MHz	35.46 L1 gnd	-24.53
1	Quasi Peak	8.0475 MHz	31.55 L1 gnd	-28.44


Date: 11.MAY.2010 18:50:28

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.MAY.2010 19:35:31



Report no.: HK10041008-1(R1)
Model no.: DS6311-2
Adaptor: SIL
PSTN Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1: CF15MQP				
Trace2: CF15MAV				
Trace3: ---				
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
2	CISPR Average 397.5 kHz	28.42	N gnd	-19.48
1	Quasi Peak 402 kHz	37.94	L1 gnd	-19.86
1	Quasi Peak 415.5 kHz	40.96	N gnd	-16.57
2	CISPR Average 415.5 kHz	33.13	N gnd	-14.40
1	Quasi Peak 4.794 MHz	30.61	L1 gnd	-25.38
1	Quasi Peak 6.9495 MHz	37.55	L1 gnd	-22.44
1	Quasi Peak 8.007 MHz	33.91	L1 gnd	-26.08


Date: 11.MAY.2010 19:35:24

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.MAY.2010 19:56:01



Report no.: HK10041008-1(R1)
Model no.: DS6321-2
Adaptor: Tenpao
PSTN Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	267 kHz	35.55	N gnd	-25.65
1	Quasi Peak	388.5 kHz	37.42	N gnd	-20.67
1	Quasi Peak	537 kHz	37.87	N gnd	-18.12
1	Quasi Peak	744 kHz	38.52	N gnd	-17.47
1	Quasi Peak	1.0635 MHz	39.14	N gnd	-16.85
1	Quasi Peak	1.2075 MHz	38.00	N gnd	-17.99
1	Quasi Peak	1.554 MHz	38.42	N gnd	-17.57
1	Quasi Peak	2.382 MHz	36.23	N gnd	-19.76
1	Quasi Peak	3.741 MHz	32.78	N gnd	-23.21
1	Quasi Peak	4.47 MHz	31.37	N gnd	-24.62
1	Quasi Peak	7.134 MHz	35.92	N gnd	-24.07


Date: 11.MAY.2010 19:55:51

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.MAY.2010 21:11:35



Report no.: HK10041008-1(R1)
Model no.: DS6321-2
Adaptor: SIL
PSTN Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1: CF15MQP				
Trace2: CF15MAV				
Trace3: ---				
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
1	Quasi Peak	402 kHz	36.77 L1 gnd	-21.03
2	CISPR Average	415.5 kHz	33.08 N gnd	-14.44
1	Quasi Peak	420 kHz	42.20 L1 gnd	-15.24
1	Quasi Peak	4.8705 MHz	31.00 N gnd	-24.99
1	Quasi Peak	6.468 MHz	34.52 L1 gnd	-25.47
2	CISPR Average	7.3455 MHz	26.18 N gnd	-23.81
1	Quasi Peak	8.25 MHz	34.09 L1 gnd	-25.90

Date: 11.MAY.2010 21:11:27

Ctrl No.: N/A