




Report no.: HK09071223-1
Model no.: CS6319-2
Talk Mode
AC Mains




Date: 1.AUG.2009 00:43:57

Ctrl No.: N/A



RBW 9 kHz
 MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 1.AUG.2009 01:10:01



Report no.: HK09071223-1
Model no.: CS6329-2
Adaptor: Sunstrong
Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE		FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
1	Quasi Peak	397.5 kHz	36.98 L1 gnd	-20.92
2	CISPR Average	402 kHz	30.12 N gnd	-17.68
1	Quasi Peak	420 kHz	38.43 L1 gnd	-19.01
2	CISPR Average	420 kHz	32.14 N gnd	-15.30


Date: 1.AUG.2009 01:09:37

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 1.AUG.2009 01:24:23



Report no.: HK09071223-1
Model no.: CS6329-2
Adaptor: Sunstrong
Charging with Base Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1: CF15MQP				
Trace2: CF15MAV				
Trace3: ---				
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1 Quasi Peak	402 kHz	39.82	L1 gnd	-17.99
2 CISPR Average	402 kHz	32.58	N gnd	-15.22
2 CISPR Average	411 kHz	33.87	N gnd	-13.75
1 Quasi Peak	415.5 kHz	41.91	L1 gnd	-15.62


Date: 1.AUG.2009 01:24:15

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 1.AUG.2009 03:12:45



Report no.: HK09071223-1
Model no.: CS6329-2
Adaptor: Ten Pao
Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE		FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
1	Quasi Peak	510 kHz	32.99 N gnd	-23.01
1	Quasi Peak	622.5 kHz	36.05 N gnd	-19.94
1	Quasi Peak	1.068 MHz	28.94 N gnd	-27.05
1	Quasi Peak	1.482 MHz	33.04 N gnd	-22.95
1	Quasi Peak	1.59 MHz	32.20 N gnd	-23.79
1	Quasi Peak	2.616 MHz	28.79 L1 gnd	-27.21
1	Quasi Peak	4.047 MHz	29.33 N gnd	-26.66
1	Quasi Peak	4.929 MHz	29.52 N gnd	-26.47


Date: 1.AUG.2009 03:12:13

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 1.AUG.2009 04:04:50



Report no.: HK09071223-1
Model no.: CS6329-2
Adaptor: Ten Pao
Charging with Base Mode
AC Mains


EDIT PEAK LIST (Final Measurement Results)				
TRACE		FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
1	Quasi Peak	402 kHz	35.97 N gnd	-21.83
1	Quasi Peak	532.5 kHz	39.63 N gnd	-16.36
1	Quasi Peak	636 kHz	41.02 N gnd	-14.97
1	Quasi Peak	1.068 MHz	38.07 N gnd	-17.92
1	Quasi Peak	1.2885 MHz	37.50 N gnd	-18.49
1	Quasi Peak	1.779 MHz	37.37 N gnd	-18.62
1	Quasi Peak	2.643 MHz	33.60 L1 gnd	-22.39
1	Quasi Peak	3.6465 MHz	32.21 N gnd	-23.78
1	Quasi Peak	4.3575 MHz	32.53 N gnd	-23.46

Date: 1.AUG.2009 04:04:39

Ctrl No.: N/A



Report no.: HK09071223-1
Model no.: CS6319-2
Charging with Base Mode
AC Mains



Date: 1.AUG.2009 00:51:14

Ctrl No.: N/A