




Report no.: HK09080137-1
Model no.: EL51100
Talk Mode
AC Mains




Date: 7.AUG.2009 17:55:56

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 7.AUG.2009 18:19:12

Ctrl No.: N/A



Report no.: HK09080137-1
Model no.: EL52200
Adaptor: Sunstrong
Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	402 kHz	37.32	L1 gnd	-20.48
2	CISPR Average	402 kHz	30.14	N gnd	-17.66
2	CISPR Average	424.5 kHz	31.70	N gnd	-15.65
1	Quasi Peak	429 kHz	38.13	L1 gnd	-19.13


Date: 7.AUG.2009 18:18:50

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 7.AUG.2009 18:42:08



Report no.: HK09080137-1
Model no.: EL52200
Adaptor: Ten Pao
Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE		FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
1	Quasi Peak	150 kHz	39.79 L1 gnd	-26.20
1	Quasi Peak	487.5 kHz	29.58 L1 gnd	-26.62
1	Quasi Peak	631.5 kHz	30.23 L1 gnd	-25.76
1	Quasi Peak	978 kHz	32.88 N gnd	-23.11
1	Quasi Peak	1.122 MHz	32.92 N gnd	-23.07
1	Quasi Peak	1.653 MHz	31.54 N gnd	-24.45
1	Quasi Peak	2.814 MHz	27.87 N gnd	-28.13
1	Quasi Peak	3.903 MHz	30.66 N gnd	-25.33
1	Quasi Peak	4.353 MHz	30.85 N gnd	-25.14


Date: 7.AUG.2009 18:41:50

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 26.AUG.2009 18:17:48



Report no.: HK09080137-1
Model no.: EL52200
Adaptor: Salcomp
Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	150 kHz	44.40	N gnd	-21.59
1	Quasi Peak	348 kHz	37.97	N gnd	-21.04
2	CISPR Average	361.5 kHz	32.31	N gnd	-16.38
1	Quasi Peak	415.5 kHz	37.46	N gnd	-20.07
1	Quasi Peak	618 kHz	28.73	N gnd	-27.26


Date: 26.AUG.2009 18:17:21

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 7.AUG.2009 18:32:30



Report no.: HK09080137-1
Model no.: EL52200
Adaptor: Sunstrong
Charging with Base Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1: CF15MQP				
Trace2: CF15MAV				
Trace3: ---				
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
2	CISPR Average 397.5 kHz	32.34	N gnd	-15.56
1	Quasi Peak 402 kHz	39.15	L1 gnd	-18.66
2	CISPR Average 415.5 kHz	34.08	N gnd	-13.45
1	Quasi Peak 420 kHz	41.57	L1 gnd	-15.87

Date: 7.AUG.2009 18:32:18

Ctrl No.: N/A