



Report no.: HK09111221-1
Talk Mode(Cordless Handset
on-line)
AC Mains "L"

Report No.:HK09111221-1


Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 150k | 30M | 4.5k | 10k | PK+AV | 10ms | AUTO | LN OFF | 60dB |

Final Measurement: x QP / + AV

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

| Transducer No. | Start | Stop | Name |
|----------------|-------|------|------|
| 1 | 9k | 30M | 2454 |
| 2 | 9k | 30M | 0700 |
| 3 | 9k | 30M | 0090 |



Ctrl No.: N/A



Report no.: HK09111221-1
Talk Mode(Cordless Handset
on-line)
AC Mains "L"

Report No.:HK09111221-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k | 30M | 4.5k | 10k | PK+AV | 10ms | AUTO | LN OFF | 60dB |

Final Measurement Results:

| Frequency | QP Level | QP Limit | Delta |
|-----------|----------|----------|-------|
| MHz | dBuV | dBuV | dB |
| 0.19950 | 32.0 | 63.6 | -31.6 |
| 0.26250 | 34.9 | 61.3 | -26.4 |
| 0.38850 | 35.0 | 58.1 | -23.1 |
| 0.46050 | 34.7 | 56.7 | -22.0 |
| 0.65850 | 39.9 | 56.0 | -16.1 |
| 1.05450 | 39.8 | 56.0 | -16.2 |
| 1.35150 | 47.4 | 56.0 | -8.6 |
| 1.56300 | 38.9 | 56.0 | -17.1 |
| 2.14800 | 32.7 | 56.0 | -23.3 |
| 3.35400 | 28.2 | 56.0 | -27.8 |
| 4.51050 | 25.9 | 56.0 | -30.1 |

| Frequency | AV Level | AV Limit | Delta |
|-----------|----------|----------|-------|
| MHz | dBuV | dBuV | dB |
| 1.35150 | 33.9 | 46.0 | -12.1 |
| 1.55850 | 28.0 | 46.0 | -18.0 |

* limit exceeded



Report no.: HK09111221-1
Talk Mode(Cordless Handset
on-line)
AC Mains "N"

Report No.:HK09111221-1


Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 150k | 30M | 4.5k | 10k | PK+AV | 10ms | AUTO | LN OFF | 60dB |

Final Measurement: x QP / + AV

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

| Transducer No. | Start | Stop | Name |
|----------------|-------|------|------|
| 1 | 1 9k | 30M | 2454 |
| 2 | 9k | 30M | 0700 |
| 3 | 9k | 30M | 0090 |



Ctrl No.: N/A



Report no.: HK09111221-1
Talk Mode(Cordless Handset
on-line)
AC Mains "N"

Report No.:HK09111221-1

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
|-------|------|------|-------|----------|--------|-------|--------|-------|
| 150k | 30M | 4.5k | 10k | PK+AV | 10ms | AUTO | LN OFF | 60dB |

Final Measurement Results:

| Frequency | QP Level | QP Limit | Delta |
|-----------|----------|----------|-------|
| MHz | dBuV | dBuV | dB |
| 0.28950 | 35.1 | 60.6 | -25.5 |
| 0.30750 | 36.8 | 60.0 | -23.2 |
| 0.46050 | 37.7 | 56.7 | -19.0 |
| 0.78450 | 35.6 | 56.0 | -20.4 |
| 0.85200 | 38.7 | 56.0 | -17.3 |
| 1.30650 | 45.4 | 56.0 | -10.6 |
| 1.55850 | 38.1 | 56.0 | -17.9 |
| 2.22450 | 34.4 | 56.0 | -21.6 |
| 2.96700 | 31.8 | 56.0 | -24.2 |
| 4.27200 | 27.4 | 56.0 | -28.6 |

| Frequency | AV Level | AV Limit | Delta |
|-----------|----------|----------|-------|
| MHz | dBuV | dBuV | dB |
| 1.36050 | 28.9 | 46.0 | -17.1 |

* limit exceeded