




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 3.JUN.2011 19:06:06



Report no.: HK11060197-1
SIP Call Conference (thru
ADSL)+ Wifi + PC online+ USB
Data Transfer
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dBμV		DELTA LIMIT dB
1 Quasi Peak	163.5 kHz	52.43 N		-12.84
2 CISPR Average	168 kHz	40.18 L1		-14.87
2 CISPR Average	231 kHz	35.36 N		-17.04
1 Quasi Peak	285 kHz	42.62 L1		-18.04
2 CISPR Average	298.5 kHz	37.02 L1		-13.25
1 Quasi Peak	298.5 kHz	44.50 L1		-15.78
1 Quasi Peak	456 kHz	50.26 L1		-6.49
2 CISPR Average	465 kHz	43.04 N		-3.55
1 Quasi Peak	609 kHz	40.90 L1		-15.09
2 CISPR Average	636 kHz	34.09 L1		-11.90
2 CISPR Average	852 kHz	32.65 L1		-13.34
1 Quasi Peak	879 kHz	42.27 N		-13.72
1 Quasi Peak	1.419 MHz	41.09 L1		-14.90
2 CISPR Average	1.4235 MHz	31.95 L1		-14.04
2 CISPR Average	1.779 MHz	31.04 N		-14.95
1 Quasi Peak	1.9725 MHz	41.73 L1		-14.26
2 CISPR Average	2.7645 MHz	31.05 N		-14.94
1 Quasi Peak	2.778 MHz	41.62 L1		-14.37
2 CISPR Average	3.957 MHz	32.36 N		-13.63
1 Quasi Peak	3.9975 MHz	41.32 N		-14.68

Date: 3.JUN.2011 19:05:40

Ctrl No.: N/A



Report no.: HK11060197-1
SIP Call Conference (thru
ADSL)+ Wifi + PC online+ USB
Data Transfer
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1: CF15MQP				
Trace2: CF15MAV				
Trace3: ---				
	TRACE	FREQUENCY	LEVEL dBμV	DELTA LIMIT dB
2	CISPR Average	4.866 MHz	32.50 N	-13.49
1	Quasi Peak	4.9695 MHz	41.24 N	-14.75
2	CISPR Average	5.982 MHz	33.14 L1	-16.85
1	Quasi Peak	6.045 MHz	41.21 L1	-18.78
1	Quasi Peak	8.133 MHz	38.13 N	-21.86
2	CISPR Average	8.2275 MHz	31.03 N	-18.96
2	CISPR Average	13.8885 MHz	34.74 N	-15.25
1	Quasi Peak	14.8425 MHz	37.82 L1	-22.17
2	CISPR Average	16.665 MHz	36.48 N	-13.51
1	Quasi Peak	16.665 MHz	38.73 L1	-21.26


Date: 3.JUN.2011 19:05:57

Ctrl No.: N/A



RBW 9 kHz
 MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 3.JUN.2011 19:51:23



Report no.: HK11060197-1
SIP Call Ringing (thru WAN)+
Wifi + PC online+ USB Data
Transfer
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dBμV		DELTA LIMIT dB
1 Quasi Peak	150 kHz	53.15 L1		-12.84
2 CISPR Average	154.5 kHz	40.95 N		-14.79
2 CISPR Average	280.5 kHz	35.43 L1		-15.37
1 Quasi Peak	289.5 kHz	43.76 L1		-16.77
1 Quasi Peak	307.5 kHz	45.12 N		-14.91
2 CISPR Average	402 kHz	34.02 N		-13.78
2 CISPR Average	460.5 kHz	44.33 L1		-2.34
1 Quasi Peak	465 kHz	51.95 N		-4.65
2 CISPR Average	622.5 kHz	32.36 L1		-13.63
1 Quasi Peak	627 kHz	42.58 L1		-13.42
2 CISPR Average	852 kHz	33.48 L1		-12.51
1 Quasi Peak	1.077 MHz	41.70 N		-14.29
1 Quasi Peak	1.194 MHz	40.24 N		-15.75
2 CISPR Average	1.2345 MHz	32.97 L1		-13.02
1 Quasi Peak	1.9275 MHz	41.21 L1		-14.78
2 CISPR Average	1.977 MHz	32.91 L1		-13.08
1 Quasi Peak	2.751 MHz	41.94 L1		-14.05
2 CISPR Average	2.796 MHz	32.89 L1		-13.10
1 Quasi Peak	3.7095 MHz	41.22 L1		-14.77
2 CISPR Average	3.8805 MHz	33.82 N		-12.17

Date: 3.JUN.2011 19:50:52

Ctrl No.: N/A



Report no.: HK11060197-1
SIP Call Ringing (thru WAN)+
Wifi + PC online+ USB Data
Transfer
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL	dB μ V	DELTA LIMIT
1 Quasi Peak	4.209 MHz	41.55	L1	-14.44
2 CISPR Average	4.416 MHz	33.47	N	-12.52
2 CISPR Average	6.0135 MHz	33.95	N	-16.04
1 Quasi Peak	6.81 MHz	40.08	L1	-19.91
2 CISPR Average	8.0385 MHz	31.07	N	-18.92
1 Quasi Peak	8.043 MHz	37.93	L1	-22.06
1 Quasi Peak	14.577 MHz	36.54	L1	-23.45
2 CISPR Average	14.604 MHz	30.56	L1	-19.43
2 CISPR Average	15.5985 MHz	30.58	L1	-19.42
1 Quasi Peak	15.612 MHz	35.97	L1	-24.02


Date: 3.JUN.2011 19:51:14

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 3.JUN.2011 19:39:04



Report no.: HK11060197-1
SIP Call Conference (thru
WAN)+ Wifi + PC online+ USB
Data Transfer
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL	dB μ V	DELTA LIMIT dB
1 Quasi Peak	154.5 kHz	51.72	L1	-14.03
2 CISPR Average	159 kHz	37.84	N	-17.66
2 CISPR Average	289.5 kHz	36.57	L1	-13.96
1 Quasi Peak	289.5 kHz	44.87	L1	-15.66
1 Quasi Peak	397.5 kHz	41.31	L1	-16.58
2 CISPR Average	402 kHz	35.78	N	-12.02
1 Quasi Peak	460.5 kHz	52.23	L1	-4.44
2 CISPR Average	465 kHz	44.44	N	-2.15
2 CISPR Average	681 kHz	33.69	L1	-12.30
1 Quasi Peak	681 kHz	43.17	L1	-12.82
2 CISPR Average	843 kHz	32.85	L1	-13.14
1 Quasi Peak	852 kHz	42.63	N	-13.36
2 CISPR Average	1.437 MHz	33.19	L1	-12.80
1 Quasi Peak	1.455 MHz	42.49	L1	-13.50
2 CISPR Average	1.797 MHz	33.58	L1	-12.41
1 Quasi Peak	1.8645 MHz	42.83	L1	-13.16
2 CISPR Average	2.8545 MHz	33.70	L1	-12.29
1 Quasi Peak	2.8995 MHz	42.78	L1	-13.21
2 CISPR Average	4.065 MHz	34.11	L1	-11.88
1 Quasi Peak	4.0695 MHz	43.19	L1	-12.80

Date: 3.JUN.2011 19:38:39

Ctrl No.: N/A



Report no.: HK11060197-1
SIP Call Conference (thru
WAN)+ Wifi + PC online+ USB
Data Transfer
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1: CF15MQP				
Trace2: CF15MAV				
Trace3: ---				
	TRACE	FREQUENCY	LEVEL dBμV	DELTA LIMIT dB
1	Quasi Peak	4.119 MHz	42.95 L1	-13.04
2	CISPR Average	4.1955 MHz	34.34 L1	-11.65
2	CISPR Average	5.9955 MHz	33.51 N	-16.48
1	Quasi Peak	6.1845 MHz	41.15 N	-18.84
2	CISPR Average	8.2005 MHz	30.82 N	-19.17
1	Quasi Peak	8.2005 MHz	37.95 L1	-22.04
1	Quasi Peak	14.865 MHz	37.50 L1	-22.49
2	CISPR Average	15.2385 MHz	31.16 L1	-18.83
1	Quasi Peak	15.477 MHz	36.72 L1	-23.27
2	CISPR Average	15.558 MHz	30.66 L1	-19.34


Date: 3.JUN.2011 19:38:49

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 3.JUN.2011 20:58:46



Report no.: HK11060197-1
Standby
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	159 kHz	51.21 L1		-14.30
2	CISPR Average	159 kHz	39.56 N		-15.95
2	CISPR Average	289.5 kHz	36.90 L1		-13.63
1	Quasi Peak	289.5 kHz	42.75 L1		-17.78
2	CISPR Average	393 kHz	35.17 L1		-12.82
1	Quasi Peak	397.5 kHz	42.21 L1		-15.68
2	CISPR Average	469.5 kHz	45.23 L1		-1.28
1	Quasi Peak	469.5 kHz	52.21 L1		-4.30
1	Quasi Peak	703.5 kHz	41.81 N		-14.18
2	CISPR Average	708 kHz	34.52 N		-11.47
1	Quasi Peak	861 kHz	41.34 N		-14.65
2	CISPR Average	879 kHz	33.99 N		-12.00
2	CISPR Average	1.482 MHz	33.43 L1		-12.56
1	Quasi Peak	1.5045 MHz	40.89 L1		-15.10
2	CISPR Average	1.842 MHz	33.26 L1		-12.73
1	Quasi Peak	1.9095 MHz	41.25 L1		-14.74
2	CISPR Average	2.859 MHz	33.29 L1		-12.70
1	Quasi Peak	2.8905 MHz	41.72 L1		-14.27
1	Quasi Peak	3.6825 MHz	41.03 N		-14.96
2	CISPR Average	4.0695 MHz	33.30 L1		-12.69

Date: 3.JUN.2011 20:58:26

Ctrl No.: N/A



Report no.: HK11060197-1
Standby
EUT's AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
2	CISPR Average	4.677 MHz	32.96 L1	-13.03
1	Quasi Peak	4.938 MHz	40.75 L1	-15.24
1	Quasi Peak	5.73 MHz	40.24 L1	-19.75
2	CISPR Average	6.108 MHz	32.99 L1	-17.00
2	CISPR Average	8.0025 MHz	30.39 L1	-19.60
1	Quasi Peak	8.7765 MHz	36.83 N	-23.16
2	CISPR Average	15.2205 MHz	29.93 L1	-20.06
1	Quasi Peak	15.2295 MHz	36.05 L1	-23.95
2	CISPR Average	15.4725 MHz	29.46 L1	-20.53
1	Quasi Peak	15.477 MHz	35.58 L1	-24.41

Date: 3.JUN.2011 20:58:38

Ctrl No.: N/A