




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 14.SEP.2010 01:14:16

Ctrl No.: N/A



Report no.: HK10080962-1
Adaptor: Ten Pao
Ringing & Charging Mode with
Base
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL dB μ V		DELTA	LIMIT dB
1 Quasi Peak	159 kHz	39.65	L1 gnd	-25.85	
1 Quasi Peak	253.5 kHz	43.85	L1 gnd	-17.79	
1 Quasi Peak	339 kHz	45.79	L1 gnd	-13.43	
1 Quasi Peak	496.5 kHz	46.63	L1 gnd	-9.42	
2 CISPR Average	496.5 kHz	29.39	L1 gnd	-16.66	
1 Quasi Peak	577.5 kHz	46.19	L1 gnd	-9.80	
2 CISPR Average	577.5 kHz	28.44	L1 gnd	-17.55	
2 CISPR Average	843 kHz	25.15	L1 gnd	-20.84	
1 Quasi Peak	942 kHz	44.60	N gnd	-11.39	
1 Quasi Peak	1.194 MHz	48.67	N gnd	-7.32	
2 CISPR Average	1.41 MHz	32.35	N gnd	-13.65	
1 Quasi Peak	1.527 MHz	41.50	L1 gnd	-14.49	
1 Quasi Peak	2.1525 MHz	36.12	L1 gnd	-19.88	
1 Quasi Peak	3.4665 MHz	34.46	L1 gnd	-21.53	
1 Quasi Peak	4.227 MHz	33.91	N gnd	-22.08	
1 Quasi Peak	7.4265 MHz	38.07	N gnd	-21.92	
1 Quasi Peak	8.2725 MHz	33.19	N gnd	-26.80	


Date: 14.SEP.2010 01:13:52

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 14.SEP.2010 01:19:34



Report no.: HK10080962-1
Adaptor: Ten Pao
Handset Charging Mode with
Base
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL			DELTA LIMIT
1 Quasi Peak	172.5 kHz	40.99	L1	gnd	-23.84
1 Quasi Peak	258 kHz	40.19	L1	gnd	-21.30
1 Quasi Peak	339 kHz	44.10	L1	gnd	-15.12
1 Quasi Peak	496.5 kHz	44.58	L1	gnd	-11.47
2 CISPR Average	505.5 kHz	27.30	L1	gnd	-18.69
1 Quasi Peak	577.5 kHz	43.72	L1	gnd	-12.27
2 CISPR Average	577.5 kHz	28.38	L1	gnd	-17.61
1 Quasi Peak	906 kHz	42.12	L1	gnd	-13.87
2 CISPR Average	933 kHz	25.11	L1	gnd	-20.88
1 Quasi Peak	1.32 MHz	48.26	N	gnd	-7.73
2 CISPR Average	1.365 MHz	32.97	N	gnd	-13.02
1 Quasi Peak	1.536 MHz	40.10	N	gnd	-15.89
2 CISPR Average	1.5675 MHz	26.59	N	gnd	-19.40
1 Quasi Peak	2.148 MHz	34.62	N	gnd	-21.37
1 Quasi Peak	3.8355 MHz	34.99	N	gnd	-21.00
1 Quasi Peak	4.1415 MHz	33.76	N	gnd	-22.23
1 Quasi Peak	6.9405 MHz	36.59	N	gnd	-23.40
1 Quasi Peak	8.169 MHz	33.09	N	gnd	-26.90


Date: 14.SEP.2010 01:19:17

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 14.SEP.2010 01:45:07



Report no.: HK10080962-1
Adaptor: Ten Pao
Answer Machine Recording
Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1: CF15MQP
Trace2: CF15MAV
Trace3: ---

TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
1 Quasi Peak	163.5 kHz	43.20 L1 gnd	-22.08
1 Quasi Peak	289.5 kHz	37.22 L1 gnd	-23.31
1 Quasi Peak	330 kHz	44.19 L1 gnd	-15.25
2 CISPR Average	330 kHz	29.04 L1 gnd	-20.40
2 CISPR Average	501 kHz	28.59 L1 gnd	-17.40
1 Quasi Peak	519 kHz	43.83 L1 gnd	-12.16
1 Quasi Peak	582 kHz	45.52 L1 gnd	-10.47
2 CISPR Average	582 kHz	28.96 L1 gnd	-17.03
2 CISPR Average	820.5 kHz	26.54 L1 gnd	-19.45
1 Quasi Peak	901.5 kHz	43.89 L1 gnd	-12.10
2 CISPR Average	1.14 MHz	26.72 N gnd	-19.27
1 Quasi Peak	1.2255 MHz	48.33 N gnd	-7.66
1 Quasi Peak	1.5315 MHz	41.67 N gnd	-14.32
2 CISPR Average	1.5315 MHz	27.33 N gnd	-18.66
1 Quasi Peak	2.1345 MHz	34.69 L1 gnd	-21.30
1 Quasi Peak	3.642 MHz	35.34 N gnd	-20.65
1 Quasi Peak	4.2585 MHz	34.03 N gnd	-21.96
1 Quasi Peak	7.5165 MHz	37.28 N gnd	-22.71
1 Quasi Peak	7.9935 MHz	35.00 N gnd	-24.99

Date: 14.SEP.2010 01:44:59

Ctrl No.: N/A