




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 12.JUL.2011 19:33:38



Report no.: HK11070252-1
SIL Adaptor
Ringing Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
1	Quasi Peak	402 kHz	39.17 N	-18.64
2	CISPR Average	402 kHz	36.67 L1	-11.13
2	CISPR Average	411 kHz	33.11 L1	-14.51
1	Quasi Peak	415.5 kHz	41.25 N	-16.28
1	Quasi Peak	2.4675 MHz	25.82 N	-30.18
1	Quasi Peak	7.449 MHz	29.11 N	-30.88


Date: 12.JUL.2011 19:33:28

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 12.JUL.2011 19:48:03



Report no.: HK11070252-1
Handset Charging in Base Unit
Mode
SIL Adaptor
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
TRACE		FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
1	Quasi Peak	402 kHz	41.15	N	-16.66
2	CISPR Average	402 kHz	35.74	L1	-12.06
1	Quasi Peak	406.5 kHz	40.99	N	-16.72
2	CISPR Average	411 kHz	36.47	L1	-11.15
1	Quasi Peak	4.992 MHz	28.26	N	-27.73


Date: 12.JUL.2011 19:47:55

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.JUL.2011 19:51:30



Report no.: HK11070252-1
Ten Pao Adaptor
Handset Charging in Base Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL dBµV		DELTA LIMIT dB
1	Quasi Peak	249 kHz	38.03 L1		-23.75
1	Quasi Peak	334.5 kHz	42.53 L1		-16.80
1	Quasi Peak	496.5 kHz	44.02 L1		-12.03
2	CISPR Average	496.5 kHz	25.83 L1		-20.22
2	CISPR Average	568.5 kHz	26.40 L1		-19.59
1	Quasi Peak	753 kHz	41.33 L1		-14.66
1	Quasi Peak	1.086 MHz	38.54 L1		-17.46
1	Quasi Peak	1.1625 MHz	42.92 L1		-13.07
1	Quasi Peak	1.833 MHz	38.61 L1		-17.38
1	Quasi Peak	2.7195 MHz	33.01 L1		-22.98
1	Quasi Peak	3.129 MHz	31.72 L1		-24.27
1	Quasi Peak	4.497 MHz	30.63 L1		-25.36


Date: 11.JUL.2011 19:51:20

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 12.JUL.2011 19:40:06



Report no.: HK11070252-1
SIL Adaptor
Talk Mode
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1: CF15MQP				
Trace2: CF15MAV				
Trace3: ---				
	TRACE	FREQUENCY	LEVEL dBμV	DELTA LIMIT dB
1	Quasi Peak	402 kHz	39.23 N	-18.58
2	CISPR Average	402 kHz	32.10 L1	-15.71
1	Quasi Peak	411 kHz	39.93 N	-17.69
2	CISPR Average	411 kHz	33.40 L1	-14.22

Date: 12.JUL.2011 19:39:58

Ctrl No.: N/A