




RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 28.JAN.2011 19:19:49

Ctrl No.: N/A



Report no.: HK11020002-1  
Ringing Mode  
Adaptor: Ten Pao  
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
1	Quasi Peak	181.5 kHz	44.05	L1 gnd	-20.36
1	Quasi Peak	280.5 kHz	42.48	L1 gnd	-18.31
1	Quasi Peak	348 kHz	45.00	L1 gnd	-14.00
2	CISPR Average	523.5 kHz	28.90	L1 gnd	-17.09
1	Quasi Peak	564 kHz	45.74	L1 gnd	-10.25
1	Quasi Peak	568.5 kHz	48.44	L1 gnd	-7.55
2	CISPR Average	618 kHz	27.12	L1 gnd	-18.87
1	Quasi Peak	960 kHz	45.89	L1 gnd	-10.10
2	CISPR Average	1.0635 MHz	27.25	L1 gnd	-18.74
1	Quasi Peak	1.248 MHz	45.09	L1 gnd	-10.90
2	CISPR Average	1.2705 MHz	27.69	L1 gnd	-18.31
2	CISPR Average	1.7565 MHz	27.04	L1 gnd	-18.96
1	Quasi Peak	1.8375 MHz	43.05	L1 gnd	-12.94
2	CISPR Average	2.2245 MHz	25.83	L1 gnd	-20.16
1	Quasi Peak	2.247 MHz	40.36	L1 gnd	-15.63
1	Quasi Peak	3.0885 MHz	37.39	L1 gnd	-18.60
1	Quasi Peak	4.911 MHz	35.05	L1 gnd	-20.94
1	Quasi Peak	6.2385 MHz	40.87	L1 gnd	-19.12


Date: 28.JAN.2011 19:19:41

Ctrl No.: N/A



RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 28.JAN.2011 19:26:00

Ctrl No.: N/A



Report no.: HK11020002-1  
Answer Machine Recording  
Adaptor: Ten Pao  
AC Mains


EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
1	Quasi Peak	177 kHz	42.31	L1 gnd	-22.30
1	Quasi Peak	285 kHz	38.76	L1 gnd	-21.90
1	Quasi Peak	366 kHz	43.84	L1 gnd	-14.74
2	CISPR Average	523.5 kHz	25.62	L1 gnd	-20.37
1	Quasi Peak	564 kHz	45.40	L1 gnd	-10.59
1	Quasi Peak	568.5 kHz	43.54	L1 gnd	-12.46
2	CISPR Average	753 kHz	25.75	L1 gnd	-20.24
2	CISPR Average	802.5 kHz	25.62	L1 gnd	-20.37
1	Quasi Peak	825 kHz	44.00	L1 gnd	-11.99
2	CISPR Average	1.1175 MHz	26.02	L1 gnd	-19.97
1	Quasi Peak	1.176 MHz	43.67	L1 gnd	-12.32
2	CISPR Average	1.725 MHz	25.94	L1 gnd	-20.05
1	Quasi Peak	1.7385 MHz	39.43	L1 gnd	-16.57
2	CISPR Average	2.481 MHz	23.83	L1 gnd	-22.16
1	Quasi Peak	2.49 MHz	37.46	L1 gnd	-18.53
1	Quasi Peak	2.9985 MHz	35.07	L1 gnd	-20.92
1	Quasi Peak	4.5825 MHz	33.86	L1 gnd	-22.13
1	Quasi Peak	6.243 MHz	39.06	L1 gnd	-20.93

Date: 28.JAN.2011 19:25:50

Ctrl No.: N/A



RBW 9 kHz  
MT 1 s  
Att 10 dB AUTO PREAMP OFF



Date: 28.JAN.2011 19:32:25



Report no.: HK11020002-1  
Speakerphone Online Mode  
Adaptor: Ten Pao  
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:		CF15MQP			
Trace2:		CF15MAV			
Trace3:		---			
	TRACE	FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
1	Quasi Peak	181.5 kHz	43.12	L1 gnd	-21.28
1	Quasi Peak	244.5 kHz	35.65	N gnd	-26.28
2	CISPR Average	357 kHz	28.04	L1 gnd	-20.75
1	Quasi Peak	379.5 kHz	45.64	L1 gnd	-12.64
1	Quasi Peak	546 kHz	46.56	L1 gnd	-9.43
2	CISPR Average	546 kHz	26.67	L1 gnd	-19.32
2	CISPR Average	577.5 kHz	26.45	L1 gnd	-19.54
1	Quasi Peak	748.5 kHz	44.81	L1 gnd	-11.18
1	Quasi Peak	883.5 kHz	46.27	L1 gnd	-9.72
2	CISPR Average	973.5 kHz	27.84	L1 gnd	-18.15
1	Quasi Peak	1.131 MHz	45.08	L1 gnd	-10.91
2	CISPR Average	1.14 MHz	29.19	L1 gnd	-16.80
1	Quasi Peak	1.7295 MHz	43.45	L1 gnd	-12.54
2	CISPR Average	1.7295 MHz	28.35	L1 gnd	-17.64
2	CISPR Average	2.1255 MHz	24.93	L1 gnd	-21.06
1	Quasi Peak	2.436 MHz	41.06	L1 gnd	-14.94
1	Quasi Peak	3.4845 MHz	35.65	L1 gnd	-20.34
1	Quasi Peak	4.83 MHz	36.05	L1 gnd	-19.94
1	Quasi Peak	6.2115 MHz	40.72	L1 gnd	-19.27

Date: 28.JAN.2011 19:32:16

Ctrl No.: N/A