




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 19.JAN.2012 10:53:20

Ctrl No.:



Report No.: HK12010591-1
Mode: Talk (DECT)
Adaptor: Ten Pao
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:		CF15MQP		
Trace2:		CF15MAV		
Trace3:		---		
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
2	CISPR Average	442.5 kHz	29.78 L1 gnd	-17.22
2	CISPR Average	5.667 MHz	30.09 N gnd	-19.90
1	Quasi Peak	5.6985 MHz	47.49 N gnd	-12.51
1	Quasi Peak	6.1575 MHz	53.47 N gnd	-6.52
2	CISPR Average	6.387 MHz	32.92 N gnd	-17.07
1	Quasi Peak	8.682 MHz	39.83 L1 gnd	-20.16
2	CISPR Average	8.9295 MHz	29.95 L1 gnd	-20.04


Date: 19.JAN.2012 10:52:56

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 19.JAN.2012 10:42:51

Ctrl No.:



Report No.: HK12010591-1
Mode: Standby
Adaptor: Ten Pao
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
1	Quasi Peak	159 kHz	44.04 N gnd	-21.47
2	CISPR Average	460.5 kHz	28.71 L1 gnd	-17.97
1	Quasi Peak	5.6805 MHz	45.54 N gnd	-14.45
2	CISPR Average	5.703 MHz	29.92 N gnd	-20.07
2	CISPR Average	5.8965 MHz	31.56 N gnd	-18.43
1	Quasi Peak	6.09 MHz	51.39 N gnd	-8.60
1	Quasi Peak	8.4885 MHz	38.82 L1 gnd	-21.17
2	CISPR Average	8.9655 MHz	30.64 L1 gnd	-19.35


Date: 19.JAN.2012 10:42:11

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 19.JAN.2012 10:59:12

Ctrl No.:



Report No.: HK12010591-1
Mode: Talk (by corded Handset)
Adaptor: Ten Pao
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
2	CISPR Average	442.5 kHz	30.63 L1 gnd	-16.38
1	Quasi Peak	5.6985 MHz	49.19 N gnd	-10.80
2	CISPR Average	5.6985 MHz	30.56 N gnd	-19.43
2	CISPR Average	5.982 MHz	35.01 N gnd	-14.98
1	Quasi Peak	6 MHz	50.91 N gnd	-9.09
1	Quasi Peak	8.187 MHz	36.59 L1 gnd	-23.41
2	CISPR Average	8.4705 MHz	28.76 L1 gnd	-21.23


Date: 19.JAN.2012 10:58:34

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 19.JAN.2012 11:10:36

Ctrl No.:



Report No.: HK12010591-1
Mode: Answer Machine
Adaptor: Ten Pao
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:		CF15MQP		
Trace2:		CF15MAV		
Trace3:		---		
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1 Quasi Peak	150 kHz	28.11	L1 gnd	-37.88
1 Quasi Peak	433.5 kHz	32.79	L1 gnd	-24.39
2 CISPR Average	433.5 kHz	26.42	L1 gnd	-20.76
1 Quasi Peak	627 kHz	33.01	N gnd	-22.98
1 Quasi Peak	973.5 kHz	29.53	N gnd	-26.46
2 CISPR Average	5.523 MHz	31.76	N gnd	-18.23
1 Quasi Peak	5.667 MHz	46.15	N gnd	-13.84
2 CISPR Average	6.0135 MHz	34.07	N gnd	-15.92
1 Quasi Peak	6.0765 MHz	49.37	N gnd	-10.62
1 Quasi Peak	8.4705 MHz	36.42	L1 gnd	-23.57
2 CISPR Average	8.9475 MHz	34.97	L1 gnd	-15.02


Date: 19.JAN.2012 11:09:59

Ctrl No.:



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 19.JAN.2012 11:20:02

Ctrl No.:



Report No.: HK12010591-1
Mode: Speakerphone
Adaptor: Ten Pao
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
	TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
2	CISPR Average	442.5 kHz	29.10 N gnd	-17.91
1	Quasi Peak	505.5 kHz	33.35 L1 gnd	-22.65
1	Quasi Peak	654 kHz	34.50 N gnd	-21.50
1	Quasi Peak	960 kHz	33.72 N gnd	-22.27
1	Quasi Peak	5.7165 MHz	48.69 N gnd	-11.30
2	CISPR Average	5.7165 MHz	32.00 N gnd	-17.99
1	Quasi Peak	6.018 MHz	51.31 N gnd	-8.68
2	CISPR Average	6.1935 MHz	36.07 N gnd	-13.92
1	Quasi Peak	8.0835 MHz	34.32 L1 gnd	-25.67
2	CISPR Average	8.9835 MHz	24.91 L1 gnd	-25.08

Date: 19.JAN.2012 11:19:33

Ctrl No.: