




RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 5.MAY.2012 18:43:16



Report No.:HK12021218-1
Model: MS2085
Mode: SIP Ringing with Data Transfer
AC Mains

EDIT PEAK LIST (Final Measurement Results)

Trace1: CF15MQP
Trace2: CF15MAV
Trace3: ---

	TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1	Quasi Peak	168 kHz	46.15	N gnd	-18.90
1	Quasi Peak	289.5 kHz	41.18	N gnd	-19.35
1	Quasi Peak	343.5 kHz	47.47	N gnd	-11.64
2	CISPR Average	343.5 kHz	31.35	N gnd	-17.76
1	Quasi Peak	555 kHz	48.06	N gnd	-7.94
2	CISPR Average	559.5 kHz	33.80	N gnd	-12.19
2	CISPR Average	591 kHz	37.53	N gnd	-8.46
1	Quasi Peak	636 kHz	47.72	N gnd	-8.27
1	Quasi Peak	861 kHz	44.33	N gnd	-11.66
2	CISPR Average	888 kHz	29.73	N gnd	-16.26
1	Quasi Peak	1.095 MHz	42.98	N gnd	-13.01
2	CISPR Average	1.4145 MHz	30.31	N gnd	-15.68
1	Quasi Peak	1.9995 MHz	54.36	N gnd	-1.63
2	CISPR Average	1.9995 MHz	39.81	N gnd	-6.18
1	Quasi Peak	2.13 MHz	46.33	N gnd	-9.66
2	CISPR Average	2.1615 MHz	30.57	N gnd	-15.42
1	Quasi Peak	2.9985 MHz	44.54	N gnd	-11.45
2	CISPR Average	2.9985 MHz	29.59	N gnd	-16.40
1	Quasi Peak	4.1325 MHz	36.63	N gnd	-19.36
1	Quasi Peak	19.2255 MHz	38.48	N gnd	-21.51

Date: 5.MAY.2012 18:42:41

Ctrl No.: N/A



Report No.:HK12021218-1
Model: MS2085
Mode: SIP Ringing with Data Transfer
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB	
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
1 Quasi Peak	21.876 MHz	40.17 N gnd		-19.82


Date: 5.MAY.2012 18:43:01

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 5.MAY.2012 18:23:12



Report No.:HK12021218-1
Model: MS2085
Mode: Standby
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1 Quasi Peak	289.5 kHz	39.94 N gnd		-20.59
1 Quasi Peak	393 kHz	42.02 N gnd		-15.98
2 CISPR Average	447 kHz	30.09 N gnd		-16.83
1 Quasi Peak	564 kHz	48.58 N gnd		-7.41
1 Quasi Peak	645 kHz	51.11 N gnd		-4.88
2 CISPR Average	645 kHz	36.28 N gnd		-9.71
2 CISPR Average	892.5 kHz	30.56 N gnd		-15.43
1 Quasi Peak	897 kHz	44.82 N gnd		-11.17
1 Quasi Peak	1.167 MHz	44.57 N gnd		-11.42
2 CISPR Average	1.1715 MHz	30.26 N gnd		-15.73
1 Quasi Peak	1.9995 MHz	52.32 N gnd		-3.67
2 CISPR Average	2.004 MHz	34.05 N gnd		-11.94
2 CISPR Average	2.184 MHz	30.26 N gnd		-15.73
1 Quasi Peak	2.2785 MHz	45.76 N gnd		-10.23
1 Quasi Peak	2.985 MHz	40.92 N gnd		-15.07
1 Quasi Peak	4.524 MHz	33.82 N gnd		-22.17
1 Quasi Peak	19.2075 MHz	36.50 N gnd		-23.49


Date: 5.MAY.2012 18:23:32

Ctrl No.: N/A



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 5.MAY.2012 18:33:56



Report No.:HK12021218-1
Model: MS2085
Mode: PSTN Ringing with Data Transfer
AC Mains

EDIT PEAK LIST (Final Measurement Results)					
Trace1:	CF15MQP				
Trace2:	CF15MAV				
Trace3:	---				
TRACE	FREQUENCY	LEVEL	dB μ V	DELTA	LIMIT dB
1 Quasi Peak	168 kHz	43.75	L1 gnd	-21.30	
1 Quasi Peak	289.5 kHz	40.78	N gnd	-19.75	
2 CISPR Average	334.5 kHz	31.37	N gnd	-17.96	
1 Quasi Peak	402 kHz	44.99	N gnd	-12.81	
1 Quasi Peak	564 kHz	50.82	N gnd	-5.17	
2 CISPR Average	564 kHz	35.35	N gnd	-10.64	
2 CISPR Average	591 kHz	37.75	N gnd	-8.25	
1 Quasi Peak	600 kHz	52.54	N gnd	-3.45	
1 Quasi Peak	847.5 kHz	45.93	N gnd	-10.06	
2 CISPR Average	888 kHz	32.31	N gnd	-13.68	
2 CISPR Average	1.167 MHz	31.70	N gnd	-14.29	
1 Quasi Peak	1.1805 MHz	46.06	N gnd	-9.93	
1 Quasi Peak	1.7115 MHz	46.53	N gnd	-9.46	
2 CISPR Average	1.9995 MHz	39.80	N gnd	-6.19	
1 Quasi Peak	2.1705 MHz	48.78	N gnd	-7.21	
2 CISPR Average	2.1705 MHz	32.47	N gnd	-13.52	
1 Quasi Peak	2.9625 MHz	43.76	N gnd	-12.23	
2 CISPR Average	2.9985 MHz	29.52	N gnd	-16.47	
1 Quasi Peak	4.497 MHz	35.50	N gnd	-20.49	
1 Quasi Peak	6.2475 MHz	33.30	N gnd	-26.69	

Date: 5.MAY.2012 18:33:20



Report No.:HK12021218-1
Model: MS2085
Mode: PSTN Ringing with Data Transfer
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB	
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
1 Quasi Peak	19.0815 MHz	39.12 N gnd		-20.87

Date: 5.MAY.2012 18:33:37

Ctrl No.: N/A




Report No.:HK12021218-1
Model: MS2085
Mode: Speakerphone Conference with Data Transfer
AC Mains



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 5.MAY.2012 19:01:39

Ctrl No.: N/A



Report No.:HK12021218-1
Model: MS2085
Mode: Speakerphone Conference with Data Transfer
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1 Quasi Peak	195 kHz	44.47	N gnd	-19.34
1 Quasi Peak	285 kHz	42.43	N gnd	-18.23
1 Quasi Peak	393 kHz	44.56	N gnd	-13.43
2 CISPR Average	393 kHz	28.85	N gnd	-19.15
2 CISPR Average	559.5 kHz	35.04	N gnd	-10.95
1 Quasi Peak	564 kHz	51.47	N gnd	-4.52
1 Quasi Peak	636 kHz	53.65	N gnd	-2.34
2 CISPR Average	649.5 kHz	38.00	N gnd	-7.99
1 Quasi Peak	879 kHz	46.82	N gnd	-9.17
2 CISPR Average	897 kHz	32.69	N gnd	-13.30
2 CISPR Average	1.1535 MHz	32.04	N gnd	-13.95
1 Quasi Peak	1.3965 MHz	45.72	N gnd	-10.27
2 CISPR Average	2.0805 MHz	32.52	N gnd	-13.47
1 Quasi Peak	2.103 MHz	48.92	N gnd	-7.08
2 CISPR Average	2.1885 MHz	32.40	N gnd	-13.59
1 Quasi Peak	2.4045 MHz	49.28	N gnd	-6.71
1 Quasi Peak	2.967 MHz	44.35	N gnd	-11.64
2 CISPR Average	3.0525 MHz	28.55	N gnd	-17.44
1 Quasi Peak	4.3215 MHz	35.91	N gnd	-20.08
1 Quasi Peak	6.513 MHz	32.70	N gnd	-27.29

Date: 5.MAY.2012 19:00:40

Ctrl No.: N/A



Report No.:HK12021218-1
Model: MS2085
Mode: Speakerphone Conference with Data Transfer
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE		FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
1	Quasi Peak	18.9915 MHz	38.44 N gnd	-21.55

Date: 5.MAY.2012 19:01:14

Ctrl No.: N/A




Report No.:HK12021218-1
Model: MS2085
Mode: Corded Headset Conference with Data Transfer
AC Mains



RBW 9 kHz
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 5.MAY.2012 19:17:00

Ctrl No.: N/A



Report No.:HK12021218-1
Model: MS2085
Mode: Corded Headset Conference with Data Transfer
AC Mains


EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB μ V		DELTA LIMIT dB
1 Quasi Peak	199.5 kHz	44.30	N gnd	-19.32
1 Quasi Peak	285 kHz	41.31	N gnd	-19.35
1 Quasi Peak	352.5 kHz	46.68	N gnd	-12.21
2 CISPR Average	361.5 kHz	31.30	N gnd	-17.39
1 Quasi Peak	564 kHz	47.75	N gnd	-8.24
2 CISPR Average	564 kHz	33.21	N gnd	-12.78
1 Quasi Peak	591 kHz	52.90	N gnd	-3.09
2 CISPR Average	609 kHz	38.53	N gnd	-7.46
2 CISPR Average	933 kHz	32.34	N gnd	-13.65
1 Quasi Peak	937.5 kHz	46.52	N gnd	-9.47
2 CISPR Average	1.1715 MHz	31.90	N gnd	-14.09
1 Quasi Peak	1.491 MHz	45.40	N gnd	-10.59
2 CISPR Average	1.977 MHz	32.16	N gnd	-13.83
1 Quasi Peak	2.004 MHz	47.79	N gnd	-8.20
1 Quasi Peak	2.247 MHz	48.96	N gnd	-7.03
2 CISPR Average	2.2785 MHz	32.64	N gnd	-13.36
1 Quasi Peak	2.9895 MHz	43.25	N gnd	-12.74
2 CISPR Average	2.9895 MHz	28.33	N gnd	-17.67
1 Quasi Peak	4.299 MHz	35.70	N gnd	-20.29
1 Quasi Peak	18.2985 MHz	36.68	N gnd	-23.31

Date: 5.MAY.2012 19:16:33

Ctrl No.: N/A



RBW 9 kHz
MT 1 s
Att 10 dB AUTO PREAMP OFF



Date: 5.MAY.2012 20:45:07



Report No.:HK12021218-1
Model: MS2085
Mode: Answer Machine with Data Transfer
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dBμV		DELTA LIMIT dB
1 Quasi Peak	195 kHz	44.82 N gnd		-19.00
1 Quasi Peak	289.5 kHz	42.37 N gnd		-18.16
1 Quasi Peak	325.5 kHz	47.49 N gnd		-12.07
1 Quasi Peak	564 kHz	51.27 N gnd		-4.72
2 CISPR Average	564 kHz	36.06 N gnd		-9.94
1 Quasi Peak	631.5 kHz	53.19 N gnd		-2.80
2 CISPR Average	645 kHz	38.55 N gnd		-7.44
1 Quasi Peak	883.5 kHz	46.86 N gnd		-9.13
2 CISPR Average	883.5 kHz	32.71 N gnd		-13.28
1 Quasi Peak	1.149 MHz	46.52 N gnd		-9.47
2 CISPR Average	1.1625 MHz	32.09 N gnd		-13.91
1 Quasi Peak	1.9995 MHz	51.23 N gnd		-4.76
2 CISPR Average	2.103 MHz	33.22 N gnd		-12.77
2 CISPR Average	2.139 MHz	33.17 N gnd		-12.82
1 Quasi Peak	2.346 MHz	48.54 N gnd		-7.45
1 Quasi Peak	2.9625 MHz	44.36 N gnd		-11.64
2 CISPR Average	3.1155 MHz	28.13 N gnd		-17.87
1 Quasi Peak	4.3035 MHz	36.39 N gnd		-19.61
1 Quasi Peak	5.8695 MHz	32.67 N gnd		-27.32
1 Quasi Peak	18.519 MHz	38.82 N gnd		-21.17

Date: 5.MAY.2012 20:54:42

Ctrl No.: N/A



Report No.:HK12021218-1
Model: MS2085
Mode: Answer Machine with Data Transfer
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
TRACE	FREQUENCY	LEVEL dB μ V	DELTA LIMIT dB	
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
1 Quasi Peak	21.5745 MHz	42.32 N gnd		-17.67

Date: 5.MAY.2012 20:54:55

Ctrl No.: N/A