




RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.MAY.2012 15:17:09



Report No.:HK12040547  
Model: LS6191  
Mode: Answer Machine  
Recording  
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
1 Quasi Peak	154.5 kHz	43.86	N gnd	-21.88
1 Quasi Peak	438 kHz	40.18	L1 gnd	-16.91
2 CISPR Average	442.5 kHz	36.57	N gnd	-10.44
1 Quasi Peak	613.5 kHz	35.76	N gnd	-20.23
1 Quasi Peak	933 kHz	35.82	L1 gnd	-20.17
1 Quasi Peak	3.471 MHz	33.15	L1 gnd	-22.84
2 CISPR Average	5.3475 MHz	24.63	L1 gnd	-25.36
1 Quasi Peak	5.4015 MHz	39.78	L1 gnd	-20.21
2 CISPR Average	6.1035 MHz	35.26	L1 gnd	-14.73
1 Quasi Peak	6.369 MHz	55.91	L1 gnd	-4.08
1 Quasi Peak	8.088 MHz	46.58	L1 gnd	-13.41
2 CISPR Average	8.3265 MHz	38.72	L1 gnd	-11.27


Date: 11.MAY.2012 15:16:50

Ctrl No.: NA



RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.MAY.2012 15:03:27

Ctrl No.: NA



Report No.:HK12040547  
Model: LS6191  
Mode: Ringing  
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1:	CF15MQP			
Trace2:	CF15MAV			
Trace3:	---			
TRACE	FREQUENCY	LEVEL dB $\mu$ V		DELTA LIMIT dB
1 Quasi Peak	1.68 kHz	41.68	N gnd	-23.37
1 Quasi Peak	442.5 kHz	40.35	N gnd	-16.65
2 CISPR Average	456 kHz	33.30	N gnd	-13.46
1 Quasi Peak	676.5 kHz	36.06	L1 gnd	-19.93
2 CISPR Average	699 kHz	23.65	L1 gnd	-22.34
1 Quasi Peak	838.5 kHz	39.04	L1 gnd	-16.95
1 Quasi Peak	1.3785 MHz	33.39	L1 gnd	-22.60
1 Quasi Peak	2.004 MHz	31.31	L1 gnd	-24.68
1 Quasi Peak	2.58 MHz	34.93	N gnd	-21.06
1 Quasi Peak	4.1055 MHz	35.66	N gnd	-20.34
1 Quasi Peak	5.5185 MHz	47.57	N gnd	-12.42
2 CISPR Average	5.532 MHz	29.57	N gnd	-20.42
1 Quasi Peak	6.5355 MHz	55.32	L1 gnd	-4.67
2 CISPR Average	6.7515 MHz	34.01	L1 gnd	-15.98
1 Quasi Peak	8.151 MHz	45.44	L1 gnd	-14.55
2 CISPR Average	8.547 MHz	40.89	L1 gnd	-9.10


Date: 11.MAY.2012 15:03:08

Ctrl No.: NA



RBW 9 kHz  
MT 1 s

Att 10 dB AUTO PREAMP OFF



Date: 11.MAY.2012 15:08:14

Ctrl No.: NA



Report No.:HK12040547  
Model: LS6191  
Mode: Handset Online  
AC Mains

EDIT PEAK LIST (Final Measurement Results)				
Trace1: CF15MQP				
Trace2: CF15MAV				
Trace3: ---				
TRACE	FREQUENCY	LEVEL dBμV		DELTA LIMIT dB
2	CISPR Average 438 kHz	30.76	N gnd	-16.33
1	Quasi Peak 442.5 kHz	38.03	N gnd	-18.98
1	Quasi Peak 658.5 kHz	29.28	N gnd	-26.71
1	Quasi Peak 3.876 MHz	22.77	L1 gnd	-33.22
2	CISPR Average 5.676 MHz	29.08	L1 gnd	-20.91
1	Quasi Peak 5.694 MHz	43.94	L1 gnd	-16.05
1	Quasi Peak 6.432 MHz	51.12	L1 gnd	-8.87
2	CISPR Average 6.522 MHz	35.80	L1 gnd	-14.20
1	Quasi Peak 8.088 MHz	44.35	L1 gnd	-15.64
2	CISPR Average 8.403 MHz	37.01	L1 gnd	-12.98

Date: 11.MAY.2012 15:07:54

Ctrl No.: NA