


1. Bar code System: Code 128
2. Material: ART paper
3. Printing color: RAL 5004 (background) and Pantone 8001 C (8001 C := 75% 877 C + 25% 874 C).
The pink color content must be printed on the assembly line.
The green color content must be pre-printed in the label factory.
4. Tolerance: ±0.2mm
5. SIZE: 139.5(W)X39.5(H)mm
6. Print content:
 - A. Revision: RnX (provided by snom with PO), Printing Color: Black
R:= indicates revision number (fixed information)
n:=1st revision index (major changes) (numeric)
X:=2nd revision index (minor changes) (capital letter)
e.g. R3A
 - B. Barcode: Serial No. (16 digits) (Code 128), Printing Color: Black
XXX:= Country of Origin - ISO 3166-1 alpha-3 (3 digits)
YY:= Product of factory abbreviation - provided by snom (2 digits)
888888:= DDMMYY day, month, year (only last two digits)
99999:= Serial Number (5 digits, numeric)
 - C. Barcode: MAC Address (Code 128), Printing Color: Black
 - D. Year of production, Printing Color: Pantone 8001 C
 - E. Country of Origin (English name), Printing Color: Pantone 8001 C
7. Attach onto the backside of the phone enclosure
8. Do not rip off the label and never re-use it!

company	Snom Technology GmbH	revision	13	PS No.	29.6.	ERP No.	00004148	scale	1:1	total pages	1	page	1
model	snom D375												
product	Type Label	prepared by	Martin Taube (martin.taube@snom.com)										
filename	snom_D375_type_label_rev13.pdf	checked by											
created	2014-11-28	approved by											
last saved	2017-10-20	status											



EXT

DC 5V

NET

PC

USB

AUDIO

AUDIO

VSP875G

vtech



Adapter 5V 2A
PoE 48V 0.25A

Use only power supply listed in the user guide.

VTECH TELECOMMUNICATIONS LTD.
MANUFACTURED IN CHINA

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IC: 1135B-80S01300
FCC ID: EW780-S013-00
CAN ICES-3 (A)/NMB-3(A)





show Label location only