



Intertek Testing Services

ETL SEMKO

Report No.: 0000509

Made: *Charging*

Tested By: Hong, Report No.: 0000509

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB


Final Measurement: x QP

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
21	9k	30M	EW0698



PAGE 1

Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0000509

Mode: *Charging*

Tested By: Hong, Report No.: 0000509

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.50500	30.2	48.0
0.59500	26.3	48.0
16.02000	36.6	48.0

* limit exceeded

Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0000509

Mode: Standby

Tested By: Hong, Report No.: 0000509


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: x QP

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
21	9k	30M	EW0698



PAGE 1

Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0000509

Made: Standby

Tested By: Hong, Report No.: 0000509

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.50500	28.8	48.0
0.59000	25.1	48.0
16.02000	41.4	48.0

* limit exceeded

Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0000509

Mode: *Transmission*

Tested By: Hong, Report No.: 0000509

Scan Settings (1 Range)

----- Frequencies ----- Receiver Settings -----

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: x QP


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

21 9k 30M EW0698



Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0000509

Mode : Transmission

Tested By: Hong, Report No.: 0000509

Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
0.50000	29.8	48.0
0.59000	26.3	48.0
16.02000	38.7	48.0

* limit exceeded

Ctrl No.: N/A