


Work Order:	ITRO0005	Date:	05/25/11	Tested by: Nick Blake
Project:	None	Temperature:	22.48	
Job Site:	MN05	Humidity:	48.7	
Serial Number:	200087	Barometric Pres.:	1010.9	
EUT:	Radio Module			
Configuration:	Unknown			
Customer:	Itron			
Attendees:	Roger Mulcahy			
EUT Power:	Battery			
Operating Mode:	Transmitting at 0dBm @ 908 MHz.			
Deviations:	None			
Comments:	100WP-3.3			

Test Specifications FCC 15.249:2010	Test Method
---	--------------------

Run #	0	Test Distance (m)	3	Antenna Height(s)	1-4m	Results	Evaluation
--------------	---	--------------------------	---	--------------------------	------	----------------	------------



Freq (MHz)	Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Test Distance (meters)	External Attenuation (dB)	Polarity/Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)
908.008	71.6	10.8	2.2	301.0	3.0	10.0	Vert	PK	0.0	92.4	94.0	-1.6
907.994	67.5	10.8	2.2	301.0	3.0	10.0	Vert	QP	0.0	88.3	94.0	-5.7
901.320	17.9	10.8	1.0	273.0	3.0	10.0	Vert	QP	0.0	38.7	46.0	-7.3
901.887	17.0	10.8	1.5	65.0	3.0	10.0	Horz	QP	0.0	37.8	46.0	-8.2
931.178	16.9	10.7	3.7	213.0	3.0	10.0	Horz	QP	0.0	37.6	46.0	-8.4
930.769	16.9	10.7	1.0	360.0	3.0	10.0	Vert	QP	0.0	37.6	46.0	-8.4
908.008	59.2	10.8	1.0	305.0	3.0	10.0	Horz	PK	0.0	80.0	94.0	-14.0
908.241	39.2	10.8	1.0	305.0	3.0	10.0	Horz	QP	0.0	60.0	94.0	-34.0