




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-0.42	30	Pass
NVNT	BLE	2442	Ant1	-0.73	30	Pass
NVNT	BLE	2480	Ant1	-0.993	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.655	0.5	Pass
NVNT	BLE	2442	Ant1	0.659	0.5	Pass
NVNT	BLE	2480	Ant1	0.659	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.023	
NVNT	BLE	2442	Ant1	1.019	
NVNT	BLE	2480	Ant1	1.016	














# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-15.666	8	Pass
NVNT	BLE	2442	Ant1	-14.767	8	Pass
NVNT	BLE	2480	Ant1	-14.796	8	Pass















## **Band Edge**

	Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
	NVNT	BLE	2402	Ant1	-65.87	-20	Pass
Ī	NVNT	BLE	2480	Ant1	-60.76	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.04	-20	Pass
NVNT	BLE	2442	Ant1	-48.94	-20	Pass
NVNT	BLE	2480	Ant1	-48.39	-20	Pass







