




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.048	30	Pass
NVNT	BLE	2442	Ant1	-0.242	30	Pass
NVNT	BLE	2480	Ant1	-0.502	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.133	0.5	Pass
NVNT	BLE	2442	Ant1	1.123	0.5	Pass
NVNT	BLE	2480	Ant1	1.092	0.5	Pass














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.073	
NVNT	BLE	2442	Ant1	2.067	
NVNT	BLE	2480	Ant1	2.045	

Project No.: JYTSZR2404019














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-14.726	8	Pass
NVNT	BLE	2442	Ant1	-15.365	8	Pass
NVNT	BLE	2480	Ant1	-14.641	8	Pass














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.79	-20	Pass
NVNT	BLE	2480	Ant1	-55.89	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-48.11	-20	Pass
NVNT	BLE	2442	Ant1	-47.7	-20	Pass
NVNT	BLE	2480	Ant1	-46.59	-20	Pass









Start 30 MHz #Res BW 100 kHz Stop 26.50 GHz Sweep ~2.57 s (1001 pts) #Video BW 300 kHz 5 Marker Table Trace Scale Function **Function Width** Function Value Mode -5.139 dBm 4.953 GHz 7.468 GHz 9.639 GHz -53.26 dBm -54.82 dBm -55.01 dBm N N N 26.262 GHz -48.00 dBm



