




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-1.571	30	Pass
NVNT	BLE	2442	Ant1	-1.439	30	Pass
NVNT	BLE	2480	Ant1	-2.195	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.659	0.5	Pass
NVNT	BLE	2442	Ant1	0.658	0.5	Pass
NVNT	BLE	2480	Ant1	0.658	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.012	
NVNT	BLE	2442	Ant1	1.011	
NVNT	BLE	2480	Ant1	1.013	















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-8.042	8	Pass
NVNT	BLE	2442	Ant1	-7.853	8	Pass
NVNT	BLE	2480	Ant1	-8.674	8	Pass














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-54.43	-20	Pass
NVNT	BLE	2480	Ant1	-52.59	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-42.43	-20	Pass
NVNT	BLE	2442	Ant1	-39.27	-20	Pass
NVNT	BLE	2480	Ant1	-33.91	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

-2.843 dBm

-53.45 dBm -52.71 dBm -55.27 dBm

-40.93 dBm

Function

Function Width

Trace

Mode

N N Scale

Function Value

5.024 GHz 7.321 GHz 9.643 GHz

12.215 GHz

Nov 28, 2023 3:22:28 PM



