


Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	6.65	30	Pass
NVNT	BLE	2442	Ant1	6.732	30	Pass
NVNT	BLE	2480	Ant1	6.53	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.689	0.5	Pass
NVNT	BLE	2442	Ant1	0.688	0.5	Pass
NVNT	BLE	2480	Ant1	0.694	0.5	Pass







Spectrum Occupied	Analyz BW	zer 1		• +							
KEYSIC R T •	GHT ·≁·	Coupling	: DC ito/No RF	Input Z: 50 Ω Corr CCorr Freq Ref: Int	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Free Avg Hold: 1 Radio Std:				
1 Graph		,	-			Ref LvI Offset	2 60 dB		Mkr	3 2.4804	43000 GHz
Scale/Div	v 10.0	dB				Ref Value 22.6					0.32 dBm
Log 12.6 2.60									3		
-7.40 -17.4 -27.4			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	www.ana							**************************************
-37.4 -47.4											
-67.4											
Center 2. #Res BW						#Video BW 300	0.00 kHz			Sweep 1.33	Span 2 MHz ms (10001 pts)
2 Metrics			T								
		Occu	ipied Ban	dwidth 1.0687 MH	z			Total Power		13.1 dBm	
			smit Freq Bandwidt		95.455 kHz 694.4 kHz			% of OBW Power x dB		99.00 % -6.00 dB	
-	ה]?	Nov 20, 20 3:25:38 Pt							



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.055
NVNT	BLE	2442	Ant1	1.059
NVNT	BLE	2480	Ant1	1.059












Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-8.886	8	Pass
NVNT	BLE	2442	Ant1	-8.703	8	Pass
NVNT	BLE	2480	Ant1	-8.566	8	Pass











Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-58.43	-20	Pass
NVNT	BLE	2480	Ant1	-58.38	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-56.46	-20	Pass
NVNT	BLE	2442	Ant1	-56.49	-20	Pass
NVNT	BLE	2480	Ant1	-56.22	-20	Pass











