


#### Test Data


## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	6.732	30	Pass
NVNT	BLE	2442	Ant1	6.807	30	Pass
NVNT	BLE	2480	Ant1	6.632	30	Pass











## -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.61	0.5	Pass
NVNT	BLE	2442	Ant1	0.609	0.5	Pass
NVNT	BLE	2480	Ant1	0.61	0.5	Pass







Spectrum A Occupied B		er 1		+											
KEYSIG R T ↔	C	nput: RF Coupling: E Jign: Auto	oc	Input Z: 50 Corr CCorr Freq Ref: I		Atten: 30 dB		Trig: Free Run Gate: Off #IF Gain: Low	Avg H		2.480000000 ( )0/1000 one	GHz			
1 Graph		•							0.00.40				Mkı	r3 2.4803	97000 GHz
Scale/Div '	10.0 d	в						Ref LvI Offset Ref Value 22.6							0.41 dBm
Log 12.6												<u>3</u>			
2.60									m	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~					
-7.40					~ ~										
-27.4	<u></u>		www.	www.										Jan Marine	WWW MANN
-37.4															
-57.4															
-67.4															
Center 2.48 #Res BW 1							#	Video BW 30	0.00 kHz					Sweep 1.33	Span 2 MHz ms (10001 pts)
2 Metrics		v												0.000	
		Occupi	ied Band	width											
		Occupi		1.0673 N	1Hz					Т	otal Power			10.7 dBm	
			nit Freq I			2.373 kHz					% of OBW Pc	wer		99.00 %	
		x dB B	andwidth	n		610.2 kHz				x	dB			-6.00 dB	
	) (		<b>?</b>	Nov 28, 2 4:06:40	2023 PM	$\Box$									



# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.079
NVNT	BLE	2442	Ant1	1.085
NVNT	BLE	2480	Ant1	1.08











# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.658	8	Pass
NVNT	BLE	2442	Ant1	0.771	8	Pass
NVNT	BLE	2480	Ant1	0.617	8	Pass













## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-56.22	-20	Pass
NVNT	BLE	2480	Ant1	-56.02	-20	Pass











# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-56.34	-20	Pass
NVNT	BLE	2442	Ant1	-56.33	-20	Pass
NVNT	BLE	2480	Ant1	-56.13	-20	Pass











