




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	1.174	30	Pass
NVNT	BLE	2442	Ant1	2.223	30	Pass
NVNT	BLE	2480	Ant1	3.23	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.683	0.5	Pass
NVNT	BLE	2442	Ant1	0.691	0.5	Pass
NVNT	BLE	2480	Ant1	0.687	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.034	
NVNT	BLE	2442	Ant1	1.036	
NVNT	BLE	2480	Ant1	1.04	









Tel: +86-755-23118282, Fax: +86-755-23116366






Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-5.087	8	Pass
NVNT	BLE	2442	Ant1	-3.991	8	Pass
NVNT	BLE	2480	Ant1	-2.97	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-52.29	-20	Pass
NVNT	BLE	2480	Ant1	-58.79	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-50.57	-20	Pass
NVNT	BLE	2442	Ant1	-48.95	-20	Pass
NVNT	BLE	2480	Ant1	-49.45	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

1.742 dBm

-51.54 dBm -53.50 dBm

-46.82 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

2.452 GHz

4.874 GHz 7.321 GHz 9.693 GHz

2.502 GHz

Mar 20, 2024 11:26:14 PM



