




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	1.696	30	Pass
NVNT	BLE	2442	Ant1	1.343	30	Pass
NVNT	BLE	2480	Ant1	1.249	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.6	0.5	Pass
NVNT	BLE	2442	Ant1	0.6	0.5	Pass
NVNT	BLE	2480	Ant1	0.598	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.041	
NVNT	BLE	2442	Ant1	1.042	
NVNT	BLE	2480	Ant1	1.041	

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366

Project No.: JYTSZR2403122









Tel: +86-755-23118282, Fax: +86-755-23116366





Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-4.598	8	Pass
NVNT	BLE	2442	Ant1	-4.985	8	Pass
NVNT	BLE	2480	Ant1	-5.104	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-63.66	-20	Pass
NVNT	BLE	2480	Ant1	-47.98	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-47.38	-20	Pass
NVNT	BLE	2442	Ant1	-45.28	-20	Pass
NVNT	BLE	2480	Ant1	-42.07	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

Mar 30, 2024 3:30:09 AM



