




#### **Test Data**

### **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	3.471	0	3.471	30	Pass
NVNT	BLE	2442	Ant1	3.61	0	3.61	30	Pass
NVNT	BLE	2480	Ant1	3.684	0	3.684	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.612	0.5	Pass
NVNT	BLE	2442	Ant1	0.613	0.5	Pass
NVNT	BLE	2480	Ant1	0.611	0.5	Pass













# **Occupied Channel Bandwidth**

Condition Mode		Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.072550688	
NVNT	BLE	2442	Ant1	1.072243564	
NVNT	BLE	2480	Ant1	1.076461463	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-2.521	8	Pass
NVNT	BLE	2442	Ant1	-2.428	8	Pass
NVNT	BLE	2480	Ant1	-2.363	8	Pass















### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.66	-20	Pass
NVNT	BLE	2480	Ant1	-52.01	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.46	-20	Pass
NVNT	BLE	2442	Ant1	-50.69	-20	Pass
NVNT	BLE	2480	Ant1	-52.85	-20	Pass











