



Digital Security Controls
 ISO9001 Registered
 3301 Langstaff Road, Concord
 Ontario, Canada L4K 4L2
 Phone: 905-760-3000
 Toll Free: 1-888-888-7838
 Fax: 905-760-3020

18008319R001 GS2060 Multi-Listing Label FCC/IC/CE/WEEE/C-Tick

File: [18008319R001_GS2060_MULTILIST-FCC-IC-CE-WEEE-CTICK_LB.eps]

January 12, 2009

Colour: Pantone Process Black

Material:

White UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)



Adhesive: Permanent adhesive backed with protective liner (e.g. 60# Semigloss Tire-III / 40# Liner Code: B37, or equivalent)

Cutting: Tolerance +/- 0.010"


Dashed line indicates cutting - will not print
 Square label corners are acceptable.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the PCB showing the label location (actual size)



Digital Security Controls
 ISO9001 Registered
 3301 Langstaff Road, Concord
 Ontario, Canada L4K 4L2
 Phone: 905-760-3000
 Toll Free: 1-888-888-7838
 Fax: 905-760-3020

18008320R001

GS2065 Multi-Listing Label

FCC/IC/CE/WEEE/C-Tick

File: [18008320R001_GS2065_MULTILIST-FCC-IC-CE-WEEE-CTICK_LB.eps]

January 12, 2009

Colour: Pantone Process Black

Material:

White UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner (e.g. 60# Semigloss Tire-III / 40# Liner Code: B37, or equivalent)

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

Square label corners are acceptable.


Square label corners are acceptable.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the PCB showing the label location (actual size)



Digital Security Controls
 ISO9001 Registered
 3301 Langstaff Road, Concord
 Ontario, Canada L4K 4L2
 Phone: 905-760-3000
 Toll Free: 1-888-888-7838
 Fax: 905-760-3020

18008321R001 TL260GS Multi-Listing Label FCC/IC/CE/WEEE/C-Tick

File: [18008321R001_TL260GS_MULTILIST-FCC-IC-CE-WEEE-CTICK_LB.eps]

January 12, 2009

Colour: Pantone Process Black

Material:

White UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner (e.g. 60# Semigloss Tire-III / 40# Liner Code: B37, or equivalent)



Cutting: Tolerance +/- 0.010"

Dashed line indicates cutting - will not print


Square label corners are acceptable.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the PCB showing the label location (actual size)



Digital Security Controls
 ISO9001 Registered
 3301 Langstaff Road, Concord
 Ontario, Canada L4K 4L2
 Phone: 905-760-3000
 Toll Free: 1-888-888-7838
 Fax: 905-760-3020

18008322R001

TL265GS Multi-Listing Label

FCC/IC/CE/WEEE/C-Tick

File: [18008322R001_TL265GS_MULTILIST-FCC-IC-CE-WEEE-CTICK_LB.eps]

January 12, 2009

Colour: Pantone Process Black

Material:

White UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner (e.g. 60# Semigloss Tire-III / 40# Liner Code: B37, or equivalent)



Cutting: Tolerance +/- 0.010"

Dashed line indicates cutting - will not print


Square label corners are acceptable.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the PCB showing the label location (actual size)