



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

18008602R001
SCW9055D-SM-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)

June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

1800xxxxR001
SCW9055G-SM-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)

June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

1800xxxxR001
SCW9055I-SM-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)

June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

18008603R001
SCW9057D-SM-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)

June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location
(80% of actual size)

DSC

A Tyco International Company

Digital Security Controls
 3301 Langstaff Road
 Concord, Ontario Canada L4K 4L2
 Tele: 905 760 3000
 Toll Free: 888 888 7838
 Fax: 905-760-3020

1800xxxxR001
 SCW9057G-SM-433
 NA Listing Label
 (FCC/IC/UL/ULC/CP-01/CSFM)

June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location
 (80% of actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

1800xxxxR001
SCW9057I-SM-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)
June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

18008604R001
SCW9055D-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)

June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location (80% of actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

1800xxxxR001
SCW9055G-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)

June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

1800xxxxR001
SCW90551-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)

June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

18008605R001
SCW9057D-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)

June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

1800xxxxR001
SCW9057G-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)

June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location (80% of actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

1800xxxxR001
SCW90571-433
NA Listing Label
(FCC/IC/UL/ULC/CP-01/CSFM)
June 30, 2011

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"



Dashed line indicates cutting - will not print

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility. The issue number (when applicable) shall be requested from the same center as above by the printing facility at the time of printing.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.



Label shown 150% of actual size



Top of the unit shows the label location
(80% of actual size)