



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material - on a roll
e.g. 1M CL POLY NTC/P1212/44PK, or equivalent

Lamination: Top **Gloss** finish lamination
e.g. 1M CL POLY NTC/P1212/50# (1F1), or equivalent

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"

Dashed line indicates cutting - will not print

NOTES:



1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink
4. Conductive inks may not be used
5. Non-conductive label adhesive shall be used ONLY.

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility.

18008892R001
HS2LCDWFPV9 Multi-Listing Label
915MHz FCC/IC/UL/ULC/CE/WEEE/C-Tick/ICASA/ARG-CNC/ANATEL

March 13, 2013



Label shown 200% of actual size



Top of the unit shows the label location (actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material - on a roll
e.g. 1M CL POLY NTC/P1212/44PK, or equivalent

Lamination: Top **Gloss** finish lamination
e.g. 1M CL POLY NTC/P1212/50# (1F1), or equivalent

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"

Dashed line indicates cutting - will not print

NOTES:



1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink
4. Conductive inks may not be used
5. Non-conductive label adhesive shall be used ONLY.

NOTES:

1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility.

18008891R001
HS2LCDWFP9 Multi-Listing Label
915MHz FCC/IC/UL/ULC/CE/WEEE/C-Tick/ICASA/ARG-CNC/ANATEL

March 13, 2013



Label shown 200% of actual size



Top of the unit shows the label location (actual size)



A Tyco International Company

Digital Security Controls
3301 Langstaff Road
Concord, Ontario Canada L4K 4L2
Tele: 905 760 3000
Toll Free: 888 888 7838
Fax: 905-760-3020

Colour: Pantone Process Black

Material: **CLEAR** UL approved self-adhesive Mylar type material - on a roll
e.g. 1M CL POLY NTC/P1212/44PK, or equivalent

Lamination: Top **Gloss** finish lamination
e.g. 1M CL POLY NTC/P1212/50# (1F1), or equivalent

Adhesive: Permanent adhesive backed with protective liner

Cutting: Tolerance +/- 0.010"

Dashed line indicates cutting - will not print

NOTES:


1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink
4. Conductive inks may not be used
5. Non-conductive label adhesive shall be used ONLY.

NOTES:


1. All UL and ULC Labels shall be printed on UL approved material. The first time the label is ordered, the artwork must be sent to UL Label Center [email: LabelCenter.USA@us.ul.com, fax: (847)509-6201] for approval.
2. All UL and ULC Labels shall be printed by a UL Listed printing facility.

18008890R001
HS2LCDWF9 Multi-Listing Label
915MHz FCC/IC/UL/ULC/CE/WEEE/C-Tick/ICASA/ARG-CNC/ANATEL

March 13, 2013



Label shown 200% of actual size



Top of the unit shows the label location (actual size)