


8 8

13x18

10x15

JJ 10 9 8
11 10 9 8

8 9 10 11
8 9 10 11



DO NOT PAINT



13 J3
12 JS
11 11

20x25

18x24

13x18



Visonic

**WIRELESS PHOTOELECTRIC
HEAT & SMOKE DETECTOR**

TYPE: SMD-427

Standards: EN 54-5
EN 54-7

Operating Voltage - 3V DC battery.

Battery type: Duracell DL123A, Sanyo CR123A
Panasonic CR-123A, Varta CR123A
GP CR 123A



THIS DETECTOR IS FOR HEAT AND SMOKE
DETECTION USE ONLY. FOR SAFETY INFORMATION
AND INSTRUCTIONS REFER TO MANUAL.
**WARNING: CONSTANT EXPOSURES TO HIGH OR
LOW TEMPERATURES OR HIGH HUMIDITY MAY
REDUCE BATTERY LIFE.**


Test the detector for correct operation using the
test facility, whenever the battery is replaced.
For Repair return to the place of
purchase or return to Visonic,
Habarzel 24 Tel-aviv
61220, ISRAEL.

07381998305-5

3 JS JJ JO 8 8 J
12 11 10 9 8 7

8 8 10
8 9 10

5+2



DO NOT PAINT

TEST

13x18

10x15

12

10 9 8
10 9 8

7 8 9 10 11

8-8

7+

13x18

10x15

8 8 1
9 8 7

8 8 10
8 9 10



WIRELESS PHOTOELECTRIC SMOKE DETECTOR
MODEL: SMD-426



FCC ID: WP3SMD426-SMD427
IC: 1467C-SMD426427

Battery type: Duracell DL123A, Sanyo CR123A
3V Panasonic CR-123A, Varta CR123A, GP CR123A

For Household Use Only

THIS DETECTOR IS FOR SMOKE DETECTION USE ONLY. FOR SAFETY INFORMATION AND INSTRUCTIONS REFER TO MANUAL.
WARNING: CONSTANT EXPOSURE TO HIGH OR LOW TEMPERATURES OR HIGH HUMIDITY MAY REDUCE BATTERY LIFE.

Test the detector for correct operation using the test facility, whenever the battery is replaced.

For Repair return to the place of purchase or return to Visonic.
Habarzel 24 Tel-aviv
61220, ISRAEL.

07328 88220'S

Sample