



# The Photos of SAR test

**No. I17N00498-SAR**

**For**

**DIGITAL SECURITY CONTROLS LTD.**

**IoTega Touchscreen**

**Model Name: WS9TCHW**

**With**

**Hardware Version: 1.0**

**Software Version: Android OS V4.4**

**Issued Date: 2017-07-21**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

**Test Laboratory:**

CTTL, Telecommunication Technology Labs, Academy of Telecommunication Research, MIIT  
No. 51 Shouxiang Science Building, Xueyuan Road, Haidian District, Beijing, P. R. China 100191  
Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504  
Email: [cttl\\_terminals@catr.cn](mailto:cttl_terminals@catr.cn), website: [www.chinattl.com](http://www.chinattl.com)



Picture 1: Constituents of the sample

**Test positions for body:**

The Body SAR is tested at the following 4 test positions all with the distance =5mm between the EUT and the phantom bottom.




**Picture 6: Front – Side (5mm)**



**Picture 7: Rear – Side (5mm)**



**Picture 8: Right-Side (5mm)**



**Picture 9: Bottom-Side (5mm)**