


TEST SETUP FOR EMISSIONS TESTING

WILD RIVER LAB
Large Test Site

Notes:


1. Items shown in dotted lines are located on the floor below the test area. It is 5 meters vertically from the ground floor to the test area.
2. 50 Hz, 60 Hz, and 400 Hz are power panels for alternating current.
3. The antenna may be positioned horizontally 3, 10 or 30 meters from the center of the turntable.
4. The circle is a 6.7 meter diameter turntable.
5. A ground plane is in the plane of this sheet.
6. The test sample is shown in the azimuthal position representing zero degrees.



Test Setup
Conducted Emissions



Test Setup
Radiated Emissions




Test Setup
Radiated Emissions




**CDMA Mask Test for ADC Inc
Digivance Indoor Coverage Solution
Model Numbers DGV1-2XXXXXDHU and
DGV1-2XXXXXDRU**

Test Set-up




**Conducted Emission Limits Test for ADC Inc
Digivance Indoor Coverage Solution
Model Numbers DGV1-2XXXXXDHU and
DGV1-2XXXXXDRU**

Test Set-up




**Inter-Modulation Test for ADC Inc
Digivance Indoor Coverage Solution
Model Numbers DGV1-2XXXXXDHU and
DGV1-2XXXXXDRU**




Frequency Tolerance Test for ADC Inc Digivance Indoor Coverage Solution Model Numbers DGVI-2XXXXXDHU and DGVI-2XXXXXDRU

EUT Host and Remote are specified for indoor use only with temperature range of 0° to +50° C and were tested within their range.



**Effective Isotropic Radiated Power Limit Test for ADC Inc
Digivance Indoor Coverage Solution
Model Numbers DGV1-2XXXXXDHU and
DGV1-2XXXXXDRU**

Test Set-up



**Occupied Bandwidth Modulation Test for ADC Inc
Digivance Indoor Coverage Solution
Model Numbers DGV1-2XXXXXDHU and
DGV1-2XXXXXDRU**

Test Set-up

