

*2*


\*ATTEN 10dB

MKR -16.83dBm

RL 0dBm

5dB/

2.41275GHZ Fc ID: FDI-04600000-0



CENTER 2.41200GHZ

SPAN 50.00MHZ

\*RBW 3.0KHZ

\*VBW 10KHZ

\*SWP 20sec

MEASURED FROM ANTENNA

*2*

\*ATTEN 10dB  
RL 0dBm

MKR -18.00dBm  
2.43775GHZ FID:04600000-0



CHNL\_ID: 6

CENTER 2.43700GHZ SPAN 50.00MHZ  
\*RBW 3.0KHZ \*VBW 10KHZ \*SWP 20sec  
MEASURED FROM ANTENNA

*Handwritten signature*

\*ATTEN 10dB

RL 0dBm

MKR -19.58dBm

5dB/


2.46267GHz Fc ID: FDI-04600000-0

MKR

2.46267 GHz

-19.58 dBm

CHNL\_ID:11



G

CENTER 2.46200GHz

\*RBW 3.0KHZ \*VBW 10KHZ


SPAN 50.00MHz

\*SWP 20sec


MEASURED FROM ANTENNA




Processing gain at channel 1 with CW




Processing gain at channel 4 with CW




Processing gain at channel 2 with CW




Processing gain at channel 5 with CW




Processing gain at channel 3 with CW




Processing gain at channel 6 with CW




Processing gain at channel 7 with CW




Processing gain at channel 10 with CW




Processing gain at channel 8 with CW



Processing gain at channel 11 with CW



Processing gain at channel 9 with CW





FD: FDI-0460000-0 99.05.24

Offset Frequency $\Delta f$ (kHz)	Process Gain(dB)										
	1CH (2412MHz)	2CH (2417MHz)	3CH (2422MHz)	4CH (2427MHz)	5CH (2432MHz)	6CH (2437MHz)	7CH (2442MHz)	8CH (2447MHz)	9CH (2452MHz)	10CH (2457MHz)	11CH (2462MHz)
-8500	25.6	26.6	26.2	26.0	26.2	26.0	26.8	26.3	26.3	25.7	24.9
-8450	27.6	25.6	25.2	25.0	24.7	26.5	26.3	25.8	26.3	26.2	26.4
-8400	25.1	26.1	25.7	25.5	25.7	26.0	25.8	25.3	25.8	25.7	24.9
-8350	26.6	25.1	24.2	24.5	24.2	26.5	25.8	24.8	25.3	25.2	25.4
-8300	24.6	25.6	25.2	25.0	25.2	25.0	25.8	24.8	24.8	24.7	24.4
-8250	26.1	24.1	23.7	24.0	23.7	26.0	24.8	24.8	24.8	24.2	25.4
-8200	24.1	25.1	24.7	24.5	24.7	24.0	24.8	24.3	23.8	23.7	23.9
-8150	25.6	24.1	23.7	23.5	23.2	25.5	24.8	24.3	24.3	24.2	24.9
-8100	24.1	24.6	24.2	24.0	24.2	24.5	24.3	24.3	24.3	24.2	23.9
-8050	25.6	23.6	23.2	23.5	23.2	25.0	23.8	23.3	24.3	23.7	24.4
-8000	23.6	24.1	23.7	22.5	23.7	23.0	23.8	23.3	23.8	23.2	23.4
-7950	25.1	23.6	22.7	24.0	22.7	25.0	23.8	23.3	23.3	23.2	24.4
-7900	23.6	24.1	23.7	22.5	23.7	23.0	23.3	23.3	23.8	23.2	22.9
-7850	24.1	22.1	22.2	23.5	22.2	23.0	23.3	23.3	23.3	23.2	22.4
-7800	22.6	23.6	22.7	22.0	23.2	24.0	23.3	22.8	23.3	22.2	23.4
-7750	24.1	22.1	21.7	23.0	21.7	22.5	22.8	22.3	22.8	22.2	21.9
-7700	21.6	23.1	22.7	21.5	22.7	23.0	22.8	22.3	22.3	22.2	22.9
-7650	23.6	21.6	21.2	22.0	20.7	22.0	22.3	22.3	22.3	21.7	21.4
-7600	21.6	22.6	22.2	21.0	22.2	23.0	22.3	21.8	21.8	21.7	22.4
-7550	23.1	21.1	21.2	22.0	21.2	21.5	22.3	21.8	21.8	21.7	21.4
-7500	21.1	22.1	21.7	20.5	21.7	22.0	21.8	21.3	21.3	21.2	21.4
-7450	23.1	21.1	20.7	22.0	20.7	22.0	21.8	21.3	21.8	21.7	21.9
-7400	21.1	22.1	21.7	20.5	21.7	21.5	20.8	20.8	21.3	20.7	20.4
-7350	22.6	21.1	20.2	21.5	20.2	22.0	21.3	21.3	21.3	20.7	21.9
-7300	21.1	21.6	21.2	20.0	21.2	21.0	21.3	20.8	20.8	20.2	19.9
-7250	22.6	20.6	19.7	21.0	20.2	22.0	20.8	20.8	20.8	20.2	21.4
-7200	20.6	21.1	21.2	20.0	20.7	20.0	20.8	20.8	20.3	19.7	19.4
-7150	22.1	20.6	19.7	20.5	19.7	21.0	20.3	20.3	20.8	20.2	20.9
-7100	20.1	21.1	20.7	19.5	20.7	21.5	20.3	20.3	20.3	20.2	19.9
-7050	22.1	20.1	19.7	20.5	19.7	20.5	20.8	20.3	20.3	20.7	20.9
-7000	20.6	21.1	20.7	21.0	20.7	21.0	20.8	20.8	20.8	20.2	19.9
-6950	22.1	21.6	21.2	20.0	21.2	22.0	20.8	20.8	20.8	20.7	21.4
-6900	20.6	20.6	20.2	21.5	20.2	20.5	20.8	20.8	21.3	20.7	19.9
-6850	22.6	20.1	21.2	20.0	21.2	21.5	21.3	20.8	20.8	20.7	20.4
-6800	20.6	21.6	20.2	21.5	20.7	21.0	21.3	21.3	21.3	21.2	21.4
-6750	22.6	20.6	21.2	20.5	21.7	22.0	21.3	21.3	21.3	20.7	20.4
-6700	21.1	22.1	21.7	21.5	20.7	22.0	21.3	21.3	21.3	21.2	21.9
-6650	23.1	21.1	20.2	20.0	21.7	22.0	21.3	21.3	21.3	21.2	20.4



FCCID: FDI-0460000-0

99.05.24

Offset Frequency $\Delta f$ (kHz)	Process Gain(dB)										
	1CH (2412MHz)	2CH (2417MHz)	3CH (2422MHz)	4CH (2427MHz)	5CH (2432MHz)	6CH (2437MHz)	7CH (2442MHz)	8CH (2447MHz)	9CH (2452MHz)	10CH (2457MHz)	11CH (2462MHz)
-6800	21.1	21.6	21.7	21.5	20.7	21.5	21.8	21.3	21.3	21.2	21.9
-6550	23.1	22.1	20.7	21.5	21.7	22.0	21.8	21.3	21.8	21.2	20.9
-6500	21.1	21.1	21.7	20.5	20.7	22.5	21.8	21.3	21.8	21.2	21.9
-6450	23.1	22.1	20.7	22.0	21.7	21.0	21.8	21.3	21.8	21.7	20.9
-6400	21.6	21.1	21.7	20.5	20.7	22.5	21.3	21.8	21.8	21.2	21.9
-6350	22.6	21.6	20.7	21.5	21.7	21.5	21.8	20.8	21.8	20.7	20.9
-6300	21.1	21.1	21.7	21.0	20.2	22.5	21.3	21.3	21.3	21.2	21.9
-6250	23.1	22.1	20.7	22.0	21.7	21.5	21.3	21.8	21.3	21.2	20.9
-6200	21.1	20.6	21.7	20.5	20.7	22.0	21.3	21.3	21.3	21.2	21.4
-6150	23.1	22.1	20.2	21.5	21.7	21.0	21.3	21.3	21.3	21.2	21.9
-6100	21.1	20.6	21.7	21.5	20.7	22.5	21.8	21.3	21.8	21.2	21.4
-6050	23.1	22.1	20.7	21.5	21.7	21.5	21.8	21.3	21.8	21.2	21.4
-6000	21.6	20.6	21.2	20.5	20.7	22.0	21.3	21.8	21.8	21.7	21.9
-5950	23.1	22.1	21.7	22.0	22.2	22.5	21.8	21.8	22.3	22.2	21.9
-5900	21.6	22.6	22.2	21.5	20.7	21.5	22.3	21.8	22.3	21.7	20.9
-5850	23.1	22.1	20.7	22.0	22.2	22.5	21.8	21.8	21.8	21.7	22.4
-5800	21.6	22.1	22.2	21.0	21.2	21.5	22.3	21.8	21.8	21.7	20.9
-5750	23.6	22.6	21.2	22.5	22.2	23.0	22.3	21.8	21.8	21.7	21.9
-5700	21.6	21.6	22.2	22.5	21.2	21.5	22.3	21.8	21.8	21.7	20.9
-5650	23.6	22.6	21.2	22.5	22.2	22.5	21.8	21.8	22.3	21.7	21.9
-5600	21.6	21.6	21.7	20.5	21.2	21.5	21.8	21.8	21.8	21.7	20.9
-5550	23.1	22.6	22.2	22.0	22.2	22.5	22.3	21.8	22.3	21.7	21.9
-5500	21.6	21.1	20.7	21.0	20.7	21.5	21.8	21.8	21.3	21.2	20.9
-5450	23.1	22.1	21.7	22.0	21.7	22.5	21.8	21.3	21.8	21.7	21.9
-5400	21.6	21.1	20.7	20.5	20.7	21.0	21.3	21.3	21.3	21.2	20.4
-5350	22.6	21.6	21.7	21.5	21.7	22.0	21.3	21.3	21.3	20.7	21.4
-5300	21.1	20.6	20.2	20.0	19.7	21.0	20.8	20.3	21.3	20.7	20.4
-5250	22.6	21.6	20.7	21.0	21.2	21.5	20.8	20.8	20.8	20.2	20.9
-5200	20.6	20.1	19.7	20.0	19.7	20.5	20.3	20.3	20.8	20.2	19.4
-5150	21.6	21.1	20.7	20.5	20.2	21.0	20.3	20.3	20.3	20.2	20.4
-5100	20.1	19.6	19.2	19.0	19.2	20.0	19.8	19.8	19.8	19.2	19.4
-5050	21.6	20.6	19.7	20.0	20.2	19.5	19.3	19.3	18.8	19.2	18.4
-5000	20.1	18.6	18.2	18.5	18.2	19.5	19.3	18.8	18.8	18.2	18.4
-4950	20.1	19.6	19.2	19.0	19.2	20.0	19.3	19.3	18.8	18.7	19.4
-4900	19.6	18.1	18.2	18.5	18.2	19.0	19.3	19.3	18.8	18.7	18.4
-4850	19.1	19.1	18.7	18.0	18.7	18.5	18.3	18.3	18.3	18.2	17.9
-4800	20.1	18.1	17.7	18.5	17.7	18.0	18.3	18.3	18.3	18.2	18.4
-4750	19.6	18.6	18.7	17.5	18.2	18.5	18.8	18.3	18.8	17.7	17.9



Fcc ID: FbI-0460000-0

99.05.24

Offset Frequency $\Delta f$ (kHz)	Process Gain(dB)										
	1CH (2412MHz)	2CH (2417MHz)	3CH (2422MHz)	4CH (2427MHz)	5CH (2432MHz)	6CH (2437MHz)	7CH (2442MHz)	8CH (2447MHz)	9CH (2452MHz)	10CH (2457MHz)	11CH (2462MHz)
-4700	19.1	18.6	18.2	19.0	18.7	18.5	18.8	18.8	18.3	18.7	18.9
-4650	18.6	17.6	17.7	17.5	17.7	18.0	18.3	18.3	18.3	18.2	17.9
-4600	20.1	19.1	18.7	18.5	18.7	19.0	18.3	18.3	18.3	18.2	19.4
-4550	19.6	19.1	19.2	19.5	19.2	19.0	18.8	18.8	18.8	18.7	18.4
-4500	19.1	18.1	18.2	18.0	18.2	18.5	18.8	18.8	18.8	18.2	18.9
-4450	20.6	19.6	19.2	19.5	19.2	19.5	18.8	18.8	18.8	18.7	19.4
-4400	20.1	18.6	19.7	18.5	18.7	19.0	19.3	19.3	19.3	18.7	18.9
-4350	20.6	19.6	18.2	19.5	19.2	20.0	19.3	18.8	19.3	19.2	19.9
-4300	20.1	19.1	19.7	19.0	19.7	19.0	19.3	19.3	19.8	19.2	18.9
-4250	21.1	20.1	19.2	20.0	18.7	19.5	19.8	19.8	19.8	19.7	19.9
-4200	20.1	19.1	19.7	19.0	19.7	19.0	19.3	19.8	19.8	19.2	17.9
-4150	20.6	20.1	19.7	20.0	18.7	20.0	19.8	19.8	19.8	19.2	20.4
-4100	21.1	19.1	19.2	19.0	20.2	20.0	19.8	19.3	19.3	19.7	18.9
-4050	20.1	20.1	20.2	20.0	19.2	19.0	19.8	19.3	19.8	19.7	20.4
-4000	21.1	18.6	18.7	18.5	19.7	19.5	19.3	19.3	19.3	19.2	18.4
-3950	20.1	20.1	19.7	20.0	18.7	20.5	19.8	19.3	19.3	19.2	19.9
-3900	21.1	19.1	18.7	19.0	19.7	19.0	19.8	19.3	19.8	19.2	18.4
-3850	20.1	20.1	20.2	20.0	20.2	20.0	19.8	19.8	19.8	19.7	19.9
-3800	21.1	20.1	18.7	20.5	19.2	19.5	19.8	20.3	19.8	19.7	20.4
-3750	20.1	20.6	20.2	19.0	20.2	20.5	19.8	20.3	19.8	19.2	18.9
-3700	22.1	20.1	20.7	20.5	20.7	20.5	20.3	20.3	20.3	19.7	20.9
-3650	20.1	20.6	19.7	19.5	19.2	19.0	20.3	20.3	20.3	19.7	19.9
-3600	21.6	21.1	20.7	20.5	20.7	21.0	20.3	20.3	20.8	20.2	20.9
-3550	21.1	20.1	20.2	21.0	20.7	20.5	20.8	20.8	20.8	20.2	20.4
-3500	21.2	21.1	20.7	20.0	20.2	20.0	20.8	20.8	21.3	20.2	20.9
-3450	21.5	21.6	21.2	21.5	21.2	21.5	20.8	21.3	21.3	21.2	21.4
-3400	21.6	20.6	20.2	20.0	20.2	21.5	20.3	20.8	21.3	21.2	20.9
-3350	21.4	21.6	21.2	21.5	21.2	20.5	20.8	20.8	21.3	20.7	21.4
-3300	21.3	20.6	20.2	20.0	19.7	21.5	20.8	20.8	20.8	20.7	20.4
-3250	21.2	21.1	20.7	21.0	21.2	20.0	20.3	20.8	20.8	20.7	20.4
-3200	21.1	19.6	19.2	19.5	19.2	20.5	19.8	19.8	19.8	19.2	19.4
-3150	20.5	20.6	20.2	20.5	20.2	20.0	19.8	19.8	19.3	19.7	20.4
-3100	20.4	19.6	19.2	19.0	19.2	20.5	19.8	19.8	19.8	19.7	19.4
-3050	20.7	20.6	19.7	20.0	20.2	19.5	19.8	19.8	19.8	19.2	19.9
-3000	20	19.1	19.2	19.0	18.7	19.0	19.3	19.3	19.3	19.2	18.9
-2950	20.2	20.1	20.2	20.0	20.2	20.5	19.3	19.3	19.3	18.7	20.4
-2900	20.1	19.1	18.7	19.0	18.7	19.0	19.8	19.3	19.3	19.2	17.9
-2850	19.7	19.6	19.7	19.5	19.7	18.5	19.3	19.3	18.8	18.7	18.9



  
 FCC ID: FPI-0460000-0  
 99.05.24

Offset Frequency $\Delta f$ (kHz)	Process Gain(dB)										
	1CH (2412MHz)	2CH (2417MHz)	3CH (2422MHz)	4CH (2427MHz)	5CH (2432MHz)	6CH (2437MHz)	7CH (2442MHz)	8CH (2447MHz)	9CH (2452MHz)	10CH (2457MHz)	11CH (2462MHz)
-2800	19.6	18.6	18.2	18.5	18.2	19.0	18.8	18.8	18.8	18.2	18.9
-2750	19.2	19.1	19.2	19.0	19.2	18.5	19.3	18.8	18.3	18.7	17.9
-2700	19.5	19.6	18.2	18.5	18.2	18.0	18.8	18.8	18.8	18.2	18.9
-2650	19.2	18.6	19.2	19.0	19.2	18.5	18.8	18.8	18.8	18.2	18.9
-2600	19.1	19.6	18.2	18.0	18.2	18.0	18.8	18.3	18.8	18.2	18.4
-2550	19.2	18.1	18.7	19.0	18.7	18.5	18.3	18.3	18.3	17.7	17.9
-2500	18.9	19.1	17.2	17.5	17.7	18.0	18.3	18.3	17.8	17.7	18.9
-2450	18.9	18.1	18.7	18.5	18.7	17.5	18.3	18.3	18.3	17.7	17.9
-2400	18.8	19.1	17.7	17.5	17.7	18.5	17.8	17.8	17.8	17.7	18.4
-2350	18.8	18.1	18.2	18.5	18.2	18.0	18.3	17.8	18.3	17.2	17.9
-2300	19.1	19.1	18.7	17.5	18.7	18.5	18.3	18.3	18.3	17.7	18.9
-2250	19.1	18.1	18.7	18.5	18.7	18.5	18.8	18.3	18.8	18.2	17.9
-2200	19.1	19.1	17.7	17.5	17.7	18.0	18.3	18.3	17.8	17.2	18.9
-2150	19	18.1	18.7	18.5	18.7	18.5	18.3	18.3	17.8	18.2	17.9
-2100	18.8	19.1	17.7	17.5	17.2	18.0	18.3	18.3	18.3	18.2	18.4
-2050	18.9	17.6	18.2	18.5	18.2	17.5	17.8	17.8	17.8	17.2	17.9
-2000	19.1	18.6	17.2	17.0	17.2	18.0	17.8	17.8	18.3	17.2	17.4
-1950	18.6	17.6	18.2	18.0	18.2	18.0	17.3	17.8	17.8	17.2	18.4
-1900	18.6	18.1	17.2	17.5	17.2	17.5	17.8	17.8	17.8	17.7	17.9
-1850	18.1	17.1	18.2	18.0	18.2	17.0	17.3	17.3	17.8	17.2	17.4
-1800	19.1	18.1	17.2	17.0	17.2	17.5	17.8	17.8	17.8	17.2	16.9
-1750	18.6	17.1	18.2	18.0	18.2	17.5	17.3	17.3	17.3	17.2	17.9
-1700	19.6	18.6	17.2	18.5	17.2	18.0	17.8	17.3	17.8	16.7	17.4
-1650	19.1	17.6	18.7	17.5	18.2	17.5	17.8	17.8	17.8	16.7	18.4
-1600	18.6	18.6	17.2	18.5	18.7	18.0	17.8	17.8	17.8	17.2	17.9
-1550	20.1	19.1	18.7	19.0	17.7	18.0	18.3	17.8	18.3	17.7	18.4
-1500	19.6	18.1	19.2	18.0	19.2	18.5	18.8	18.3	18.8	18.2	18.9
-1450	20.6	19.6	19.7	19.5	19.2	18.5	18.8	19.3	19.3	18.7	19.4
-1400	20.1	19.6	18.7	18.5	19.7	20.0	19.3	19.3	19.3	19.2	19.9
-1350	21.6	20.6	20.2	20.0	20.2	19.0	19.8	19.8	19.8	19.7	19.4
-1300	20.1	19.1	19.2	19.5	19.2	20.0	19.8	19.8	19.8	19.7	19.9
-1250	21.1	20.1	20.2	20.5	20.2	19.0	19.8	19.8	19.8	19.7	18.9
-1200	20.1	19.1	18.7	19.0	18.7	18.5	19.3	19.3	19.3	19.2	19.4
-1150	21.1	20.1	19.7	20.0	19.7	19.5	19.3	19.3	19.3	19.2	19.9
-1100	20.1	19.1	19.2	19.0	19.7	19.5	19.3	19.3	19.3	19.2	18.9
-1050	21.1	20.1	19.2	18.5	18.7	19.0	19.3	19.3	19.3	19.2	19.4
-1000	20.1	19.1	19.7	19.5	19.7	18.5	19.3	19.3	19.3	18.7	18.4
-950	21.1	20.1	18.7	20.0	18.7	19.5	19.3	19.8	19.8	19.2	19.9



ECID: FPI-2460000-0

99.05.24

Offset Frequency $\Delta f$ (kHz)	Process Gain(dB)										
	1CH (2412MHz)	2CH (2417MHz)	3CH (2422MHz)	4CH (2427MHz)	5CH (2432MHz)	6CH (2437MHz)	7CH (2442MHz)	8CH (2447MHz)	9CH (2452MHz)	10CH (2457MHz)	11CH (2462MHz)
-900	20.1	19.1	19.7	19.0	20.2	19.0	19.3	19.3	19.3	19.2	18.4
-850	20.1	19.6	18.7	19.5	18.2	18.5	19.3	19.3	19.3	19.2	18.9
-800	19.6	18.6	19.2	18.5	19.2	18.0	18.3	18.8	18.8	18.7	17.9
-750	19.1	19.1	18.2	19.0	18.2	17.5	18.3	18.3	18.3	18.2	18.4
-700	20.1	18.1	19.2	18.0	19.2	18.0	18.8	18.3	18.3	17.7	18.9
-650	19.6	19.1	18.2	19.0	18.2	17.5	18.8	18.3	18.3	18.2	18.4
-600	20.6	20.1	19.7	19.5	19.7	19.0	19.3	18.8	18.8	18.7	19.4
-550	20.1	19.1	18.7	20.0	18.7	19.5	19.3	19.3	19.3	19.2	18.4
-500	20.7	20.6	20.2	19.0	20.2	20.0	19.8	19.8	19.8	19.2	20.4
-450	21.1	19.1	18.7	20.0	18.7	19.0	19.3	19.3	19.8	19.2	18.9
-400	20.7	19.6	19.7	18.5	19.7	20.0	19.3	19.3	19.3	18.7	19.9
-350	20.4	18.6	18.2	19.5	18.2	19.0	19.3	18.8	19.3	18.7	17.9
-300	20.1	19.1	18.7	18.0	18.7	18.5	18.8	18.3	18.8	18.2	18.9
-250	19.6	17.6	17.7	18.5	17.7	18.0	18.3	18.3	18.3	17.7	17.9
-200	19.2	18.6	18.2	17.0	18.2	17.5	17.8	17.8	17.3	17.2	17.9
-150	19	17.1	16.7	17.5	16.7	17.0	17.3	17.3	17.3	16.7	17.4
-100	18.8	18.1	17.7	16.5	17.2	16.5	17.3	16.8	16.8	16.7	16.9
-50	18.7	16.6	16.2	17.0	16.2	16.5	16.8	16.8	16.8	16.2	16.4
0	17.8	18.1	17.7	17.5	17.2	17.0	17.3	17.3	16.8	16.7	16.9
50	18.4	16.1	15.7	16.0	16.2	16.5	16.3	16.3	16.3	15.7	16.4
100	18	16.6	16.2	16.0	15.7	16.0	16.3	15.8	16.3	15.7	15.9
150	17.8	15.6	15.7	17.0	16.7	15.5	16.3	16.3	15.8	15.7	15.4
200	17.7	16.6	16.7	16.0	15.7	15.5	15.8	16.3	15.8	16.2	16.4
250	18	15.6	15.2	16.5	16.7	15.0	16.3	16.3	16.3	15.7	15.9
300	17.8	17.1	16.2	15.5	15.2	15.5	15.8	15.8	15.8	15.7	15.9
350	17.8	16.1	16.2	16.5	16.7	15.0	16.3	16.3	16.3	15.7	16.4
400	17.8	17.6	16.7	17.0	16.2	16.5	16.3	16.3	16.3	16.2	15.9
450	17.5	16.6	17.2	16.5	17.2	16.0	16.3	16.3	16.3	16.2	16.4
500	17.6	17.6	16.2	17.5	16.2	16.5	16.3	16.3	16.3	16.2	16.9
550	18.6	16.6	17.2	16.0	17.2	16.0	16.8	16.8	16.8	16.7	16.4
600	18.1	17.6	16.7	17.5	17.2	16.0	16.8	16.3	16.8	16.2	16.9
650	17.6	16.6	17.2	16.0	16.2	16.5	16.8	16.8	16.8	16.2	16.4
700	18.6	17.6	17.7	17.5	17.2	16.0	16.8	16.8	16.8	16.2	16.4
750	18.1	17.6	16.7	18.0	17.7	17.0	17.3	16.8	16.8	16.2	17.4
800	19.1	18.1	17.7	16.5	16.7	16.5	16.8	16.8	16.8	15.7	16.9
850	18.6	16.6	16.7	17.5	17.7	16.0	17.3	16.8	16.8	16.2	16.9
900	18.1	17.6	17.2	16.5	16.2	16.5	16.8	16.3	16.8	16.2	16.4
950	17.6	16.6	16.2	17.5	17.2	16.0	16.8	16.3	16.8	16.2	16.9



FC ID: FDI-0460000-0

'99.05.24

Offset Frequency $\Delta f$ (kHz)	Process Gain(dB)										
	1CH (2412MHz)	2CH (2417MHz)	3CH (2422MHz)	4CH (2427MHz)	5CH (2432MHz)	6CH (2437MHz)	7CH (2442MHz)	8CH (2447MHz)	9CH (2452MHz)	10CH (2457MHz)	11CH (2462MHz)
1000	18.1	17.6	17.2	16.5	17.2	16.5	16.3	16.3	16.3	16.2	16.4
1050	18.6	18.1	17.7	17.5	17.7	16.5	17.3	17.3	17.3	16.7	17.4
1100	18.1	17.1	18.2	18.5	18.2	17.0	17.3	17.8	17.3	17.2	16.9
1150	19.1	18.6	17.2	17.5	17.2	17.5	17.8	17.8	17.8	17.2	17.4
1200	18.6	18.1	18.7	19.0	18.7	17.5	17.8	18.3	18.3	17.7	18.9
1250	19.6	19.1	18.2	18.0	17.7	18.0	18.3	18.3	18.8	18.2	17.9
1300	19.6	19.6	19.2	19.5	19.2	18.5	18.8	18.8	19.3	18.7	19.4
1350	20.6	18.6	18.7	18.5	19.2	18.5	19.3	19.3	19.3	18.7	18.4
1400	20.1	20.1	19.7	19.5	19.7	18.0	18.8	18.8	18.8	18.2	19.9
1450	19.6	18.6	18.2	18.5	18.7	18.5	18.8	18.8	18.8	18.2	17.9
1500	20.1	19.1	19.2	19.0	19.2	18.0	18.3	18.3	18.3	18.2	18.9
1550	19.6	19.1	17.7	18.0	18.2	17.5	18.3	18.3	18.3	18.2	17.9
1600	19.1	18.1	18.7	19.0	19.2	18.0	18.8	18.3	18.8	18.2	18.9
1650	20.1	19.6	19.2	18.5	18.2	18.0	18.8	18.8	18.8	18.2	19.4
1700	19.6	18.1	18.2	19.5	18.7	17.5	18.8	18.8	18.3	18.2	18.4
1750	21.1	19.6	19.2	18.5	19.7	18.5	18.8	18.8	18.8	18.7	19.4
1800	20.1	18.6	18.2	19.5	18.2	18.0	18.8	18.8	19.3	18.7	18.4
1850	20.6	19.6	19.7	18.5	19.7	19.0	19.3	19.3	19.3	18.7	19.4
1900	21.1	20.1	18.7	19.5	18.7	18.5	19.3	19.3	19.3	18.7	19.9
1950	20.1	19.1	19.7	19.5	19.7	19.5	19.3	19.3	18.8	18.7	18.9
2000	21.1	20.1	18.7	18.5	18.7	19.0	19.3	18.8	19.3	18.7	19.9
2050	20.1	19.1	19.7	20.0	19.7	20.0	19.3	19.3	19.8	18.7	19.9
2100	21.1	20.1	19.7	19.0	19.7	19.0	19.8	19.8	19.8	19.7	19.9
2150	20.1	19.6	20.2	20.0	20.2	19.5	19.3	19.8	19.8	19.2	18.9
2200	21.6	20.6	19.2	19.0	19.2	19.0	19.8	19.8	19.8	19.2	20.4
2250	20.1	18.6	19.7	19.5	19.7	18.5	19.3	19.3	19.8	19.2	18.4
2300	21.1	19.6	18.2	18.5	18.2	19.5	19.3	19.3	18.8	18.7	19.4
2350	20.1	18.1	18.7	19.0	19.2	19.0	18.3	18.3	18.8	18.2	17.9
2400	19.6	19.1	17.7	18.0	18.2	18.5	18.8	18.3	18.3	18.2	19.4
2450	20.1	18.1	18.7	19.0	19.2	18.0	18.3	18.3	18.8	17.7	17.9
2500	19.6	19.1	17.7	18.0	18.2	17.5	18.8	18.3	18.8	18.2	19.4
2550	20.1	18.1	18.7	19.0	19.2	18.0	18.8	18.3	18.3	18.2	17.9
2600	19.6	18.1	17.2	17.5	17.2	17.5	17.8	17.3	18.3	17.7	18.9
2650	19.1	18.6	18.2	18.5	18.2	17.0	17.8	17.3	17.8	17.2	17.9
2700	18.6	17.6	17.2	17.0	16.7	17.0	17.3	17.3	17.8	17.2	18.4
2750	18.6	18.6	17.7	18.0	18.2	16.5	17.3	17.3	17.3	16.7	17.9
2800	18.1	17.1	16.7	16.5	16.7	16.0	16.8	17.3	16.3	16.2	17.4
2850	19.1	18.1	17.7	17.5	17.7	16.5	17.3	17.3	17.3	16.7	16.9

6 / 10



File ID: FBI-04620000-0

'99.05.24

Offset Frequency $\Delta f$ (kHz)	Process Gain(dB)										
	1CH (2412MHz)	2CH (2417MHz)	3CH (2422MHz)	4CH (2427MHz)	5CH (2432MHz)	6CH (2437MHz)	7CH (2442MHz)	8CH (2447MHz)	9CH (2452MHz)	10CH (2457MHz)	11CH (2462MHz)
2900	18.6	17.1	16.7	18.0	16.7	17.0	17.3	17.3	17.3	16.7	17.9
2950	18.1	17.6	16.7	16.5	17.7	16.5	16.3	16.8	16.3	16.7	17.4
3000	17.6	16.6	17.2	17.5	16.2	16.0	16.8	16.3	16.3	16.2	16.9
3050	17.6	16.6	15.7	16.0	16.7	16.0	16.8	16.3	16.3	16.2	16.4
3100	17.1	16.1	16.7	16.5	16.7	15.5	16.3	16.3	16.3	15.2	15.9
3150	17.1	16.6	15.2	15.0	15.2	16.0	15.8	15.3	15.8	15.7	16.4
3200	16.6	15.6	16.2	16.5	16.7	15.5	15.8	16.3	15.8	15.2	15.9
3250	17.6	16.6	15.2	16.5	15.2	15.0	16.3	16.3	16.3	16.2	15.4
3300	17.6	17.1	16.7	17.0	17.2	15.5	16.8	16.3	16.3	16.2	16.9
3350	17.6	16.6	17.2	16.0	16.2	16.0	16.3	16.3	16.8	16.2	16.4
3400	18.1	17.6	16.2	17.5	17.2	16.5	16.3	16.3	16.3	16.2	17.4
3450	17.6	16.6	17.2	16.5	16.2	16.0	16.3	16.8	16.8	16.2	16.9
3500	17.6	17.1	16.2	17.0	17.2	15.5	16.8	16.8	16.3	15.7	16.4
3550	18.6	17.6	17.2	17.5	16.2	16.0	16.8	16.8	16.8	16.2	16.9
3600	18.1	16.6	16.2	16.5	17.2	15.5	16.3	16.8	16.8	16.7	17.4
3650	17.6	17.6	17.7	17.5	17.2	16.0	16.8	16.8	16.8	16.2	16.9
3700	18.6	16.6	16.2	16.5	16.7	16.5	16.8	16.8	16.8	16.7	16.9
3750	18.1	18.1	17.7	17.5	17.7	16.5	16.8	16.8	16.3	16.7	16.9
3800	17.6	16.6	16.2	16.5	16.7	16.0	16.8	16.3	16.8	16.2	16.9
3850	18.6	18.1	17.7	18.0	17.7	17.0	17.3	17.3	17.3	16.7	17.4
3900	18.1	17.1	18.2	17.0	18.2	17.5	17.3	17.3	17.3	17.2	17.4
3950	19.1	18.1	16.7	18.5	17.2	17.5	17.8	17.8	17.8	17.7	18.4
4000	19.6	18.6	18.7	18.0	18.7	17.0	18.3	17.8	18.3	17.7	18.9
4050	20.1	19.6	19.2	19.5	19.2	19.0	18.8	18.8	19.3	18.7	19.4
4100	21.1	19.6	19.7	19.5	19.7	18.5	19.3	19.3	19.3	18.7	18.9
4150	20.1	20.1	18.7	19.5	18.7	19.5	19.3	19.3	19.3	19.2	19.9
4200	21.1	19.6	20.2	20.0	20.2	20.0	19.8	19.8	19.8	19.2	20.4
4250	20.1	20.6	19.2	20.0	19.2	19.0	19.8	19.8	19.8	19.7	18.9
4300	21.6	19.6	20.2	20.5	20.2	20.5	20.3	19.8	19.8	19.7	20.4
4350	20.1	20.6	20.2	19.5	20.2	19.5	20.3	20.3	20.3	20.2	20.4
4400	21.6	21.1	20.7	21.0	20.7	20.5	20.3	20.3	20.3	19.7	20.9
4450	20.1	19.6	19.7	19.5	19.7	19.5	20.3	19.8	20.3	19.7	19.9
4500	21.6	20.6	20.7	20.5	20.7	20.5	19.8	20.3	19.8	19.2	20.9
4550	20.1	19.6	19.2	19.5	19.7	19.5	19.8	19.8	20.3	19.7	19.4
4600	21.6	20.6	20.2	20.5	20.2	19.5	19.3	19.8	19.8	19.2	20.4
4650	20.1	19.1	18.7	18.5	19.2	20.0	19.3	19.3	19.3	19.2	18.9
4700	21.1	20.1	19.7	19.5	18.7	19.0	18.8	19.3	19.3	18.7	20.4
4750	20.1	18.6	18.7	20.0	20.2	20.0	18.8	19.3	19.8	18.7	18.9

7 / 10



Fcc ID: FDI-0460000-0

'99.05.24

Offset Frequency $\Delta f$ (kHz)	Process Gain(dB)										
	1CH (2412MHz)	2CH (2417MHz)	3CH (2422MHz)	4CH (2427MHz)	5CH (2432MHz)	6CH (2437MHz)	7CH (2442MHz)	8CH (2447MHz)	9CH (2452MHz)	10CH (2457MHz)	11CH (2462MHz)
4800	21.1	19.6	20.2	19.0	18.7	19.0	19.3	18.8	18.8	18.2	19.9
4850	20.1	20.1	18.2	20.0	19.7	20.0	19.3	19.3	18.8	18.2	18.9
4900	21.6	20.1	20.2	19.5	20.2	19.0	19.3	19.3	19.8	18.7	20.4
4950	20.1	20.6	19.2	20.5	19.2	20.0	19.8	19.8	19.8	19.7	19.4
5000	21.6	19.6	20.2	19.5	20.2	19.5	19.8	19.8	19.8	19.7	20.4
5050	20.6	21.1	20.7	20.5	20.7	21.0	20.3	20.3	20.3	20.2	20.9
5100	21.6	20.1	19.2	19.5	19.7	19.0	20.3	20.3	20.3	20.2	19.4
5150	20.6	21.1	20.7	20.5	20.7	20.0	20.3	20.3	20.3	20.2	20.4
5200	22.1	20.1	19.7	20.5	19.7	20.0	20.3	20.3	20.3	19.7	20.9
5250	20.1	21.1	20.7	19.5	20.7	20.5	20.3	20.3	20.3	19.7	20.4
5300	22.1	20.1	19.7	20.5	19.7	20.5	20.3	20.3	19.8	19.7	20.9
5350	20.1	21.1	20.7	19.5	20.7	19.5	20.3	20.3	20.3	19.7	19.9
5400	22.1	19.6	19.2	20.5	19.7	20.5	20.3	20.3	20.3	19.7	19.9
5450	20.1	20.6	20.2	19.0	20.2	19.0	19.8	19.8	19.8	19.2	20.4
5500	21.1	19.1	18.7	20.0	19.2	20.0	19.8	19.8	19.8	19.2	19.4
5550	20.1	20.1	19.7	18.5	19.7	19.0	19.3	19.3	19.8	18.7	20.4
5600	20.6	18.6	18.2	19.5	18.7	19.5	19.3	19.3	19.3	18.7	18.9
5650	20.1	19.6	19.2	18.0	19.2	19.0	18.8	18.8	18.8	18.2	19.4
5700	19.6	18.6	17.7	19.0	17.7	18.5	18.8	18.8	18.3	18.2	18.4
5750	20.1	19.1	19.2	19.0	18.7	19.0	18.8	18.3	18.3	18.2	18.9
5800	19.6	18.1	17.7	17.5	17.2	18.5	18.3	18.3	18.3	16.7	17.9
5850	19.1	18.6	18.7	18.5	18.7	18.0	18.3	18.3	17.8	17.2	18.9
5900	18.6	17.6	16.7	17.5	17.2	17.5	17.8	17.8	17.3	17.2	17.4
5950	19.6	18.6	17.7	18.0	18.2	17.0	17.3	17.8	17.3	17.2	17.9
6000	19.1	17.1	16.7	16.5	17.2	16.5	17.3	17.3	17.3	16.7	16.9
6050	18.6	18.1	17.7	18.0	18.2	17.0	17.3	17.3	17.3	16.7	17.9
6100	18.1	17.1	16.7	16.5	17.2	16.5	17.3	17.3	17.3	17.2	17.4
6150	18.1	18.1	17.7	18.0	17.7	17.0	17.3	17.3	17.3	16.2	16.9
6200	18.6	17.1	17.7	17.0	18.2	16.5	17.3	17.3	16.8	16.7	17.4
6250	18.1	17.6	16.7	18.0	16.7	16.0	17.3	17.3	17.3	16.7	16.9
6300	19.1	18.6	18.2	18.5	18.2	15.5	17.8	17.8	17.8	17.2	18.4
6350	18.6	17.1	17.2	17.5	17.2	18.0	17.8	17.3	17.8	17.2	17.9
6400	19.6	18.6	18.7	18.5	18.7	17.5	17.8	17.8	18.3	17.2	18.9
6450	19.1	19.1	17.7	17.5	17.7	17.5	18.3	18.3	18.3	17.2	17.9
6500	19.6	18.1	18.7	19.0	19.2	18.5	18.3	18.3	18.3	17.7	18.9
6550	19.6	19.6	19.2	19.5	19.7	18.5	18.8	18.8	18.8	18.2	19.4
6600	20.6	20.1	19.7	19.5	18.7	18.0	19.3	19.3	19.3	18.7	19.9
6650	20.1	19.1	19.7	20.0	20.2	19.5	19.3	19.3	19.3	19.2	19.4



Fcc ID : FDI-0460000-0

99.05.24

Offset Frequency $\Delta f$ (kHz)	Process Gain(dB)										
	1CH (2412MHz)	2CH (2417MHz)	3CH (2422MHz)	4CH (2427MHz)	5CH (2432MHz)	6CH (2437MHz)	7CH (2442MHz)	8CH (2447MHz)	9CH (2452MHz)	10CH (2457MHz)	11CH (2462MHz)
6700	21.6	20.1	20.2	20.0	19.2	20.5	19.8	19.8	19.3	19.2	20.4
6750	20.1	20.6	20.7	20.5	20.7	19.0	19.8	19.8	20.3	19.7	20.4
6800	22.1	20.6	19.7	20.5	19.7	20.0	19.8	19.8	19.8	19.2	20.4
6850	20.1	21.1	20.7	21.0	20.7	19.0	20.3	20.3	19.8	19.7	20.9
6900	22.1	20.1	20.2	20.0	21.2	20.5	20.3	20.3	20.3	19.7	21.4
6950	20.6	21.1	20.2	20.5	19.7	19.5	20.8	20.3	20.3	20.2	19.9
7000	22.1	20.6	21.2	21.0	21.2	20.5	20.3	19.8	20.3	19.7	20.4
7050	20.6	21.6	20.2	20.5	21.2	20.5	20.3	20.3	20.8	20.2	21.4
7100	21.6	20.6	21.2	21.5	21.7	19.0	20.8	21.3	20.8	20.2	19.9
7150	22.6	21.6	21.7	20.5	20.7	20.5	20.8	20.8	20.8	20.7	20.9
7200	21.1	21.6	20.7	22.0	21.7	20.0	20.8	20.8	21.3	20.7	21.4
7250	23.1	21.1	21.7	21.0	21.2	19.0	21.8	21.3	21.3	21.2	20.4
7300	21.6	22.6	22.2	22.0	22.2	21.0	21.8	21.8	21.8	21.2	21.9
7350	23.6	21.6	21.2	22.5	22.2	21.5	21.8	21.8	21.8	21.2	22.4
7400	22.1	22.6	22.7	22.0	22.7	21.5	22.3	21.8	21.8	21.7	22.9
7450	24.1	22.6	21.2	22.5	21.7	21.0	22.3	22.3	22.3	21.7	21.4
7500	22.6	23.1	22.7	23.0	22.7	22.0	22.3	22.3	22.3	21.7	22.9
7550	24.6	22.1	22.2	22.0	23.2	21.0	22.3	22.3	22.8	22.2	21.9
7600	22.6	23.6	23.2	23.5	22.2	22.5	22.3	22.3	22.8	22.2	23.4
7650	24.1	22.1	21.7	22.0	23.2	21.0	22.3	22.8	22.8	22.2	22.4
7700	22.6	23.1	23.2	23.0	22.2	22.5	22.3	22.3	22.3	22.2	23.4
7750	24.1	22.6	22.2	22.5	23.2	22.5	22.3	22.3	22.3	21.2	21.9
7800	22.1	23.1	22.7	23.0	21.7	21.0	22.3	22.3	22.3	21.7	22.9
7850	23.6	22.1	21.7	22.0	22.7	21.5	22.3	22.3	22.3	21.7	21.9
7900	23.1	23.1	22.7	23.0	23.2	21.5	22.3	22.3	22.3	21.7	22.9
7950	24.1	21.6	21.2	21.5	21.7	20.0	21.8	21.8	21.8	21.2	21.4
8000	22.1	22.6	22.7	22.5	22.7	21.5	21.8	21.8	21.8	21.2	22.9
8050	23.6	22.6	21.7	21.5	21.7	20.0	21.8	21.8	21.8	20.7	21.4
8100	22.1	21.6	22.2	22.5	22.7	21.0	21.8	21.8	21.8	20.7	21.9
8150	23.6	22.1	21.2	21.5	21.2	20.0	21.3	21.3	21.3	20.7	20.9
8200	22.1	21.6	22.2	22.5	22.2	21.0	21.3	21.3	21.3	20.7	21.9
8250	23.1	22.6	21.2	21.0	21.2	19.0	21.8	21.3	21.3	21.2	20.9
8300	21.6	21.6	21.7	22.5	22.2	20.5	21.8	21.8	21.3	21.2	21.9
8350	23.6	22.6	22.2	21.0	21.2	21.0	21.8	21.3	21.3	21.2	22.4
8400	22.1	21.6	21.2	22.5	22.7	20.5	21.8	21.8	21.8	21.2	21.9
8450	23.6	22.6	22.2	21.5	21.2	21.5	21.8	21.8	21.8	21.2	22.4
8500	23.5	22.6	22.2	22.0	21.7	21.5	21.3	21.3	21.3	21.2	21.3
max	27.6	26.6	26.2	26.0	26.2	26.5	26.8	26.3	26.3	26.2	26.4



Fcc ID : FPI-0460000-0

99.05.24

Offset Frequency $\Delta f$ (kHz)	Process Gain(dB)										
	1CH (2412MHz)	2CH (2417MHz)	3CH (2422MHz)	4CH (2427MHz)	5CH (2432MHz)	6CH (2437MHz)	7CH (2442MHz)	8CH (2447MHz)	9CH (2452MHz)	10CH (2457MHz)	11CH (2462MHz)
min	16.6	15.6	15.2	15.0	15.2	15.0	15.8	15.3	15.8	15.2	15.4