


1CH(2412MHz) The minimum processing gain with 20% worst points removed is 19.0dB

(kHz)	Signal (dBm)	Jummer (dBm)	PG(dB)	J/S(dB)
-8500	-50.0	-43.0	25.6	7
-8450	-50.0	-41.0	27.6	9
-8400	-50.0	-43.5	25.1	6.5
-8350	-50.0	-42.0	26.6	8.0
-8300	-50.0	-44.0	24.6	6.0
-8250	-50.0	-42.5	26.1	7.5
-8200	-50.0	-44.5	24.1	5.5
-8150	-50.0	-43.0	25.6	7.0
-8100	-50.0	-44.5	24.1	5.5
-8050	-50.0	-43.0	25.6	7.0
-8000	-50.0	-45.0	23.6	5.0
-7950	-50.0	-43.5	25.1	6.5
-7900	-50.0	-45.0	23.6	5.0
-7850	-50.0	-44.5	24.1	5.5
-7800	-50.0	-46.0	22.6	4.0
-7750	-50.0	-44.5	24.1	5.5
-7700	-50.0	-47.0	21.6	3.0
-7650	-50.0	-45.0	23.6	5.0
-7600	-50.0	-47.0	21.6	3.0
-7550	-50.0	-45.5	23.1	4.5
-7500	-50.0	-47.5	21.1	2.5
-7450	-50.0	-45.5	23.1	4.5
-7400	-50.0	-47.5	21.1	2.5
-7350	-50.0	-46.0	22.6	4.0
-7300	-50.0	-47.5	21.1	2.5
-7250	-50.0	-46.0	22.6	4.0
-7200	-50.0	-48.0	20.6	2.0
-7150	-50.0	-46.5	22.1	3.5
-7100	-50.0	-48.5	20.1	1.5
-7050	-50.0	-46.5	22.1	3.5
-7000	-50.0	-48.0	20.6	2.0
-6950	-50.0	-46.5	22.1	3.5
-6900	-50.0	-48.0	20.6	2.0
-6850	-50.0	-46.0	22.6	4.0
-6800	-50.0	-48.0	20.6	2.0
-6750	-50.0	-46.0	22.6	4.0
-6700	-50.0	-47.5	21.1	2.5
-6650	-50.0	-45.5	23.1	4.5
-6600	-50.0	-47.5	21.1	2.5
-6550	-50.0	-45.5	23.1	4.5
-6500	-50.0	-47.5	21.1	2.5
-6450	-50.0	-45.5	23.1	4.5
-6400	-50.0	-47.0	21.6	3.0
-6350	-50.0	-46.0	22.6	4.0
-6300	-50.0	-47.5	21.1	2.5
-6250	-50.0	-45.5	23.1	4.5
-6200	-50.0	-47.5	21.1	2.5
-6150	-50.0	-45.5	23.1	4.5
-6100	-50.0	-47.5	21.1	2.5
-6050	-50.0	-45.5	23.1	4.5
-6000	-50.0	-47.0	21.6	3.0
-5950	-50.0	-45.5	23.1	4.5



-5900	-50.0	-47.0	21.6	3.0
-5850	-50.0	-45.5	23.1	4.5
-5800	-50.0	-47.0	21.6	3.0
-5750	-50.0	-45.0	23.6	5.0
-5700	-50.0	-47.0	21.6	3.0
-5650	-50.0	-45.0	23.6	5.0
-5600	-50.0	-47.0	21.6	3.0
-5550	-50.0	-45.5	23.1	4.5
-5500	-50.0	-47.0	21.6	3.0
-5450	-50.0	-45.5	23.1	4.5
-5400	-50.0	-47.0	21.6	3.0
-5350	-50.0	-46.0	22.6	4.0
-5300	-50.0	-47.5	21.1	2.5
-5250	-50.0	-46.0	22.6	4.0
-5200	-50.0	-48.0	20.6	2.0
-5150	-50.0	-47.0	21.6	3.0
-5100	-50.0	-48.5	20.1	1.5
-5050	-50.0	-47.0	21.6	3.0
-5000	-50.0	-48.5	20.1	1.5
-4950	-50.0	-48.5	20.1	1.5
-4900	-50.0	-49.0	19.6	1.0
-4850	-50.0	-49.5	19.1	0.5
-4800	-50.0	-48.5	20.1	1.5
-4750	-50.0	-49.0	19.6	1.0
-4700	-50.0	-49.5	19.1	0.5
-4650	-50.0	-50.0	18.6	0.0
-4600	-50.0	-48.5	20.1	1.5
-4550	-50.0	-49.0	19.6	1.0
-4500	-50.0	-49.5	19.1	0.5
-4450	-50.0	-48.0	20.6	2.0
-4400	-50.0	-48.5	20.1	1.5
-4350	-50.0	-48.0	20.6	2.0
-4300	-50.0	-48.5	20.1	1.5
-4250	-50.0	-47.5	21.1	2.5
-4200	-50.0	-48.5	20.1	1.5
-4150	-50.0	-48.0	20.6	2.0
-4100	-50.0	-47.5	21.1	2.5
-4050	-50.0	-48.5	20.1	1.5
-4000	-50.0	-47.5	21.1	2.5
-3950	-50.0	-48.5	20.1	1.5
-3900	-50.0	-47.5	21.1	2.5
-3850	-50.0	-48.5	20.1	1.5
-3800	-50.0	-47.5	21.1	2.5
-3750	-50.0	-48.5	20.1	1.5
-3700	-50.0	-46.5	22.1	3.5
-3650	-50.0	-48.5	20.1	1.5
-3600	-50.0	-47.0	21.6	3.0
-3550	-50.0	-47.5	21.1	2.5
-3500	-50.0	-47.4	21.2	2.6
-3450	-50.0	-47.1	21.5	2.9
-3400	-50.0	-47.0	21.6	3.0
-3350	-50.0	-47.2	21.4	2.8
-3300	-50.0	-47.3	21.3	2.7
-3250	-50.0	-47.4	21.2	2.6

-3200	-50.0	-47.5	21.1	2.5
-3150	-50.0	-48.1	20.5	1.9
-3100	-50.0	-48.2	20.4	1.8
-3050	-50.0	-47.9	20.7	2.1
-3000	-50.0	-48.6	20.0	1.4
-2950	-50.0	-48.4	20.2	1.6
-2900	-50.0	-48.5	20.1	1.5
-2850	-50.0	-48.9	19.7	1.1
-2800	-50.0	-49.0	19.6	1.0
-2750	-50.0	-49.4	19.2	0.6
-2700	-50.0	-49.1	19.5	0.9
-2650	-50.0	-49.4	19.2	0.6
-2600	-50.0	-49.5	19.1	0.5
-2550	-50.0	-49.4	19.2	0.6
-2500	-50.0	-49.7	18.9	0.3
-2450	-50.0	-49.7	18.9	0.3
-2400	-50.0	-49.8	18.8	0.2
-2350	-50.0	-49.8	18.8	0.2
-2300	-50.0	-49.5	19.1	0.5
-2250	-50.0	-49.5	19.1	0.5
-2200	-50.0	-49.5	19.1	0.5
-2150	-50.0	-49.6	19.0	0.4
-2100	-50.0	-49.8	18.8	0.2
-2050	-50.0	-49.7	18.9	0.3
-2000	-50.0	-49.5	19.1	0.5
-1950	-50.0	-50.0	18.6	0.0
-1900	-50.0	-50.0	18.6	0.0
-1850	-50.0	-50.5	18.1	-0.5
-1800	-50.0	-49.5	19.1	0.5
-1750	-50.0	-50.0	18.6	0.0
-1700	-50.0	-49.0	19.6	1.0
-1650	-50.0	-49.5	19.1	0.5
-1600	-50.0	-50.0	18.6	0.0
-1550	-50.0	-48.5	20.1	1.5
-1500	-50.0	-49.0	19.6	1.0
-1450	-50.0	-48.0	20.6	2.0
-1400	-50.0	-48.5	20.1	1.5
-1350	-50.0	-47.0	21.6	3.0
-1300	-50.0	-48.5	20.1	1.5
-1250	-50.0	-47.5	21.1	2.5
-1200	-50.0	-48.5	20.1	1.5
-1150	-50.0	-47.5	21.1	2.5
-1100	-50.0	-48.5	20.1	1.5
-1050	-50.0	-47.5	21.1	2.5
-1000	-50.0	-48.5	20.1	1.5
-950	-50.0	-47.5	21.1	2.5
-900	-50.0	-48.5	20.1	1.5
-850	-50.0	-48.5	20.1	1.5
-800	-50.0	-49.0	19.6	1.0
-750	-50.0	-49.5	19.1	0.5
-700	-50.0	-48.5	20.1	1.5
-650	-50.0	-49.0	19.6	1.0
-600	-50.0	-48.0	20.6	2.0
-550	-50.0	-48.5	20.1	1.5


-500	-50.0	-47.9	20.7	2.1
-450	-50.0	-47.5	21.1	2.5
-400	-50.0	-47.9	20.7	2.1
-350	-50.0	-48.2	20.4	1.8
-300	-50.0	-48.5	20.1	1.5
-250	-50.0	-49.0	19.6	1.0
-200	-50.0	-49.4	19.2	0.6
-150	-50.0	-49.6	19.0	0.4
-100	-50.0	-49.8	18.8	0.2
-50	-50.0	-49.9	18.7	0.1
0	-50.0	-50.8	17.8	-0.8
50	-50.0	-50.2	18.4	-0.2
100	-50.0	-50.6	18.0	-0.6
150	-50.0	-50.8	17.8	-0.8
200	-50.0	-50.9	17.7	-0.9
250	-50.0	-50.6	18.0	-0.6
300	-50.0	-50.8	17.8	-0.8
350	-50.0	-50.8	17.8	-0.8
400	-50.0	-50.8	17.8	-0.8
450	-50.0	-51.1	17.5	-1.1
500	-50.0	-51.0	17.6	-1.0
550	-50.0	-50.0	18.6	0.0
600	-50.0	-50.5	18.1	-0.5
650	-50.0	-51.0	17.6	-1.0
700	-50.0	-50.0	18.6	0.0
750	-50.0	-50.5	18.1	-0.5
800	-50.0	-49.5	19.1	0.5
850	-50.0	-50.0	18.6	0.0
900	-50.0	-50.5	18.1	-0.5
950	-50.0	-51.0	17.6	-1.0
1000	-50.0	-50.5	18.1	-0.5
1050	-50.0	-50.0	18.6	0.0
1100	-50.0	-50.5	18.1	-0.5
1150	-50.0	-49.5	19.1	0.5
1200	-50.0	-50.0	18.6	0.0
1250	-50.0	-49.0	19.6	1.0
1300	-50.0	-49.0	19.6	1.0
1350	-50.0	-48.0	20.6	2.0
1400	-50.0	-48.5	20.1	1.5
1450	-50.0	-49.0	19.6	1.0
1500	-50.0	-48.5	20.1	1.5
1550	-50.0	-49.0	19.6	1.0
1600	-50.0	-49.5	19.1	0.5
1650	-50.0	-48.5	20.1	1.5
1700	-50.0	-49.0	19.6	1.0
1750	-50.0	-47.5	21.1	2.5
1800	-50.0	-48.5	20.1	1.5
1850	-50.0	-48.0	20.6	2.0
1900	-50.0	-47.5	21.1	2.5
1950	-50.0	-48.5	20.1	1.5
2000	-50.0	-47.5	21.1	2.5
2050	-50.0	-48.5	20.1	1.5
2100	-50.0	-47.5	21.1	2.5
2150	-50.0	-48.5	20.1	1.5

2200	-50.0	-47.0	21.6	3.0
2250	-50.0	-48.5	20.1	1.5
2300	-50.0	-47.5	21.1	2.5
2350	-50.0	-48.5	20.1	1.5
2400	-50.0	-49.0	19.6	1.0
2450	-50.0	-48.5	20.1	1.5
2500	-50.0	-49.0	19.6	1.0
2550	-50.0	-48.5	20.1	1.5
2600	-50.0	-49.0	19.6	1.0
2650	-50.0	-49.5	19.1	0.5
2700	-50.0	-50.0	18.6	0.0
2750	-50.0	-50.0	18.6	0.0
2800	-50.0	-50.5	18.1	-0.5
2850	-50.0	-49.5	19.1	0.5
2900	-50.0	-50.0	18.6	0.0
2950	-50.0	-50.5	18.1	-0.5
3000	-50.0	-51.0	17.6	-1.0
3050	-50.0	-51.0	17.6	-1.0
3100	-50.0	-51.5	17.1	-1.5
3150	-50.0	-51.5	17.1	-1.5
3200	-50.0	-52.0	16.6	-2.0
3250	-50.0	-51.0	17.6	-1.0
3300	-50.0	-51.0	17.6	-1.0
3350	-50.0	-51.0	17.6	-1.0
3400	-50.0	-50.5	18.1	-0.5
3450	-50.0	-51.0	17.6	-1.0
3500	-50.0	-51.0	17.6	-1.0
3550	-50.0	-50.0	18.6	0.0
3600	-50.0	-50.5	18.1	-0.5
3650	-50.0	-51.0	17.6	-1.0
3700	-50.0	-50.0	18.6	0.0
3750	-50.0	-50.5	18.1	-0.5
3800	-50.0	-51.0	17.6	-1.0
3850	-50.0	-50.0	18.6	0.0
3900	-50.0	-50.5	18.1	-0.5
3950	-50.0	-49.5	19.1	0.5
4000	-50.0	-49.0	19.6	1.0
4050	-50.0	-48.5	20.1	1.5
4100	-50.0	-47.5	21.1	2.5
4150	-50.0	-48.5	20.1	1.5
4200	-50.0	-47.5	21.1	2.5
4250	-50.0	-48.5	20.1	1.5
4300	-50.0	-47.0	21.6	3.0
4350	-50.0	-48.5	20.1	1.5
4400	-50.0	-47.0	21.6	3.0
4450	-50.0	-48.5	20.1	1.5
4500	-50.0	-47.0	21.6	3.0
4550	-50.0	-48.5	20.1	1.5
4600	-50.0	-47.0	21.6	3.0
4650	-50.0	-48.5	20.1	1.5
4700	-50.0	-47.5	21.1	2.5
4750	-50.0	-48.5	20.1	1.5
4800	-50.0	-47.5	21.1	2.5
4850	-50.0	-48.5	20.1	1.5

4900	-50.0	-47.0	21.6	3.0
4950	-50.0	-48.5	20.1	1.5
5000	-50.0	-47.0	21.6	3.0
5050	-50.0	-48.0	20.6	2.0
5100	-50.0	-47.0	21.6	3.0
5150	-50.0	-48.0	20.6	2.0
5200	-50.0	-46.5	22.1	3.5
5250	-50.0	-48.5	20.1	1.5
5300	-50.0	-46.5	22.1	3.5
5350	-50.0	-48.5	20.1	1.5
5400	-50.0	-46.5	22.1	3.5
5450	-50.0	-48.5	20.1	1.5
5500	-50.0	-47.5	21.1	2.5
5550	-50.0	-48.5	20.1	1.5
5600	-50.0	-48.0	20.6	2.0
5650	-50.0	-48.5	20.1	1.5
5700	-50.0	-49.0	19.6	1.0
5750	-50.0	-48.5	20.1	1.5
5800	-50.0	-49.0	19.6	1.0
5850	-50.0	-49.5	19.1	0.5
5900	-50.0	-50.0	18.6	0.0
5950	-50.0	-49.0	19.6	1.0
6000	-50.0	-49.5	19.1	0.5
6050	-50.0	-50.0	18.6	0.0
6100	-50.0	-50.5	18.1	-0.5
6150	-50.0	-50.5	18.1	-0.5
6200	-50.0	-50.0	18.6	0.0
6250	-50.0	-50.5	18.1	-0.5
6300	-50.0	-49.5	19.1	0.5
6350	-50.0	-50.0	18.6	0.0
6400	-50.0	-49.0	19.6	1.0
6450	-50.0	-49.5	19.1	0.5
6500	-50.0	-49.0	19.6	1.0
6550	-50.0	-49.0	19.6	1.0
6600	-50.0	-48.0	20.6	2.0
6650	-50.0	-48.5	20.1	1.5
6700	-50.0	-47.0	21.6	3.0
6750	-50.0	-48.5	20.1	1.5
6800	-50.0	-46.5	22.1	3.5
6850	-50.0	-48.5	20.1	1.5
6900	-50.0	-46.5	22.1	3.5
6950	-50.0	-48.0	20.6	2.0
7000	-50.0	-46.5	22.1	3.5
7050	-50.0	-48.0	20.6	2.0
7100	-50.0	-47.0	21.6	3.0
7150	-50.0	-46.0	22.6	4.0
7200	-50.0	-47.5	21.1	2.5
7250	-50.0	-45.5	23.1	4.5
7300	-50.0	-47.0	21.6	3.0
7350	-50.0	-45.0	23.6	5.0
7400	-50.0	-46.5	22.1	3.5
7450	-50.0	-44.5	24.1	5.5
7500	-50.0	-46.0	22.6	4.0
7550	-50.0	-44.0	24.6	6.0

7600	-50.0	-46.0	22.6	4.0
7650	-50.0	-44.5	24.1	5.5
7700	-50.0	-46.0	22.6	4.0
7750	-50.0	-44.5	24.1	5.5
7800	-50.0	-46.5	22.1	3.5
7850	-50.0	-45.0	23.6	5.0
7900	-50.0	-45.5	23.1	4.5
7950	-50.0	-44.5	24.1	5.5
8000	-50.0	-46.5	22.1	3.5
8050	-50.0	-45.0	23.6	5.0
8100	-50.0	-46.5	22.1	3.5
8150	-50.0	-45.0	23.6	5.0
8200	-50.0	-46.5	22.1	3.5
8250	-50.0	-45.5	23.1	4.5
8300	-50.0	-47.0	21.6	3.0
8350	-50.0	-45.0	23.6	5.0
8400	-50.0	-46.5	22.1	3.5
8450	-50.0	-45.0	23.6	5.0
8500	-50.0	-45.1	23.5	4.9

n at channel 1 with CW



frequency offset in kHz













