


Offset frequency (kHz)	Fr	Process Gain(dB)	
		1CH	(2412MHz)
-8500		27.2	
-8450		27.1	
-8400		27.0	
-8350		26.7	
-8300		26.5	
-8250		26.2	
-8200		25.9	
-8150		25.5	
-8100		25.2	
-8050		25.2	
-8000		25.1	
-7950		24.8	
-7900		24.6	
-7850		23.0	
-7800		22.8	
-7750		22.7	
-7700		22.0	
-7650		21.9	
-7600		21.6	
-7550		21.0	
-7500		21.0	
-7450		20.7	
-7400		20.5	
-7350		20.4	
-7300		20.1	
-7250		20.1	
-7200		19.9	
-7150		20.2	
-7100		20.0	
-7050		20.2	



-7000	20.4
-6950	20.4
-6900	20.4
-6850	20.5
-6800	20.5
-6750	20.5
-6700	20.5
-6650	20.4
-6600	20.4
-6550	20.2
-6500	20.1
-6450	20.1
-6400	20.1
-6350	20.1
-6300	20.1
-6250	20.1
-6200	20.2
-6150	20.1
-6100	20.3
-6050	20.4
-6000	20.6
-5950	20.6
-5900	20.7
-5850	21.0
-5800	21.0
-5750	21.2
-5700	21.5
-5650	21.6
-5600	23.2
-5550	22.8
-5500	21.7
-5450	22.2
-5400	22.2
-5350	21.8
-5300	21.5

-5250	20.8
-5200	20.5
-5150	19.7
-5100	18.9
-5050	18.8
-5000	18.5
-4950	18.1
-4900	17.9
-4850	17.8
-4800	17.7
-4750	17.6
-4700	17.8
-4650	17.8
-4600	18.0
-4550	18.1
-4500	18.1
-4450	18.7
-4400	18.7
-4350	19.1
-4300	19.0
-4250	19.0
-4200	19.1
-4150	19.0
-4100	18.8
-4050	18.8
-4000	18.6
-3950	18.7
-3900	18.7
-3850	18.7
-3800	18.8
-3750	18.9
-3700	19.1
-3650	19.1
-3600	19.5
-3550	19.4

-3500	19.4
-3450	19.7
-3400	19.7
-3350	19.6
-3300	19.6
-3250	19.5
-3200	19.7
-3150	19.6
-3100	19.4
-3050	19.3
-3000	19.5
-2950	19.4
-2900	19.2
-2850	18.7
-2800	18.6
-2750	18.4
-2700	18.5
-2650	18.5
-2600	18.4
-2550	18.3
-2500	18.8
-2450	18.7
-2400	18.7
-2350	18.7
-2300	18.6
-2250	18.5
-2200	18.7
-2150	18.5
-2100	18.5
-2050	18.4
-2000	18.4
-1950	18.4
-1900	18.4
-1850	18.0
-1800	18.1

-1750	18.1
-1700	18.1
-1650	18.6
-1600	18.8
-1550	18.7
-1500	19.3
-1450	19.5
-1400	19.6
-1350	20.0
-1300	20.0
-1250	19.9
-1200	20.1
-1150	20.1
-1100	20.4
-1050	20.2
-1000	20.1
-950	20.1
-900	20.0
-850	19.9
-800	20.0
-750	19.9
-700	19.6
-650	19.7
-600	20.0
-550	19.9
-500	19.8
-450	20.5
-400	20.4
-350	20.1
-300	19.7
-250	19.5
-200	19.2
-150	18.7
-100	17.5
-50	17.1

0	16.8
50	17.2
100	17.6
150	17.9
200	18.2
250	18.1
300	18.0
350	18.7
400	18.8
450	17.7
500	17.9
550	17.8
600	17.5
650	17.4
700	17.6
750	18.0
800	18.0
850	18.4
900	18.3
950	18.4
1000	18.4
1050	18.9
1100	18.9
1150	18.7
1200	18.9
1250	19.1
1300	19.1
1350	19.4
1400	19.7
1450	19.5
1500	19.2
1550	19.3
1600	19.1
1650	19.2
1700	19.4

1750	19.3
1800	19.5
1850	19.8
1900	20.1
1950	19.9
2000	20.1
2050	20.2
2100	19.9
2150	19.9
2200	19.7
2250	19.6
2300	19.7
2350	19.4
2400	19.3
2450	19.2
2500	18.5
2550	18.3
2600	18.0
2650	17.7
2700	17.5
2750	17.5
2800	17.6
2850	17.5
2900	17.5
2950	17.3
3000	17.2
3050	16.9
3100	16.8
3150	16.9
3200	16.8
3250	16.8
3300	17.1
3350	17.0
3400	17.5
3450	17.1

3500	17.3
3550	17.2
3600	17.2
3650	17.3
3700	17.3
3750	17.3
3800	17.3
3850	17.7
3900	17.8
3950	18.1
4000	18.4
4050	18.4
4100	18.5
4150	19.0
4200	19.1
4250	19.5
4300	20.0
4350	19.7
4400	19.6
4450	19.5
4500	19.4
4550	19.1
4600	19.0
4650	18.8
4700	18.8
4750	18.8
4800	18.8
4850	18.7
4900	18.9
4950	19.2
5000	19.3
5050	19.5
5100	19.8
5150	20.3
5200	20.5

5250	20.7
5300	20.8
5350	21.4
5400	21.2
5450	20.9
5500	20.6
5550	20.6
5600	20.4
5650	19.6
5700	19.1
5750	18.5
5800	17.9
5850	17.6
5900	17.3
5950	17.3
6000	17.1
6050	16.9
6100	16.7
6150	16.7
6200	16.7
6250	16.9
6300	17.1
6350	17.3
6400	17.5
6450	17.8
6500	18.1
6550	18.3
6600	18.8
6650	19.1
6700	19.4
6750	19.7
6800	20.0
6850	20.3
6900	20.4
6950	20.4

7000	20.2
7050	20.5
7100	20.5
7150	20.6
7200	20.8
7250	20.7
7300	21.2
7350	21.1
7400	21.6
7450	21.8
7500	21.9
7550	22.2
7600	22.3
7650	22.4
7700	22.4
7750	22.4
7800	22.7
7850	22.7
7900	22.7
7950	22.7
8000	22.1
8050	22.1
8100	22.1
8150	21.9
8200	21.9
8250	22.0
8300	21.9
8350	22.0
8400	22.0
8450	21.9
8500	21.9
max	27.2
min	16.7

'99.07.27

