



American Telecommunications Certification Body Inc.  
6731 Whittier Ave, McLean, VA 22101

November 21, 2004

RE: FCC ID: FDI-09101825-0\_ATCB001915  
Attention: Eric Lin

I have a few comments on this Application. Please note that further comments may arise in response to answers provided to the questions below.

1. FYI – Please note that your FCC DoC label is not correct. It should be changed to reflect the most current FCC DoC label requirements of 15.19b.
2. FYI – Please note that the limits for 15.247 devices above 1 GHz are average limits. Consequently, while the peak must be below the 20 dB above average limit requirements, if only the peak reading was taken, then it MUST be compared to the average limit to show compliance. Peak readings that are not compared to the average limits (when no average reading is taken) have a 20dB error in the margins (see pages 19 through 24 of the report). Please compare your readings to the proper limits.
3. Please note that the serial number of the probe calibration data is for probe sn 1687. Please note that the SAR testing was performed using probe serial number 1686. Please retest using the proper serial number probe. Alternately, please provide the calibration data for the probe used.
4. Please show the serial number on the validation plot for the dipole kit used.

Dennis Ward  
<mailto:dward@AmericanTCB.com>

The items indicated above must be submitted before processing can continue on the above referenced application. Failure to provide the requested information may result in application termination. Correspondence should be considered part of the permanent submission and may be viewed from the Internet after a Grant of Equipment Authorization is issued.

Please do not respond to this correspondence using the email reply button. In order for your response to be processed expeditiously, you must submit your documents through the AmericanTCB.com website. Also, please note that partial responses increase processing time and should not be submitted.

Any questions about the content of this correspondence should be directed to the sender.