BUFFALO INC.

4-15, Shibata Hondori, Minami-ku Nagoya 457-8520, Japan TEL: 81-52-619-7752 / FAX: 81-52-619-7754

December 1, 2006

Federal Communication Commission Authorization and Evaluation Division 7435 Oakland Mills Road Columbia, MD 21046

Attn: OET Dept.

Ref: FCC Original Certification FCC ID: FDI-09102036-0

Applicant: Buffalo Inc.

Dear Examiner,

I attest that the certified device will not be capable of ad-hoc mode operation outside of the grant conditions. Ad-hoc operation is limited to channels 1-11 in the 2.4GHz band. Ad-hoc operation cannot be enabled in the 5.25-5.35 GHz DFS Bands.

Sincerely,

Takefumi Matsumoto

Takefum Matsumote

Engineer

Buffalo Inc.

4-15, Shibata Hondori, Minami-ku, Nagoya 457-8520, Japan

TEL: 81-52-619-7752 / FAX: 81-52-619-7754

E-mail: matsutake@melcoinc.co.jp

BUFFALO INC.

4-15, Shibata Hondori, Minami-ku Nagoya 457-8520, Japan TEL: 81-52-619-7752 / FAX: 81-52-619-7754

December 1, 2006

Federal Communication Commission Authorization and Evaluation Division 7435 Oakland Mills Road Columbia, MD 21046

Attn: OET Dept.

Ref: FCC Original Certification FCC ID: FDI-09102036-0

Applicant: Buffalo Inc.

Dear Examiner,

This client device implements Dynamic Frequency Selection (DFS) but does not implement radar detection. It only operates under the control of a Master Device when operating in 5.25-5.35 GHz bands.

Ad-hoc operation (not under control of a Master Device) is supported in the 2.4GHz, 5.15-5.25 GHz and 5.25-5.35 GHz bands. This Ad-hoc capability is limited in hardware via factory programmed EEPROM settings that cannot be accessed or changed by end users. The Ad-hoc supported channels of operation cannot be modified – regardless of which client utility or operating system control is used.

Sincerely,

Takefumi Matsumoto

Takefum Matumole

Engineer Buffalo Inc.

4-15, Shibata Hondori, Minami-ku, Nagoya 457-8520, Japan

TEL: 81-52-619-7752 / FAX: 81-52-619-7754

E-mail: matsutake@melcoinc.co.jp