

FCC RF EXPOSURE REPORT

FCC ID: FKD46AK9078B

Project No. : 1408038
Equipment : Bluetooth Keyboard
Model : K9708B; K9708WI; K9708A
Applicant : Monterey International Corporation
Address : No.28, Wu-Chun 6 th RD., Wu-Ku IND. PARK, Taipei
Hsien, Taiwan


According: : FCC Guidelines for Human Exposure IEEE
C95.1

BTL INC.

B1, No. 37, Lane 365, YangGuang St., NeiHu District 114,
Taipei, Taiwan.
TEL: 0769-8318-3000 FAX: 0769-8319-6000

GENERAL CONCLUSION:

Table for Filed Antenna

Ant.	Manufacturer	Model Name	Antenna Type	Connector	Gain(dBi)
1		N/A	Printed	N/A	1.87

Maximum measured transmitter power:

Mode	Output Power (dBm)	Output Power (mW)	Limit (mW)
1 MHz	-1.47	0.7	10

According to FCC KDB447498 V05, Appendix A, SAR Test Exclusion Thresholds for 100 MHz – 6 GHz and ≤ 50 mm

The maximum measured output peak power of this EUT is 0.7 mW, less than 10mW at 5mm distance.

Conclusion: No SAR evaluation required since transmitter power is below FCC threshold

